

# Annual investigate of EMEND prescription

**First published:** 02/12/2013

**Last updated:** 30/03/2024

Study

Finalised

## Administrative details

### EU PAS number

EUPAS5333

### Study ID

19569

### DARWIN EU® study

No

### Study countries

☐ France

### Study description

EMEND® (aprepitant) is an anti-emetic drug indicated for the prevention of nausea and vomiting associated with acute and delayed highly emetogenic cancer chemotherapy including cisplatin, and with moderately emetogenic chemotherapy. Annual monitoring of the conditions of use of this drug has been

requested to MSD France laboratory by the Transparency Committee and the Economic Committee for Health Products. Using Onco-Analyser/IMS Health database, the objective of the study is to check EMEND® compliance in real life: profile of patients, type of cancer, chemotherapy and/or other previous treatments, daily dose, duration of treatment and associated treatments, and to make an annual follow-up of the respect of the conditions of use of EMEND® in comparison with the Therapeutic Information Sheet, over 8 years.

---

## Study status

Finalised

## Research institutions and networks

### Institutions

**Université Claude Bernard Lyon 1**

**First published:** 01/02/2024

**Last updated:** 01/02/2024

**Institution**

## Contact details

### Study institution contact

Eric VAN GANSE [eric.van-ganse@univ-lyon1.fr](mailto:eric.van-ganse@univ-lyon1.fr)

**Study contact**

[eric.van-ganse@univ-lyon1.fr](mailto:eric.van-ganse@univ-lyon1.fr)

## Primary lead investigator

Eric VAN GANSE

Primary lead investigator

## Study timelines

### Date when funding contract was signed

Actual: 14/01/2005

---

### Study start date

Actual: 01/09/2005

---

### Date of final study report

Planned: 28/02/2014

Actual: 15/12/2014

## Sources of funding

- Pharmaceutical company and other private sector

## More details on funding

MSD FRANCE

## Regulatory

### Was the study required by a regulatory body?

Yes

---

## Is the study required by a Risk Management Plan (RMP)?

Not applicable

## Methodological aspects

### Study type

### Study type list

#### **Study topic:**

Human medicinal product

---

#### **Study type:**

Non-interventional study

---

#### **Scope of the study:**

Other

#### **If 'other', further details on the scope of the study**

Prescription compliance

#### **Data collection methods:**

Secondary use of data

---

#### **Main study objective:**

The main objective is to check EMEND® prescription compliance in real life

## Study Design

## **Non-interventional study design**

Cross-sectional

Other

---

## **Non-interventional study design, other**

Prescription event monitoring

# Study drug and medical condition

## **Name of medicine**

EMEND

# Population studied

## **Short description of the study population**

Cancer patients identified from Onco-Analyser/IMS Health database.

---

## **Age groups**

Adults (18 to < 46 years)

Adults (46 to < 65 years)

Adults (65 to < 75 years)

Adults (75 to < 85 years)

Adults (85 years and over)

---

## **Special population of interest**

Other

---

## **Special population of interest, other**

Cancer patients

---

### **Estimated number of subjects**

10000

## **Study design details**

### **Outcomes**

profile of patients, type of cancer, chemotherapy and/or other previous treatments, daily dose, duration of treatment and associated treatments, and to make an annual follow-up of the respect of the conditions of use of EMEND® in comparison with the Therapeutic Information Sheet, over 8 years.

---

### **Data analysis plan**

This is an observational descriptive cross-sectional study conducted among a panel representative of the doctors in charge of patients with cancer. The results are expressed in patients without extrapolation case:

- Description of the population:
  - o Distribution by sex
  - o Distribution by age: 50 years and under, 51-60 years, 61-70 years, 71-80 years, over 80 years
  - o Distribution by type of cancer
- Analysis of Emend prescription conditions:
  - o Distribution by type of treatment (chemotherapy, radiotherapy, surgery)
  - o Distribution according to emetogenic chemotherapy (with cisplatin, high, medium or low emetogenic)
- Analysis of EMEND prescription:
  - o Distribution by duration of treatment: 1 day, 2 days, 3 days, > 3 days
  - o Daily Dose
  - o associated antiemetic treatments

## **Data management**

### **Data sources**

**Data source(s), other**

IMS ONCOANALYSER France

---

**Data sources (types)**

Other

---

**Data sources (types), other**

Prescription event monitoring

## Use of a Common Data Model (CDM)

**CDM mapping**

No

## Data quality specifications

**Check conformance**

Unknown

---

**Check completeness**

Unknown

---

**Check stability**

Unknown

---

**Check logical consistency**

Unknown

## Data characterisation

**Data characterisation conducted**

Unknown