Evaluation of the effectiveness of Penthrox® (methoxyflurane) educational tools adopted as additional risk minimisation measures: Healthcare professional and Patient Survey (Penthrox-Survey)

First published: 05/04/2016 Last updated: 01/04/2024



# Administrative details

#### **EU PAS number**

EUPAS13034

#### Study ID

29622

#### DARWIN EU® study

No

# Study countries

#### **Study description**

As a condition to the marketing authorisation of Penthrox (methoxyflurane), a HCP administration guide and checklist and a patient alert card have been developed to increase awareness of important risks associated with methoxyflurane use and of the best course of actions to minimise those risks. In line with regulatory guidance, a survey of HCPs and patients is proposed to assess whether the processes put in place for the Penthrox educational efforts are effective in achieving a desirable understanding of and behaviour upon key safety messages related to the use of Penthrox.

#### Study status

Finalised

### Research institutions and networks

### Institutions

OXON Epidemiology
Spain
United Kingdom
First published: 06/12/2010
Last updated: 15/03/2024
Institution Laboratory/Research/Testing facility Non-Pharmaceutical company
ENCePP partner

National Institue for Health Research (UK), Multiple centres: 16 centres are involved in the study

### Contact details

Study institution contact Nawab Qizilbash oxon@oxonepi.com

Study contact

oxon@oxonepi.com

**Primary lead investigator** Nawab Qizilbash

Primary lead investigator

# Study timelines

### Date when funding contract was signed

Actual: 05/01/2016

**Study start date** Planned: 15/10/2016 Actual: 15/12/2016

**Date of final study report** Planned: 30/07/2018 Actual: 14/02/2019

# Sources of funding

• Pharmaceutical company and other private sector

### More details on funding

Medical Developments International

# Regulatory

Was the study required by a regulatory body?

Yes

#### Is the study required by a Risk Management Plan (RMP)?

Non-EU RMP only

## Methodological aspects

### Study type

# Study type list

### Study topic:

Disease /health condition Human medicinal product

### Study type:

Non-interventional study

Scope of the study:

Assessment of risk minimisation measure implementation or effectiveness

#### Data collection methods:

Primary data collection

#### Main study objective:

The main objective is to measure awareness, usage, readability, knowledge and understanding of the messages, and impact on behavioural implementation of key safety information contained in the HCP administration guide and checklist, and in the patient alert card among HCPs and patients.

## Study Design

#### Non-interventional study design

**Cross-sectional** 

# Study drug and medical condition

#### Name of medicine, other

Penthox

#### Medical condition to be studied

Pain management

### **Population studied**

#### Short description of the study population

Healthcare professional and Patients who had received Penthrox® (methoxyflurane) educational tools.

#### Age groups

Adults (18 to < 46 years) Adults (46 to < 65 years) Adults (65 to < 75 years) Adults (75 to < 85 years) Adults (85 years and over)

#### Estimated number of subjects

250

### Study design details

#### Outcomes

To measure awareness, usage, readability, knowledge and understanding of the messages, and impact on behavioural implementation of key safety information contained in the HCP administration guide and checklist, and in the patient alert card among HCPs and patients. - Major determinants of HCP and patient understanding and implementation regarding key messages. - Measures of awareness, usage, readability, knowledge, understanding and behaviour reported by HCPs and patients in the survey will be correlated with clinical data collected in the context of the twin PASS.

#### Data analysis plan

Analyses will be mainly descriptive in nature. Categorical data will be summarized by counts and percentages. Continuous data will be summarized using number, mean, standard deviation (SD), median, quartiles, minimum and maximum and in the case of non-normally distributed data, median, range and interquartile range. All statistical tests will be 2-sided and conducted at the 0.05 alpha level. P-values will be presented to three decimal places. A detailed statistical analysis plan (SAP) will be developed and approved before final database lock and will include methods of analysis and presentation and table shells.

### Data management

### Data sources

#### Data sources (types)

Other

#### Data sources (types), other

Survey questionnaire

### Use of a Common Data Model (CDM)

#### **CDM** mapping

No

### Data quality specifications

### Check conformance

Unknown

#### **Check completeness**

Unknown

### Check stability

Unknown

### Check logical consistency

Unknown

# Data characterisation

#### Data characterisation conducted

Unknown