

# Safe Implementation of Treatments in Stroke (SITS) - Intravenous thrombolysis in acute ischaemic stroke patients over 80 years, SITS-IVT>80 years study (SITS ELDERLY)

**First published:** 08/02/2020

**Last updated:** 14/03/2024

Study

Planned

## Administrative details

### EU PAS number

EUPAS33011

---

### Study ID

33012

---

### DARWIN EU® study

No

---

### Study countries

☐ Austria

☐ Belgium

- ☐ Cyprus
  - ☐ Denmark
  - ☐ Finland
  - ☐ France
  - ☐ Germany
  - ☐ Greece
  - ☐ Iceland
  - ☐ Ireland
  - ☐ Italy
  - ☐ Luxembourg
  - ☐ Malta
  - ☐ Netherlands
  - ☐ Norway
  - ☐ Portugal
  - ☐ Spain
  - ☐ Sweden
  - ☐ United Kingdom
- 

### **Study description**

The SITS-IVT>80 years is a retrospective study based on data collected in the SITS-ISTR setting from acute ischemic stroke patients > 80 years of age. The study aims to evaluate the incidence rate with 95% CI of SICH, death and functional independence/favourable outcome within 90 days for ischaemic stroke patients treated with rt-PA in clinical routine settings. In the proposed SITS-IVT>80 years study using the SITS registry we plan to identify approximately 1000 patients older than 80 years treated with IV Alteplase otherwise fulfilling SmPC criteria in the post-approval period of 3 years (from 1 July 2018 to 30 June 2021) and also to identify 1000 patients older than 80 years treated with IV Alteplase otherwise fulfilling SmPC criteria in the pre-approval period of 3 years (from June 2015 to June 2018). In both periods, at least 500 patients should

bereregistered from centres of European countries being part of the mutual recognition. The objective of the SITS-IVT >80 years is to compare the safety and other outcome parameters between the post-approval >80 years and pre-approval >80 years AIS patients using the data already collected in SITS-ISTR.

---

## Study status

Planned

## Research institutions and networks

### Institutions

[Karolinska University Hospital](#)

**First published:** 01/02/2024

**Last updated:** 01/02/2024

Institution

### Networks

[Safe Implementation of Treatments in Stroke \(SITS\)](#)

## Contact details

### Study institution contact

Niaz AHMED niaz.ahmed@sll.se

Study contact

[niaz.ahmed@sll.se](mailto:niaz.ahmed@sll.se)

**Primary lead investigator**

Niaz AHMED

Primary lead investigator

## Study timelines

**Date when funding contract was signed**

Planned: 22/01/2020

---

**Study start date**

Planned: 17/02/2020

---

**Date of final study report**

Planned: 01/06/2022

## Sources of funding

- Pharmaceutical company and other private sector

## More details on funding

Boehringer Ingelheim

## Regulatory

**Was the study required by a regulatory body?**

No

---

**Is the study required by a Risk Management Plan (RMP)?**

Not applicable

## Other study registration identification numbers and links

Boehringer Ingelheim Study Number 0135-0344

## Methodological aspects

### Study type

### Study type list

**Study type:**

Non-interventional study

---

**Scope of the study:**

Drug utilisation

**Main study objective:**

Compare safety and efficacy of the use of IV rtPA in patients above 80 years of age, before the EU approval, and after.

## Study Design

## Non-interventional study design

Cohort

## Study drug and medical condition

### Name of medicine, other

Actilyse

---

### Medical condition to be studied

Ischaemic stroke

## Population studied

### Age groups

Adults (75 to < 85 years)

Adults (85 years and over)

---

### Estimated number of subjects

2000

## Study design details

### Outcomes

□ Safety: SICH per SITS-MOST definition □ Mortality (mRS=6) within 90 days □

Outcome: Functional Independency as defined by mRS 0-2 within 90 days,

Patient characteristics at baseline including stroke severity (NIHSS) □

Outcomes: - Favourable outcome as defined by mRS 0-1 within 90 days □ -

Secondary safety: SICH per ECASS 2 within 90 days □ - Delays of Management:

Time from onset of symptoms – start of Treatment // Time from onset of symptoms – door (or as captured in the registry arrival at hospital) // Door – needle time

---

### **Data analysis plan**

A non-interventional post-approval study on SITS-ISTR existing data of intravenous rt-PA (0.9 mg/kg) in acute ischaemic stroke patients over 80 years, according to the Summary of Product Characteristics (SmPC) of European countries being part of the mutual recognition procedure within the academic SITS-ISTR (International Stroke Thrombolysis Registry, ongoing since December 2002). Descriptive statistics (absolute and relative frequencies, means, standard deviations, medians, inter quartile ranges, minimum and maximum values, 95% confidence intervals and proportions, as appropriate) for baseline and demographic characteristics for all included patients will be provided. To compare demographic and clinical baseline characteristics between pre-approval and post-approval patients over >80years, standardized differences will be used. Multivariable analyses (exploratory) with adjustment for differences or imbalances in prognostic variables for outcome comparison will be performed.

## Data management

### ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

## Data sources

## Data sources (types)

Other

---

### Data sources (types), other

Prospective patient-based data collection, Retrospective and prospective patient-based data collection

## Use of a Common Data Model (CDM)

### CDM mapping

No

## Data quality specifications

### Check conformance

Unknown

---

### Check completeness

Unknown

---

### Check stability

Unknown

---

### Check logical consistency

Unknown

## Data characterisation



**Data characterisation conducted**

No