Specific Clinical Experience Investigation for long-term use of Bydureon subcutaneous injection 2 mg and Bydureon SC Pen 2 mg (PMS Bydureon Long Term Use SCEI)

First published: 18/04/2017 Last updated: 14/03/2024





Administrative details

EU PAS number	
EUPAS18608	
Study ID	
37460	
DARWIN EU® study	
No	
Study countries	
Japan	

Study description

To confirm the safety and efficacy of Bydureon (hereinafter referred to as Bydureon) in long-term use in Japanese patients with type 2 diabetes mellitus under actual drug use.1. Primary Objective To confirm the safety profile in Japanese patients with type 2 diabetes mellitus receiving Bydureon under daily practices.2. Secondary objective As the secondary objective of this S-CEI, the following items are to be investigated. Frequencies of AEs related to cardiovascular events, hypoglycaemia, digestive symptoms, and injection site reaction. Development of pancreatitis, renal impairment (especially acute renal failure), hypersensitivity reaction, and malignant tumour (especially thyroid tumour and pancreatic malignancy)Safety in patients with mild or moderate renal impairmentChanges of weight, blood pressure, pulse rate, fasting blood sugar, fasting insulin, HbA1c, and blood lipidsBydureon administration under daily practices focusing on the patient's demographics and clinical characteristics of diabetes mellitus (duration of diabetes mellitus, treatment duration, complications, Bydureon administration, etc)Anti-exenatide antibody titer in AE cases (hypersensitivity, loss of control of blood sugar).

Study status

Finalised

Research institutions and networks

Institutions

AstraZeneca

First published: 01/02/2024

Last updated: 01/02/2024



Multiple centres: 366 centres are involved in the study

Contact details

Study institution contact

Inoue Maki information.center@astrazeneca.com

Study contact

information.center@astrazeneca.com

Primary lead investigator

Kenji Nakamura

Primary lead investigator

Study timelines

Date when funding contract was signed

Planned: 13/02/2013 Actual: 13/02/2013

Study start date

Planned: 01/10/2013 Actual: 18/10/2013

Data analysis start date

Planned: 01/06/2020 Actual: 02/12/2019

Date of final study report

Planned: 31/08/2020 Actual: 01/07/2020

Sources of funding

• Pharmaceutical company and other private sector

More details on funding

Astrazeneca K.K.

Study protocol

D5551C00001_BD_11-Dec-2014_ProtocolRedacted.pdf(117.52 KB)

Regulatory

Was the study required by a regulatory body?

Yes

Is the study required by a Risk Management Plan (RMP)?

Non-EU RMP only

Other study registration identification numbers and links

Methodological aspects

Study type

Study type list

Study topic:

Human medicinal product

Study type:

Non-interventional study

Scope of the study:

Other

Safety study (incl. comparative)

If 'other', further details on the scope of the study

To confirm efficacy of Bydureon (hereinafter referred to as Bydureon) in longterm use in Japanese patients with type 2 diabetes mellitus under actual drug use.

Data collection methods:

Primary data collection

Main study objective:

To confirm the safety and efficacy of Bydureon (hereinafter referred to as Bydureon) in long-term use in Japanese patients with type 2 diabetes mellitus under actual drug use.

Study Design

Non-interventional study design

Other

Non-interventional study design, other

Case-series, Clinical Experience Investigation based on Japanese regulation

Study drug and medical condition

Name of medicine

BYDUREON

Population studied

Short description of the study population

The patients with type 2 diabetes mellitus who will be given Bydureon for the first time and who inadequately respond to sulfonylurea, biuguanides, and/or thiazolidines (monotherapy or combination use) in addition to diet and exercise. The patients who meet the following conditions:

- The patients with type 2 diabetes mellitus who inadequately respond to sulfonylurea, biuguanides, and/or thiazolidines (monotherapy or combination use) in addition to diet and exercise.

The patient who will receive Bydureon in any of the following combinations:

☐ Bydureon + sulfonylurea

☐ Bydureon + biguanides			
Bydureon + thiazolidinesBydureon + sulfonylurea + biguanides			
			☐ Bydureon + sulfonylurea + thiazolidines
☐ Bydureon + biguanides + thiazolidines			
- No past history of hypersensitivity to the components of Bydureon.			
- Not the patient with diabetic ketoacidosis, diabetic coma/precoma, and/or type	pe		
1 diabetes mellitus.			
 Bydureon will not be administered to the patient in an emergency situation such as severe infection and operation. Not the patient with severe renal impairment, including those receiving 			
		dialysis.	
Age groups			
Adolescents (12 to < 18 years)			
Adults (18 to < 46 years)			
Adults (46 to < 65 years)			
Adults (65 to < 75 years)			
Adults (75 to < 85 years)			
Adults (85 years and over)			
Special population of interest			
Hepatic impaired			
Immunocompromised			
Other			

Pregnant women

Renal impaired

Special population of interest, other

Type 2 diabetes mellitus patients

Estimated number of subjects

1100

Study design details

Outcomes

To confirm the safety profile in Japanese patients with type 2 diabetes mellitus receiving Bydureon under daily practices. Frequencies of AEs related to cardiovascular events, hypoglycaemia, digestive symptoms, and injection site reaction, pancreatitis, renal impairment (especially acute renal failure), hypersensitivity reaction, and malignant tumour (especially thyroid tumour and pancreatic malignancy). Safety in patients with mild or moderate renal impairment.

Data analysis plan

risk estimation, measures of risk

Documents

Study results

D5551C00001_redacted_CSR_Synopsis.pdf(152.01 KB)

Data management

ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

Data sources

Data sources (types)

Other

Data sources (types), other

Prospective patient-based data collection

Use of a Common Data Model (CDM)

CDM mapping

No

Data quality specifications

Check conformance

Unknown

Check completeness

Unknown

Check stability

Unknown

Check logical consistency

Unknown

Data characterisation

Data characterisation conducted

No