

Comparing the Incidence between Tiotropium and ICS/LABA in Real world Use in South Korea (CITRUS study)

First published: 15/11/2019

Last updated: 22/04/2021

Study

Ongoing

Administrative details

EU PAS number

EUPAS32329


Study ID

40660

DARWIN EU® study

No

Study countries

 Korea, Republic of

Study description

Non-interventional study to compare effectiveness of LAMA to fixed dose combination of inhaled corticosteroid and long-acting beta agonists (ICS/LABA) in patients with chronic obstructive pulmonary disease (COPD) based on existing data

Study status

Ongoing

Research institutions and networks

Institutions

[Soeun Lee](#)

Contact details

Study institution contact

Soeun Lee soeun.lee@boehringer-ingenelheim.com

Study contact

soeun.lee@boehringer-ingenelheim.com

Primary lead investigator

Soeun Lee Lee

Primary lead investigator

Study timelines

Date when funding contract was signed

Planned: 20/12/2019

Actual: 08/06/2020

Study start date

Planned: 24/12/2019

Actual: 03/03/2020

Data analysis start date

Planned: 07/01/2020

Actual: 06/04/2021

Date of interim report, if expected

Planned: 02/06/2020

Date of final study report

Planned: 30/06/2021

Sources of funding

- Pharmaceutical company and other private sector

More details on funding

Boehringer-Ingelheim

Regulatory

Was the study required by a regulatory body?

No

Is the study required by a Risk Management Plan (RMP)?

Not applicable

Methodological aspects

Study type

Study type list

Study type:

Non-interventional study

Scope of the study:

Effectiveness study (incl. comparative)

Main study objective:

To see the effectiveness of tiotropium compare to ICS/LABA in terms of prevention of COPD acute exacerbation and reducing incidence of pneumonia. The study will be conducted in a general practice setting, Korea National Health Insurance claim data & mortality data from the Bureau of Statistics, which includes computerized medical records of more than half million patients in South Korea

Study Design

Non-interventional study design

Other

Non-interventional study design, other

Prescription event monitoring

Study drug and medical condition

Medicinal product name, other

Spiriva

Population studied

Age groups

- Adults (46 to < 65 years)
- Adults (65 to < 75 years)
- Adults (75 to < 85 years)
- Adults (85 years and over)

Estimated number of subjects

10000

Study design details

Data analysis plan

All analyses will be performed with SAS and R . All variables will be summarized descriptively through displays of mean(\pm standard deviations), median, and ranges for continuous variables, and frequency distributions of categorical variables. To address the imbalance of potential confounders between LAMA ICS/LABA groups, we matched treatment groups using propensity scores estimated as by multiple logistic regression analysis based on as age, sex, socioeconomics status, Charlson Comorbidity Index, and asthma, and history of

COPD exacerbation. Cox proportional hazards regression analyses will be used to estimate hazard ratios (HRs) HRs and 95% confidence intervals (95% CIs) for all outcomes. For (possibly) repeating events (such as exacerbation event) additionally a Poisson regression model will be fitted for the number of events (taking into account the matching). Detailed methodology for summary and statistical analyses of data in this study will be documented in an SAP.

Data management

ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

Data sources

Data sources (types)

[Administrative healthcare records \(e.g., claims\)](#)

Use of a Common Data Model (CDM)

CDM mapping

No

Data quality specifications

Check conformance

Unknown

Check completeness

Unknown

Check stability

Unknown

Check logical consistency

Unknown

Data characterisation

Data characterisation conducted

No