Retrospective registry study evaluating the safety of melatonin use in children and adolescents with attention deficit hyperactivity disorder (ADHD) in Sweden (Safety of melatonin in children with ADHD)

First published: 09/10/2023 Last updated: 02/07/2024





#### Administrative details

#### **PURI**

https://redirect.ema.europa.eu/resource/41368

#### **EU PAS number**

**EUPAS41367** 

#### Study ID

41368

#### **DARWIN EU® study**

Nο

#### Study countries

Sweden

#### Study description

AGB-Pharma was provided a post-authorisation commitment by the Medical Products Agency (MPA) to conduct a PASS-study (Category 3) in connection to the approval of Melatonin AGB via a National procedure for the indication: Insomnia in children and adolescents aged 6-17 years with ADHD, where sleep hygiene measures have been insufficient. The background for this commitment was the theoretical concern on the effect

of melatonin on sexual maturation in children and adolescents with ADHD. The retrospective aspect of this study was proposed by the MPA, and a feasibility assessment was undertaken by AGB-Pharma, supported by LINK Medical Research. After the feasibility assessment it was found that it is possible to design a retrospective registry study on safety, concerning height development, in children with ADHD. However, it is not feasible to evaluate the safety of long-term treatment with melatonin on sexual maturation, as no data on pubertal timing exists in any central registry in Sweden. The objective of this PASS study is to study the height development in children and adolescents with ADHD, which are prescribed melatonin. The primary objective is to determine whether long-term treatment of melatonin (30? days) influences height development in children and adolescence with ADHD. As a secondary reference PC PAL national standard growth chart will be used, which follows growth in relation to age. The exploratory objective of this study is to describe melatonin use in the population of interest, including medicine adherence, duration of treatment and dosing. Also, the study aims to compare the growth of children and adolescents with ADHD and prescribed melatonin with national Swedish growth charts

#### Study status

Planned

#### Contact details

Study institution contact Magnusson Hedda

Study contact

hedda.magnusson@linkmedical.eu

Primary lead investigator

Peik Gustafsson

Primary lead investigator

# Study timelines

Date when funding contract was signed

Planned:

01/07/2021

Study start date

Planned:

15/11/2023

Data analysis start date

Planned:

#### Date of final study report

Planned: 29/03/2024

# Sources of funding

· Pharmaceutical company and other private sector

## More details on funding

AGB-Pharma AB

## Regulatory

Was the study required by a regulatory body?

Yes

Is the study required by a Risk Management Plan (RMP)?

EU RMP category 3 (required)

## Methodological aspects

# Study type list

#### Study type:

Not applicable

#### Main study objective:

The primary objective is to determine whether long-term treatment of melatonin (?30 days) influences height development in children and adolescence with ADHD. As secondary reference PC PAL standard national Swedish growth chart will be used, which describes the growth in relation to chronological age.

# Population studied

#### Short description of the study population

Swedish prescription register showed in 2020 that 56.435 individuals that had been prescribed ADHD medication, the study expect the number to be fewer than this.

#### Age groups

Children (2 to < 12 years) Adolescents (12 to < 18 years)

#### **Estimated number of subjects**

56435

## Study design details

#### **Outcomes**

Growth velocity. It is not possible to access data on sexual maturation as it is not available, the growth velocity is the only possible outcome of this study.

#### Data analysis plan

Data measurements will be unevenly spaced, occur at different ages for different subjects, and there may be missing. Participants with fewer than two height measurements will be further analysed for missing data by comparing the two groups with and without registered measurements. For the primary endpoint, height growth, a linear approach will be used to approximate the growth velocity. Analysis of height growth will be performed with a random coefficients model using PROC MIXED in SAS® where a separate regression line, i.e., intercept and slope, is fitted for each subject. The basic model will include age, subject group, and subject group\*age as fixed effects and subject and subject\*age as random effects. As a secondary reference the digital tool PC PAL will be used for comparison. Unmeasured confounders will be handled in a complementary analysis with the use of an instrumental variable. Sensitivity analyses of height growth will be performed.

### Data management

#### Data sources

#### Data source(s)

National Prescribed Drugs Register / Läkemedelsregistret

#### Data source(s), other

The Swedish prescribed drug register

#### Data sources (types)

Disease registry

Drug dispensing/prescription data

# Use of a Common Data Model (CDM)

#### **CDM** mapping

No

# Data quality specifications

#### **Check conformance**

Unknown

#### **Check completeness**

Unknown

#### **Check stability**

Unknown

#### **Check logical consistency**

Unknown

## Data characterisation

#### **Data characterisation conducted**

No