Psoriasis Study of Health Outcomes – an International Observational Study of 3 Year Health Outcomes in the Biologic Treatment of Moderate to Severe Plaque Psoriasis (PSoHO)

First published: 30/05/2018
Last updated: 02/04/2024





Administrative details

EU PAS number		
EUPAS24207		
Study ID		
46014		
DARWIN EU® study		
No		
Study countries		
Argentina		
Australia		

Austria
Brazil
Canada
Colombia
France
Germany
Hungary
Israel
Italy
Korea, Republic of
Mexico
Netherlands
Poland
Portugal
Romania
Saudi Arabia
Spain
Switzerland
Taiwan
United Arab Emirates
United Kingdom

Study description

In order to evaluate the additional benefit of improved skin clearance for patients with psoriasis and the associated long term outcomes including patient reported HRQoL and health care resource consumption, the currently proposed study will explore the clinical effectiveness of anti IL 17A treatments (specifically ixekizumab and secukinumab) in patients with moderate to severe psoriasis compared to other biologic treatments within routine care.

Study status

Research institutions and networks

Institutions

United BioSource Corporation (UBC)
Switzerland
First published: 25/04/2013
Last updated: 06/03/2024
Institution Non-Pharmaceutical company ENCePP partner

Contact details

Study institution contact

Catherine Reed reed_catherine@lilly.com

Study contact

reed_catherine@lilly.com

Primary lead investigator

Catherine Reed

Primary lead investigator

Study timelines

Date when funding contract was signed

Actual: 02/03/2018

Study start date

Planned: 29/06/2018 Actual: 16/07/2018

Date of final study report

Planned: 20/11/2023

Sources of funding

• Pharmaceutical company and other private sector

More details on funding

Eli Lilly and Company

Regulatory

Was the study required by a regulatory body?

No

Is the study required by a Risk Management Plan (RMP)?

Not applicable

Methodological aspects

Study type

Study type list

Study type:

Non-interventional study

Scope of the study:

Effectiveness study (incl. comparative)

Main study objective:

To compare the proportion of patients with moderate to severe plaque psoriasis treated in clinical practice with ixekizumab or secukinumab (the anti IL 17A cohort) relative to other biologic treatments who achieve clear or almost clear skin (equivalent to PASI 90 or higher and/or sPGA 0/1) at 12±4 weeks following initiation of or switching to a new biologic

Study Design

Non-interventional study design

Cohort

Study drug and medical condition

Study drug International non-proprietary name (INN) or common name

IXEKIZUMAB

SECUKINUMAB

BRODALUMAB

USTEKINUMAB

ADALIMUMAB

ETANERCEPT

INFLIXIMAB

Medical condition to be studied

Psoriasis

Population studied

Age groups

- Adults (18 to < 46 years)
- Adults (46 to < 65 years)
- Adults (65 to < 75 years)
- Adults (75 to < 85 years)
- Adults (85 years and over)

Estimated number of subjects

2000

Study design details

Outcomes

PASI, sPGA, BSA, DLQI

Data analysis plan

Logistic regression will be used to analyze the proportions of the primary endpoint for assigned anti IL 17A and other biologic treatments. In addition to the treatment groups, the propensity scores derived during baseline interim analyses will be included as covariates into the model.

Data management

ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

Data sources

Data sources (types)

Other

Data sources (types), other

Prospective patient-based data collection

Use of a Common Data Model (CDM)

CDM mapping

No

Data quality specifications

Check conformance

Unknown

Check completeness

Unknown

Check stability

Unknown

Check logical consistency

Unknown

Data characterisation

Data characterisation conducted

No