

# Febuxostat-5006: Drug Utilization Study to Describe the Pattern of Febuxostat Use in Relationship to Allopurinol Following Addition of the Boxed Warning and Modification of the Indication Based on the Results of the CARES Trial (Febuxostat Drug Utilization Study)

**First published:** 20/04/2021

**Last updated:** 23/04/2024

Study

Finalised

## Administrative details

### EU PAS number

EUPAS40179

---

### Study ID

48592

---

### DARWIN EU® study

No

---

## Study countries

 United States

---

## Study description

The prescribing information provides information on medicines. This study will check the number of patients starting febuxostat and the number of febuxostat users with cardiovascular disease after changes to the prescribing information.

---

## Study status

Finalised

# Research institutions and networks

## Institutions

**Takeda**

**First published:** 01/02/2024

**Last updated:** 01/02/2024

**Institution**

## Contact details

### Study institution contact

Study Contact Takeda [trialogdisclosures@takeda.com](mailto:trialogdisclosures@takeda.com)

**Study contact**

[trialogdisclosures@takeda.com](mailto:trialogdisclosures@takeda.com)

## Primary lead investigator

Study Contact Takeda

Primary lead investigator

## Study timelines

### Date when funding contract was signed

Actual: 20/01/2021

---

### Study start date

Actual: 15/08/2020

---

### Data analysis start date

Actual: 05/01/2021

---

### Date of final study report

Planned: 30/06/2021

Actual: 30/06/2021

## Sources of funding

- Pharmaceutical company and other private sector

## More details on funding

Takeda

## Study protocol

[Febuxostat-5006\\_Protocol-V2-Redacted.pdf](#) (642.89 KB)

## Regulatory

**Was the study required by a regulatory body?**

Yes

---

**Is the study required by a Risk Management Plan (RMP)?**

Not applicable

## Methodological aspects

### Study type

#### Study type list

**Study topic:**

Human medicinal product

Disease /health condition

---

**Study type:**

Non-interventional study

---

**Scope of the study:**

Drug utilisation

**Data collection methods:**

Secondary use of data

---

**Main study objective:**

Primary objective of the study is to describe the number and proportion of patients initiating febuxostat as new users (that is, without previous allopurinol

therapy) versus prevalent new users (ie, with previous allopurinol therapy) of ULT and to describe the number and proportion of febuxostat users with established CVD.

## Study Design

### **Non-interventional study design**

Cross-sectional

Other

---

### **Non-interventional study design, other**

Descriptive study

## Study drug and medical condition

### **Study drug International non-proprietary name (INN) or common name**

FEBUXOSTAT

---

### **Medical condition to be studied**

Gout

Myocardial infarction

Angina unstable

Haemorrhagic stroke

Ischaemic stroke

Transient ischaemic attack

Peripheral vascular disorder

## Population studied

## **Short description of the study population**

The study population included gout patients aged 21 years or older initiated febuxostat therapy on or after 01 June 2016 identified from the Optum Clinformatics DataMart (CDM) and the IQVIA PharMetrics Plus claims database.

Inclusion criteria:

- Index fill date on or after 01 June 2016.
  - Having at least one diagnosis for gout (identified with diagnosis codes, International Classification of Diseases [ICD]-9-CM: 274.x or ICD-10: M10.x) at any time in the patient's record.
  - Age  $\geq$ 21 years at index fill date.
  - Continuously enrolled for at least 12 months prior to index fill date.
- 

## **Age groups**

- Adults (18 to < 46 years)
  - Adults (46 to < 65 years)
  - Adults (65 to < 75 years)
  - Adults (75 to < 85 years)
  - Adults (85 years and over)
- 

## **Special population of interest**

Other

---

## **Special population of interest, other**

Patients with gout

---

## **Estimated number of subjects**

24046

## **Study design details**

## Outcomes

The primary outcomes will assess the number of participants newly initiating febuxostat therapy versus prevalent new users and number of participants with established cardiovascular disease (CVD).

---

## Data analysis plan

Standard descriptive statistics method will be used to report mean, standard deviation, median, range, temporal trends to describe the dispensing pattern of febuxostat.

## Documents

### Study results

[Febuxostat-5006 RDS 2021-06-30.pdf](#) (643.96 KB)

---

## Data management

### ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

## Data sources

### Data source(s), other

**Data sources (types)**

Administrative healthcare records (e.g., claims)

## Use of a Common Data Model (CDM)

**CDM mapping**

No

## Data quality specifications

**Check conformance**

Unknown

---

**Check completeness**

Unknown

---

**Check stability**

Unknown

---

**Check logical consistency**

Unknown

## Data characterisation

**Data characterisation conducted**

No