

Impact of EU label changes and revised pregnancy prevention programme for oral retinoid containing medicinal products: risk awareness and adherence (RetinoidRiskAware)

First published: 24/01/2020

Last updated: 23/05/2024

Study

Finalised

Administrative details

EU PAS number

EUPAS32408

Study ID

49658

DARWIN EU® study

No

Study countries

☐ Belgium

☐ Denmark

- ☐ Greece
 - ☐ Latvia
 - ☐ Netherlands
 - ☐ Portugal
 - ☐ Slovenia
 - ☐ Spain
-

Study description

This is a multi-country study in eight European countries: Belgium, Denmark, Greece, Latvia, Portugal, The Netherlands, Slovenia and Spain. In each country a web-based questionnaire will be conducted among users and former users of oral retinoids, and among health care professionals. An electronic survey including questions on the influence of regulatory recommendations on HCP awareness about the teratogenic and neurodevelopment effects of oral retinoids will be used to gauge their perspective and to assess effects on knowledge, attitudes and practices. Similarly a patient questionnaire will measure awareness about regulatory recommendations as well as uptake of pregnancy prevention measures, and investigate their effect on oral retinoid use. Data from the survey and questionnaire will be anonymised and analysed for differences between countries. Determinants for adherence to the measures implemented per country will be analysed. Additionally, in two countries (Netherlands and Portugal) semi-structured telephone interviews will be held with 6-8 patients with a range in age and varied educational background.

Study status

Finalised

Research institutions and networks

Institutions

Division of Pharmacoepidemiology & Clinical Pharmacology (PECP), Utrecht Institute for Pharmaceutical Sciences (UIPS), Utrecht University

☐ Netherlands

First published: 01/03/2010

Last updated: 23/05/2024

Institution

Educational Institution

ENCePP partner

Division of Pharmacoepidemiology & Clinical Pharmacology (PECP), Utrecht Institute for Pharmaceutical Sciences (UIPS), Utrecht University

☐ Netherlands

First published: 01/03/2010

Last updated: 23/05/2024

Institution

Educational Institution

ENCePP partner

Porto Pharmacovigilance Centre, Faculty of Medicine, University of Porto (UFPorto)

☐ Portugal

First published: 17/11/2010

Last updated: 12/06/2023

Institution

Educational Institution

ENCePP partner

Department of Medicine/Laboratory of Hygiene and Environmental Protection, Democritus University of Thrace

☐ Greece

First published: 30/11/2022

Last updated: 05/12/2022

Institution

Educational Institution

ENCePP partner

Pharmaceutical Care Unit – Ghent University
Ghent, Belgium, University of Copenhagen,
Faculty of Health and Medical Sciences,
Department of Pharmacy (Social and Clinical
Pharmacy). Copenhagen, Denmark, The Institute
of Public Health of Riga Stradins University Riga,
Latvia, University of Ljubljana, Faculty of
pharmacy, Social Pharmacy. Ljubljana, Slovenia,
Sección de Innovación y Organización, Servicio
Navarro de Salud. Pamplona, Spain, Centre for

Health Protection, National Institute for Public
Health and the Environment Bilthoven, The
Netherlands

Networks

Pharmacoepidemiology and Pharmacovigilance Network

First published: 01/02/2024

Last updated: 01/02/2024

Network

Contact details

Study institution contact

Teresa Leonardo Alves teresa.leonardo.alves@rivm.nl

Study contact

teresa.leonardo.alves@rivm.nl

Primary lead investigator

Olaf Klungel

Primary lead investigator

Study timelines

Date when funding contract was signed

Planned: 25/02/2019

Actual: 25/02/2019

Study start date

Planned: 25/10/2019

Actual: 25/10/2019

Data analysis start date

Planned: 20/12/2019

Date of interim report, if expected

Planned: 24/07/2020

Date of final study report

Planned: 23/08/2019

Actual: 01/04/2021

Sources of funding

- EMA

Study protocol

[29-01-2020 Protocol retinoid study version 2.0 final with annexes.pdf](#)(594.87 KB)

Regulatory

Was the study required by a regulatory body?

Yes

Is the study required by a Risk Management Plan (RMP)?

Not applicable

Methodological aspects

Study type

Study type list

Study topic:

Human medicinal product

Study type:

Non-interventional study

Scope of the study:

Assessment of risk minimisation measure implementation or effectiveness

Drug utilisation

Effectiveness study (incl. comparative)

Data collection methods:

Primary data collection

Main study objective:

To determine the extent of awareness of the PPP and of the risk of teratogenic effects in women of childbearing potential and pregnant women exposed to oral retinoid containing medicinal products, by patients and by healthcare professionals.

Study Design

Non-interventional study design

Cross-sectional

Other

Non-interventional study design, other

Health care professional study, Patient study

Study drug and medical condition

Anatomical Therapeutic Chemical (ATC) code

(D05BB02) acitretin

acitretin

(D10BA01) isotretinoin

isotretinoin

(D11AH04) alitretinoin

alitretinoin

Population studied

Short description of the study population

Health care professionals (both GPs and specialists) and community pharmacists who had prescribed oral retinoids among women in childbearing age from 8 European countries: Belgium, Denmark, Greece, Latvia, Portugal, The Netherlands, Slovenia and Spain. Midwives may be included, if they have had experience with at least one woman treated with oral retinoids.

Inclusion criteria:

- female aged between 15-50 years
 - having used oral retinoids in the past 5 years or are currently using
-

Age groups

Adolescents (12 to < 18 years)

Adults (18 to < 46 years)

Adults (46 to < 65 years)

Special population of interest

Women of childbearing potential not using contraception

Women of childbearing potential using contraception

Estimated number of subjects

400

Study design details

Data analysis plan

The surveys will generate descriptive statistics, describing the distribution of characteristics of patients and HCPs for the variables included in the questionnaires. Univariate and bivariate analyses will be conducted according to stratifying variables, including HCP characteristics (age, gender, country, specialism, years of experience) and patient characteristics (age, diagnosis,

past use of oral retinoids, type of prescriber, country). For the qualitative data, the analysis involves an inductive content analysis based on a close line-by-line reading of the responses and developing a conceptual coding scheme based on the major themes in the interview guides. Transcripts will be categorized individually by two coders in each country in native languages. Coders from all countries will meet prior to the analysis to predefine categories and codes to be used. They meet again to evaluate the categories identified and to write up the results using illustrative quotes.

Documents

Study results

[RetinoidRiskAware Summary.pdf](#)(165.7 KB)

Study report

[RetinoidRiskAware study report_revised_final.pdf](#)(1.62 MB)

Data management

ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

Data sources

Data sources (types)

Administrative healthcare records (e.g., claims)

Drug dispensing/prescription data

Other

Data sources (types), other

Prospective patient-based data collection, For recruitment> Patient

Organizations and their networks Social Media

Use of a Common Data Model (CDM)

CDM mapping

No

Data quality specifications

Check conformance

Unknown

Check completeness

Unknown

Check stability

Unknown

Check logical consistency

Unknown

Data characterisation

Data characterisation conducted

No