

# Vedolizumab-5060: Association Between Disease Activity and QoL, Fatigue, Mood and Sleep Disorders in Patients with Moderate to Severe Ulcerative Colitis or Crohn's Disease Treated with Vedolizumab - A Prospective, Observational Study Based on Patient Reported Outcomes (KUJAWIAK)

**First published:** 15/06/2020

**Last updated:** 16/02/2024

Study

Finalised

## Administrative details

### EU PAS number

EUPAS34232

---

### Study ID

103396

---

### DARWIN EU® study

No

---

## Study countries

 Poland

---

## Study description

This is an open-label, prospective, non-interventional, national, and multi-center study. This study is designed to document the management and clinical outcome of patients who are eligible for Drug Program (DP) treatment in Poland with ulcerative colitis (UC) and Crohn's disease (CD) based on real-world data. DP is a reimbursement program authorized by Ministry of Health in this country to grant patients access to highly specialized therapies, example biologics, such as vedolizumab . The study is based on data collection from all patients enrolled for treatment in DP between September 2020 and March 2022. All patients will be enrolled in one Cohort, where patient will receive vedolizumab intravenous in accordance to Summary of Product Characteristics (SmPC) and DP. Data collection will be scheduled in line with DP visits at Visit 1 (Week 0), Visit 2 (Week 2), Visit 3 (Week 6), and Visit 4 (Week 14). The follow up will be performed after Week 14 in patients who completed the full treatment schedule within DP. The study will enroll approximately 300 patients who initiated treatment with vedolizumab. The study is planned to be conducted in Poland. The overall duration of this study is approximately 25 months.

---

## Study status

Finalised

## Research institutions and networks

### Institutions

## Takeda

**First published:** 01/02/2024

**Last updated:** 01/02/2024

Institution

## Szymon Drygala

### Contact details

#### Study institution contact

Szymon Drygala [trialdisclosures@takeda.com](mailto:trialdisclosures@takeda.com)

Study contact

[trialdisclosures@takeda.com](mailto:trialdisclosures@takeda.com)

#### Primary lead investigator

Maria Kłopocka

Primary lead investigator

### Study timelines

#### Date when funding contract was signed

Planned: 17/02/2020

Actual: 17/02/2020

---

**Study start date**

Planned: 01/09/2020

Actual: 04/09/2020

---

**Data analysis start date**

Planned: 30/09/2022

---

**Date of final study report**

Planned: 31/08/2023

Actual: 30/05/2023

## Sources of funding

- Pharmaceutical company and other private sector

## More details on funding

Takeda

## Study protocol

[KUJAWIAK\\_NIS Protocol\\_V 2.0\\_FINAL-amended \(V 2.0\) updated\\_Redacted.pdf](#)

(522.55 KB)

## Regulatory

**Was the study required by a regulatory body?**

No

---

**Is the study required by a Risk Management Plan (RMP)?**

Not applicable

## Methodological aspects

### Study type

### Study type list

**Study type:**

Non-interventional study

---

**Scope of the study:**

Effectiveness study (incl. comparative)

Safety study (incl. comparative)

**Main study objective:**

The primary objective of the study is to determine effect of vedolizumab on quality of life (QoL) measured at Week 14 (end of induction therapy in the DP).

### Study Design

**Non-interventional study design**

Cohort

### Study drug and medical condition

**Study drug International non-proprietary name (INN) or common name**

### **Medical condition to be studied**

Colitis ulcerative

Crohn's disease

## Population studied

### **Age groups**

- Adults (18 to < 46 years)
- Adults (46 to < 65 years)
- Adults (65 to < 75 years)
- Adults (75 to < 85 years)
- Adults (85 years and over)

---

### **Estimated number of subjects**

300

## Study design details

### **Outcomes**

Primary endpoint will include change from baseline to end of induction therapy in the DP (Week 14) in inflammatory bowel disease questionnaire (IBDQ) total score, domain score (for bowel symptoms, systemic symptoms, emotional function, and social function), and proportion of patients with response (defined as an increase in IBDQ total score of  $\geq 16$  points at the end of induction therapy in DP). The secondary endpoint will include proportion of patients with clinical response to vedolizumab treatment at end of induction therapy in DP,

change from baseline to end of induction therapy in DP (Week 14) in frequency/severity of fatigue, impact of fatigue on individuals' lives, depression and sleep disturbance expressed as value of T-score calculated from PROMIS Sleep disturbance questionnaire.

---

### **Data analysis plan**

Standard descriptive statistic methods will be used which comprise the number of patients, arithmetic mean, standard deviation, upper and lower quartiles, minimum, median and maximum. For categorical variables frequencies and percentages (absolute and relative frequencies) will be presented. The safety endpoints will be presented as incidence rate calculated using person-time analyses.

## Documents

### **Study results**

[Vedolizumab-5060\\_clinical-study-report-redact.pdf](#) (245.19 KB)

---

## Data management

### ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

## Data sources

## **Data sources (types)**

Other

---

### **Data sources (types), other**

Prospective patient-based data collection

## **Use of a Common Data Model (CDM)**

### **CDM mapping**

No

## **Data quality specifications**

### **Check conformance**

Unknown

---

### **Check completeness**

Unknown

---

### **Check stability**

Unknown

---

### **Check logical consistency**

Unknown

## **Data characterisation**

### **Data characterisation conducted**

No