Exploratory non-interventional, open-label, prospective, longitudinal 12-week parallel group study to assess the efficacy and safety of a balanced (10mg:10mg) THC/CBD cannabinoid extract in adult patients\* suffering from otherwise refractory chemotherapy-induced neuropathic pain (CINP) (OCEAN)

First published: 11/08/2023

Last updated: 23/04/2024





## Administrative details

#### **EU PAS number**

EUPAS106292

#### Study ID

106293

#### **DARWIN EU® study**

No

### **Study countries**

Germany

### **Study description**

Open 12-week parallel two-cohort non-interventional evaluation of the efficacy and tolerability of a balanced 10:10 THC:CBD full spectrum cannabinoid extract as add-on treatment to standard of care in adult patients with elsewhere refractory chemotherapy-induced neuropathic pain, based on real-world data provided by the German Pain e-Registry.

#### **Study status**

Finalised

### Research institutions and networks

### Institutions

## O.Meany-MDPM

First published: 01/02/2024

**Last updated:** 01/02/2024

Institution

### Contact details

### **Study institution contact**

### Michael Ueberall michael.ueberall@omeany.de

Study contact

michael.ueberall@omeany.de

### **Primary lead investigator**

Michael Ueberall

**Primary lead investigator** 

# Study timelines

### Date when funding contract was signed

Planned: 31/03/2023

Actual: 17/05/2023

### Study start date

Planned: 09/08/2023

Actual: 09/08/2023

### Data analysis start date

Planned: 09/08/2023

Actual: 09/08/2023

#### **Date of final study report**

Planned: 09/08/2023

Actual: 09/08/2023

## Sources of funding

• Pharmaceutical company and other private sector

## More details on funding

Avextra Pharma GmbH

## Regulatory

Was the study required by a regulatory body?

No

Is the study required by a Risk Management Plan (RMP)?

Not applicable

# Methodological aspects

Study type

Study type list

**Study type:** 

Non-interventional study

### **Scope of the study:**

Drug utilisation

Effectiveness study (incl. comparative)

Main study objective:

12-week Efficacy and tolerability of a balanced 10:10 THC:CBD full spectrum extract vs. standard of care.

## Study Design

### Non-interventional study design

Cohort

## Study drug and medical condition

### Study drug International non-proprietary name (INN) or common name

DELTA(9)-TETRAHYDROCANNABINOLIC ACID
CANNABIDIOL

#### Medical condition to be studied

Neuralgia

### Additional medical condition(s)

Chemotherapy-induced neuropathic pain

# Population studied

### Short description of the study population

- $\sim$ 300 patients with the cannabinoid under evaluation for whom the cost coverage has been accepted by the responsible statutory insurance company;
- ~ 100 patients for whom cost coverage has been rejected by the responsible statutory insurance company and who received a standard of care treatment.

Observation time is 12 weeks from date of the decision regarding cost coverage.

### Age groups

Adults (18 to < 46 years)

Adults (46 to < 65 years)

Adults (65 to < 75 years)

Adults (75 to < 85 years)

Adults (85 years and over)

#### **Estimated number of subjects**

400

### Study design details

#### **Outcomes**

Primary endpoint of this study is the number of patients who reported either an absolute improvement equal to or greater than the minimal clinical important difference or a relative improvement equal to or greater than 30% vs. baseline for a) average 24-hour pain intensity, pain-related disabilities in daily life, pain-related sleep disturbances, and neuropathic pain phenomenology., Efficacy: absolute/relative treatment-related changes in average 24-hour pain intensity, pain-related disabilities in daily life, pain-related sleep disturbances, and neuropathic pain phenotype at end of week 12 vs. baseline. Safety/tolerability: number and spectrum of reported adverse drug reactions, percentage of patients affected by adverse drug reactions.

#### **Data analysis plan**

Descriptive and inferential statistical analyses will be performed. For continuous variables, descriptive statistics will be summarized by the number of patients

(n), the mean, standard deviation (SD), 95% confidence intervals (95%-CI) of the mean, median, and range (minimum – maximum) values. For categorical and ordinal variables data will be summarized by frequency number (n), percentage (%) and (where appropriate) adjusted percentage (a%) of participants in each category, incl. 95% confidence intervals. For between groups comparisons of 2x2 contingency tables with a dichotomous/binomial trait McNemar´s test (with the Edwards correction) will be applied, and Pearson's chi-squared tests will be used for categorial variables with multinomial expressions. Between groups comparisons of continuous variables will be applied dependent on the data distribution: for normally distributed data paired samples t-tests and for non-normal distributions Wilcoxon´s signed rank test will be used.

## Data management

### **ENCePP Seal**

The use of the ENCePP Seal has been discontinued since February 2025.

The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

### Data sources

Data sources (types)

Disease registry

Use of a Common Data Model (CDM)

### **CDM** mapping

No

# Data quality specifications

#### **Check conformance**

Unknown

### **Check completeness**

Unknown

### **Check stability**

Unknown

### **Check logical consistency**

Unknown

## Data characterisation

#### **Data characterisation conducted**

No