DARWIN EU® EHDS Use Case: Natural history of coagulopathy in COVID-19 patients and persons vaccinated against SARS-CoV-2 in the context of the OMICRON variant

First published: 03/10/2023

Last updated: 16/10/2024





Administrative details

PURI

https://redirect.ema.europa.eu/resource/107276

EU PAS number

EUPAS106679

Study ID

107276

DARWIN EU® study

Yes

Study countries
Estonia
Germany
☐ Netherlands
Spain
United Kingdom

Study description

The aim of the study is to contextualize the risk of venous and arterial thromboembolic events associated with COVID-19, during the Omicron period, and SARS-CoV-2 vaccination. The research objectives which will be addressed incrementally to support the project aim are to estimate the background incidence rate of venous and arterial thromboembolic events among the general pre-pandemic population, to estimate the incidence rate of venous and arterial thromboembolic events among patients with COVID-19 within 30-, 60-, and 90- and 180-days during the Omicron period, stratified by prior SARS-CoV-2 vaccination and prior infection status, to estimate the incidence rate of venous and arterial thromboembolic events among patients with SARS-CoV-2 vaccination within 30-, 60-, 90- and 180-days, stratified by prior infection status, to estimate the association between clinical risk factors including prior SARS-CoV-2 vaccination on the incidence rate of venous and arterial events among patients with COVID-19 and the impact that thromboembolic events have on worsening severity of COVID-19 during the Omicron period and to estimate incidence rate ratios for venous and arterial thromboembolic events among patients with COVID-19 and people vaccinated against SARS-CoV-2, compared to the background population using incidence rates estimated in objectives 1 to 3.

Study status

Ongoing

Research institutions and networks

Institutions

Networks

Data Analysis and Real World Interrogation Network (DARWIN EU®)
Belgium
Croatia
☐ Denmark
Estonia
Finland
France
Germany
Hungary
☐ Netherlands

Norway
Portugal
Spain
United Kingdom
First published: 01/02/2024
Last updated: 11/06/2024
Network

Contact details

Study institution contact

Ilse Schuemie

Study contact

study@darwin-eu.org

Primary lead investigator

Marti Catala Sabate

Primary lead investigator

Study timelines

Date when funding contract was signed

Planned: 26/07/2023

Actual: 26/07/2023

Study start date

Planned: 01/12/2021

Actual: 01/12/2021

Date of final study report

Planned: 30/12/2023

Sources of funding

EMA

Study protocol

Study Protocol P2 C3-001 Version 3.1 final.pdf(994.09 KB)

Regulatory

Was the study required by a regulatory body?

Yes

Is the study required by a Risk Management Plan (RMP)?

Not applicable

Methodological aspects

Study type

Study type list

Study type:

Non-interventional study

Main study objective:

To estimate the background incidence rate of venous and arterial thromboembolic events among the general pre-pandemic population. To estimate the incidence rate of venous and arterial thromboembolic events among patients with COVID-19 within 30-, 60-, and 90- and 180-days during the Omicron period

Study Design

Non-interventional study design

Cohort

Study drug and medical condition

Anatomical Therapeutic Chemical (ATC) code

(J07BN) Covid-19 vaccines Covid-19 vaccines

Population studied

Age groups

Adults (18 to < 46 years)

Adults (46 to < 65 years)

Adults (65 to < 75 years)

Estimated number of subjects

18890000

Study design details

Outcomes

Venous thromboembolic events: In the primary analysis, venous thromboembolic events will be identified by diagnostic codes for pulmonary embolism or deep vein thrombosis. Arterial thromboembolic events: In the primary analysis, arterial thromboembolic events will be identified by diagnostic codes for an acute myocardial infarction or acute ischemic stroke.

Venous thromboembolic events: In a secondary analysis pulmonary embolism and deep vein thrombosis will be assessed separately. We will also assess portal vein thrombosis, splanchnic venous thrombosis (SVT) and cerebral venous sinus thrombosis separately. Arterial thromboembolic events: In a secondary analysis acute myocardial infarction and acute ischemic stroke will be assessed separately.

Data analysis plan

Objective 1 - 3: We will use Poisson models to estimate incidence rates and 95% confidence interval. Overall, age group, and sex specific rates will be reported. Within each age-sex strata, rates by prior COVID-19 diagnosis, prior vaccination status and brand, and whether patients are immunosuppressed will be reported as well when event number is larger than 5 within the strata. Objective 4a: To assess the association between potential risk factors on the incidence of venous and arterial thromboembolic events among patients with COVID-19 during the Omicron period, cause-specific Cox models will be used to

calculate hazard ratios for the incidence of venous and arterial thromboembolic events for each of the COVID-19 cohorts. Adjusted models will evaluate potential predictors including age, sex, prior COVID-19 infection status, prior vaccination status and brand, cancer, whether patients were immunocompromised on the index date, prior use of antithrombotics, prior use of corticosteroids.

Documents

Study report

DARWIN EU P2 C3 001 EHDS Study Report V3.pdf(3.23 MB)

Data management

Data sources

Data source(s)

The Information System for Research in Primary Care (SIDIAP)
Integrated Primary Care Information (IPCI)

Clinical Practice Research Datalink (CPRD) GOLD

IQVIA Disease Analyzer Germany

Estonian Biobank

Data sources (types)

Electronic healthcare records (EHR)

Other

Use of a Common Data Model (CDM)

Yes
CDM Mappings
CDM name
OMOP
CDM website
https://www.ohdsi.org/Data-standardization/
Data quality specifications
Check conformance
Unknown
Check completeness
Unknown
Check stability
Unknown
Check logical consistency
Unknown
Data characterisation
Data Cilaracterisation
Data characterisation conducted
No

CDM mapping