

# Safety and effectiveness of RZV in adults $\geq 18$ years of age with Systemic lupus erythematosus (SLE) or Multiple sclerosis (MS) (EPI-ZOSTER-041 VS US DB 215104)

**First published:** 18/10/2023

**Last updated:** 08/05/2026

Study

Ongoing

## Administrative details

### EU PAS number

EUPAS107073

---

### Study ID

108331

---

### DARWIN EU® study

No

---

### Study countries

 United States

---

### Study description

This is an observational study based on data extracted from database(s), which evaluates the safety and vaccine effectiveness (VE) of Shingrix, or recombinant zoster vaccine (RZV), in adults with pre-existing systemic lupus erythematosus (SLE) or multiple sclerosis (MS).

---

### Study status

Ongoing

## Research institutions and networks

### Institutions

#### GlaxoSmithKline (GSK)

**First published:** 01/02/2024

**Last updated:** 01/02/2024

Institution

#### Harvard Pilgrim Health Care Institute

**First published:** 01/02/2024

**Last updated:** 01/02/2024

Institution

## Contact details

### Study institution contact

Call Center EU GSK Clinical Trials RD.CTT-  
globalmailbox@gsk.com

Study contact

[RD.CTT-globalmailbox@gsk.com](mailto:RD.CTT-globalmailbox@gsk.com)

**Primary lead investigator**

Call Center EU GSK Clinical Trials

Primary lead investigator

## Study timelines

**Date when funding contract was signed**

Planned: 24/08/2021

Actual: 24/08/2021

---

**Study start date**

Planned: 20/10/2023

Actual: 20/10/2023

---

**Date of final study report**

Planned: 29/01/2027

## Sources of funding

- Pharmaceutical company and other private sector

## More details on funding

GlaxoSmithKline

# Study protocol

[Protocol Amendment\\_Anonymized\\_215104.pdf](#) (2.47 MB)

[Protocol Amendment 3 Anonymized 25 Feb 2026.pdf](#) (2.95 MB)

## Regulatory

**Was the study required by a regulatory body?**

No

---

**Is the study required by a Risk Management Plan (RMP)?**

Not applicable

## Methodological aspects

### Study type

### Study type list

**Study topic:**

Disease /health condition

Human medicinal product

---

**Study type:**

Non-interventional study

---

**Scope of the study:**

Effectiveness study (incl. comparative)

Safety study (incl. comparative)

**Data collection methods:**

Secondary use of data

---

**Study design:**

Retrospective cohort study design

**Main study objective:**

- To assess the risk of hospitalized flare within 90 days following any RZV dose in adults with pre-existing SLE.
- To estimate the VE of 2 doses of RZV in preventing HZ in adults with pre-existing SLE.
- To estimate the VE of 2 doses of RZV in preventing HZ in adults with pre-existing MS.

## Study Design

**Non-interventional study design**

Cohort

## Study drug and medical condition

**Medicinal product name**

SHINGRIX

---

**Study drug International non-proprietary name (INN) or common name**

HERPES ZOSTER VACCINE (RECOMBINANT, ADJUVANTED)

---

## **Anatomical Therapeutic Chemical (ATC) code**

(J07BK03) zoster, purified antigen

zoster, purified antigen

---

## **Medical condition to be studied**

Systemic lupus erythematosus

Multiple sclerosis

## Population studied

### **Age groups**

- Adults (18 to < 46 years)
  - Adults (46 to < 65 years)
  - Adults (65 to < 75 years)
  - Adults (75 to < 85 years)
  - Adults (85 years and over)
- 

### **Estimated number of subjects**

44367

## Study design details

### **Comparators**

Unvaccinated patients with SLE or MS will be included as comparators.

---

### **Outcomes**

Safety: Risk of severe systemic lupus erythematosus (SLE) flare or risk of any multiple sclerosis (MS) relapse.

Effectiveness: Vaccine effectiveness in prevention of herpes zoster (HZ).

Effectiveness: Incidence of post-herpetic neuralgia (PHN).

---

### **Data analysis plan**

The analysis plan will include descriptive measures to characterize vaccinated and unvaccinated individuals. Cox proportional hazards regression models will be used to compare outcomes in vaccinated and unvaccinated patients using propensity scores to balance potential confounders.

To evaluate the risk of hospitalized SLE flare after any RZV dose, separate cohorts will be created for RZV Dose 1 and Dose 2, each with matched unvaccinated comparators.

The risk of hospitalized SLE flares will be assessed in each cohort (Dose 1 or Dose 2) using time-to-event analysis with Cox proportional hazard models, assessing for violations of the proportional hazard assumptions.

A retrospective cohort design with Cox proportional hazards modelling will be used to assess the risks of HZ and incidence of PHN after RZV vaccination. In the primary analysis, patients receiving the RZV Dose 2 at least 28 days after RZV Dose 1 will be compared to patients with no prior RZV vaccination.

## Data management

### ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

## Data sources

**Data source(s), other**

US FDA Sentinel System Centers for Medicare and Medicaid Services (CMS) -  
Medicare United States

---

**Data sources (types)**

[Administrative healthcare records \(e.g., claims\)](#)

## Use of a Common Data Model (CDM)

**CDM mapping**

No

## Data quality specifications

**Check conformance**

Unknown

---

**Check completeness**

Unknown

---

**Check stability**

Unknown

---

**Check logical consistency**

Unknown

## Data characterisation

**Data characterisation conducted**

No