# Drug Utilization Study Evaluating Additional Risk Minimization Measures for Upadacitinib in the Treatment of Atopic Dermatitis in Europe

First published: 25/06/2024 Last updated: 25/06/2024





## Administrative details

#### **PURI**

https://redirect.ema.europa.eu/resource/1000000166

#### **EU PAS number**

EUPAS49233

#### Study ID

1000000166

#### **DARWIN EU® study**

No

#### **Study countries**

Denmark

Germany

Spain

Sweden

#### Study description

The study aims to evaluate the use of upadacitinib (RINVOQ®) in individuals with AD in routine clinical care in Denmark, Germany, Spain, and Sweden. The study objectives are:

- 1. To describe the baseline characteristics of individuals with AD who are new users of upadacitinib.
- 2. To the extent measurable, evaluate healthcare utilization in routine clinical care as an

indicator of physician adherence to the aRMMs among individuals with AD who are new users of upadacitinib, by:

- a. Quantifying the compliance to recommendations for posology (average daily dose) and by describing the duration of use.
- b. Quantifying the compliance to recommendations for the use among individuals who have risk factors for GI perforation, serious infections, malignancy, MACE, and VTE.
- c. Quantifying the compliance to the recommendations for the use among patients aged 65 years and older.
- d. Quantifying the compliance to the recommendations for contraindicated use including pregnancy, and active TB.
- e. Quantifying the compliance to recommendations for patient screening and laboratory monitoring prior to and during upadacitinib treatment (Denmark, Germany, and Spain only).
- 3. To describe the changes in the utilization of upadacitinib following the implementation of revised aRMMs from the Article 20 referral procedure, specifically:
- a. Describe the use of upadacitinib among patients with risk factors for VTE, MACE, malignancy, and serious infections.
- b. Describe the use of upadacitinib among patients aged 65 years and older.
- c. Describe the use of upadacitinib 30 mg.

#### Study status

Ongoing

#### Research institution and networks

#### Institutions



## Aarhus University & Aarhus University Hospital DEPARTMENT OF CLINICAL EPIDEMIOLOGY

Denmark

First published: 20/07/2021

Last updated 02/04/2024







### Contact details

Study institution contact Karin Gembert (Study contact)

karin.gembert@ki.se

Primary lead investigator

Johan Reutfors

Primary lead investigator

## Study timelines

#### Date when funding contract was signed

Planned: 15/11/2021 Actual: 08/12/2021

#### Study start date

Planned: 25/04/2024 Actual: 25/04/2024

#### Data analysis start date

Planned: 30/06/2024

#### Date of final study report

Planned: 30/09/2026

## Sources of funding

Pharmaceutical company and other private sector

## More details on funding

AbbVie

## Study protocol

p21825-protocol-pmos-v3.2\_Redacted.pdf(2.04 MB)

## Regulatory

Was the study required by a regulatory body? Yes

Is the study required by a Risk Management Plan (RMP)? EU RMP category 3 (required)

Other study registration identification numbers and links

## Methodological aspects

## Study type list

#### Study topic:

Human medicinal product

#### Study type:

Non-interventional study

#### Scope of the study:

Drug utilisation

#### Data collection methods:

Secondary data collection

#### Study design:

The study is a drug utilization, descriptive, non-interventional, population-based, cohort study of new users of upadacitinib (RINVOQ®) for the treatment of AD identified in electronic healthcare data from four European countries: Denmark, Germany, Spain, and Sweden.

#### Main study objective:

The objectives are to describe the baseline characteristics of individuals with AD who are new users of upadacitinib, and to the extent measurable, evaluate healthcare utilization in routine clinical care as an indicator of physician adherence to the aRMMs among individuals with AD who are new users of upadacitinib.

To describe the changes in the utilization of upadacitinib following the implementation of revised aRMMs from the Article 20 referral procedure.

## Study Design

Non-interventional study design Cohort

## Study drug and medical condition

#### Name of medicine

**RINVOQ** 

## Study drug International non-proprietary name (INN) or common name UPADACITINIB

#### **Anatomical Therapeutic Chemical (ATC) code**

200000012116 upadacitinib

#### Medical condition to be studied

Dermatitis atopic

## Population studied

#### Short description of the study population

The study population consists of all individuals with AD registered in the databases in the four countries who are treated with upadacitinib. Each individual will be followed from the initiation of upadacitinib to the end of the study period (i.e., 31 December 2024), study withdrawal, or death.

#### Age groups

Adolescents (12 to < 18 years)

Adults (18 to < 65 years)

Adults (65 to < 75 years)

Adults (75 to < 85 years)

Adults (85 years and over)

#### Special population of interest

Hepatic impaired

Pregnant women

Renal impaired

#### **Estimated number of subjects**

3000

## Study design details

#### **Setting**

The study is based on electronic healthcare data from Denmark, Germany, Spain, and Sweden covering populations of approximately 5.8 million, 25 million, 5.8 million, and 10.2

million people, respectively.

#### **Outcomes**

Indicator of physician adherence to the additional risk minimisation measures related to malignancy, MACE, GI perforation, VTE, serious and opportunistic infections including HZ, contraindications (pregnancy, and active TB) and posology.

To describe the baseline characteristics of new users of upadacitinib.

#### Data analysis plan

This will be a descriptive study. Upon upadacitinib initiation, baseline characteristics of individuals will be assessed. Proportions of the aRMM outcome variables will be assessed prior to upadacitinib initiation, at upadacitinib initiation and during continuous treatment of upadacitinib, depending on the outcome variable being reported. The proportion of the outcome variables will be calculated as the number of individuals for each specific outcome variable over the total number of individuals considered for that specific outcome. Utilization of upadacitinib will be stratified by the time period before and after the implementation of the revised aRMMs from the Article 20 referral procedure as well as by Coronavirus disease 2019 (COVID-19) pandemic time periods (COVID-19 pandemic and non-COVID-19 pandemic).

## Data management

#### **ENCePP Seal**

This study has been awarded the ENCePP seal



#### **Conflicts of interest of investigators**

DolForm\_v1.6\_Upa AD RMM\_JR.pdf(454.8 KB)

#### Composition of steering group and observers

Composition of Steering Group and Observers.pdf(60.64 KB)

#### Signed code of conduct

Annex3\_Declaration-Upa AD RMM\_signed.pdf(241.69 KB)

#### Signed code of conduct checklist

#### Signed checklist for study protocols

Signed ENCePP checklist for Upa AD RMM v1.0 Study Protocol.pdf(128.96 KB)

#### Data sources

#### Data source(s)

National Cancer Register / Cancerregistret
National Prescribed Drugs Register / Läkemedelsregistret
Danish registries (access/analysis)

#### Data source(s), other

The Swedish National Patient register The Swedish Cause of Death Register Swedish Medical Birth Register SMINET

#### Data sources (types)

Administrative data (e.g. claims)
Disease registry
Drug dispensing/prescription data
Laboratory data
Population registry

## Use of a Common Data Model (CDM)

#### **CDM** mapping

No

## Data quality specifications

#### **Check conformance**

Unknown

#### **Check completeness**

Unknown

#### **Check stability**

Unknown

Check logical consistency Unknown

## Data characterisation

**Data characterisation conducted** No