

# DEN-401: The Association Between Prior Exposure to Dengue Tetravalent Vaccine (Live, Attenuated) (TDV) and Dengue Hospitalization in a Pediatric and Adolescent Population: A Nested Case-Control Post-Authorization Effectiveness Study

**First published:** 24/02/2025

**Last updated:** 20/03/2025

Study

Ongoing

## Administrative details

### EU PAS number

EUPAS1000000218

---

### Study ID

1000000218

---

### DARWIN EU® study

No

---

## Study countries

☐ Thailand

---

## Study description

The main aim of this study is to collect more information on the effectiveness of TDV when used in a pilot public vaccination program for children and adolescents participating in a community-based cohort in Southeast Asian countries where TDV is already approved for use.

The study will include cohort participants (individual follow-up of 3 years) who may or may not later be vaccinated with TDV as part of a pilot public vaccination program in the study countries.

The study will investigate if cohort participants who were vaccinated with TDV have less hospital stays due to dengue than cohort participants who were not vaccinated with TDV. The study will also provide further information on the effectiveness of TDV against the least common dengue virus serotypes (DENV-3 and DENV-4).

---

## Study status

Ongoing

# Research institutions and networks

## Institutions

**Takeda**

**First published:** 01/02/2024

**Last updated:** 01/02/2024

## Contact details

### Study institution contact

Study Contact Takeda TrialDisclosures@takeda.com

Study contact

[TrialDisclosures@takeda.com](mailto:TrialDisclosures@takeda.com)

### Primary lead investigator

Study Contact Takeda

Primary lead investigator

## Study timelines

### Date when funding contract was signed

Planned: 14/08/2024

---

### Study start date

Planned: 05/03/2025

Actual: 05/03/2025

---

### Data analysis start date

Planned: 30/06/2029

---

### Date of final study report

Planned: 31/12/2029

## Sources of funding

- Pharmaceutical company and other private sector

## More details on funding

Takeda

## Study protocol

[DEN-401-clinical-study-protocol-redact.pdf](#)(1.37 MB)

## Regulatory

**Was the study required by a regulatory body?**

Yes

---

**Is the study required by a Risk Management Plan (RMP)?**

Not applicable

## Other study registration identification numbers and links

DEN-401

## Methodological aspects

### Study type

### Study type list

**Study topic:**

Human medicinal product

---

**Study type:**

Non-interventional study

---

**Scope of the study:**

Effectiveness study (incl. comparative)

Other

**Data collection methods:**

Combined primary data collection and secondary use of data

---

**Study design:**

In this observational, nested case-control study, the vaccination status of cohort participants hospitalized for virologically confirmed dengue (VCD) (cases) will be compared with that of participants who are not hospitalized for VCD (controls).

**Main study objective:**

To estimate the association between completed vaccination with TDV (as part of a vaccination program) and hospitalization due to VCD, including severe dengue.

## Study Design

**Non-interventional study design**

Case-control

Other

---

## Non-interventional study design, other

Cohort with nested case-control effectiveness investigation

# Study drug and medical condition

## Name of medicine

QDENGGA

---

## Name of medicine, other

Dengue Tetravalent Vaccine (Live, Attenuated) (TDV)

---

## Anatomical Therapeutic Chemical (ATC) code

(J07BX04) dengue virus vaccines

dengue virus vaccines

---

## Medical condition to be studied

Hospitalisation

# Population studied

## Short description of the study population

Pediatric and/or adolescent residents in the study area who are age-eligible for vaccination with TDV as part of a pilot public vaccination program.

---

## Age groups

Paediatric Population (< 18 years)

---

## Estimated number of subjects

70000

# Study design details

## Outcomes

The primary outcome will assess:

Association between completed vaccination with TDV (as part of a vaccination program) and hospitalization due to VCD, including severe dengue

The secondary outcome will assess:

The association between completed vaccination with TDV (as part of a vaccination program) and subsequent hospitalization due to VCD, including severe dengue, by:

- The infecting dengue serotype (DENV 1, DENV 2, DENV 3, and DENV 4).
  - The baseline dengue serostatus (seronegative and seropositive at baseline).
  - The infecting dengue serotype and the baseline dengue serostatus.
- 

## Data analysis plan

Data analysis will be conducted using a conditional logistic regression model with log hazard rate ratio (HRR) as the output.

## Data management

### ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

## Use of a Common Data Model (CDM)

**CDM mapping**

No

Data quality specifications

**Check conformance**

Unknown

---

**Check completeness**

Unknown

---

**Check stability**

Unknown

---

**Check logical consistency**

Unknown

Data characterisation

**Data characterisation conducted**

Not applicable