

Retrospective analysis of adolescent patients suffering from hereditary angioedema treated with berotralstat in Europe: patients' and treatment characteristics

First published: 08/05/2026

Last updated: 08/05/2026

Study

Planned

Administrative details

EU PAS number

EUPAS1000000997

Study ID

1000000997

DARWIN EU® study

Yes

Study countries


 Belgium

 France

 Germany

 Italy

 Spain

 United Kingdom

Study description

This study is an international, retrospective, multicenter observational case series sponsored by BioCryst Ireland Limited. It aims to describe the clinical characteristics, treatment patterns, and outcomes of European adolescent patients (aged 12–17 years) with hereditary angioedema (HAE) treated with berotralstat.

Data will be collected retrospectively from medical records of patients receiving berotralstat as long-term prophylaxis. The study focuses on baseline patient characteristics, disease history, treatment patterns, effectiveness outcomes (e.g., attack frequency and severity), and safety, including adverse events. Approximately 10 sites across Europe will contribute data on up to 30 patients. The study period runs from Q2 2026 to Q4 2027, with data analysis planned in end of 2027.

The objective is to generate real-world evidence on the use of berotralstat in adolescents, a population underrepresented in clinical trials, to better understand treatment effectiveness, safety, and disease evolution in routine clinical practice.

Study status

Planned

Research institutions and networks

Institutions

Contact details

Study institution contact

Mona VILLEDIEU m.villedieu@neopharmedgentili.com

Study contact

m.villedieu@neopharmedgentili.com

Primary lead investigator

Mélanie Bourgoïn-Heck

Primary lead investigator

Study timelines

Date when funding contract was signed

Planned: 10/12/2025

Study start date

Planned: 01/09/2026

Date of final study report

Planned: 01/01/2028

Sources of funding

- Pharmaceutical company and other private sector

Study protocol

[Protocol final version march 2025.pdf](#) (168.79 KB)

Regulatory

Was the study required by a regulatory body?

No

Is the study required by a Risk Management Plan (RMP)?

Not applicable

Methodological aspects

Study type

Study type list

Study topic:

Human medicinal product

Study topic, other:

Hereditary angioedema

Study type:

Scope of the study:

Drug utilisation

Study design:

Retrospective observational case series, consisting of analysis of data retrieved from medical files in adolescent patients (diagnosed 12 and 17 years old) with HAE who were started on treatment with berotralstat.

Main study objective:

The primary objective of this retrospective study is to describe the clinical profile of adolescent European HAE patients treated with berotralstat in order to characterize this population with particular attention to their baseline features and clinical context.

Study Design

Non-interventional study design

Cohort

Study drug and medical condition

Anatomical Therapeutic Chemical (ATC) code

(B06AC06) berotralstat

berotralstat

Medical condition to be studied

Hereditary angioedema

Population studied

Short description of the study population

Patients eligible for inclusion into the retrospective case series must meet all the following criteria:

- Confirmed diagnosis of HAE
 - Aged 12–17 years old (inclusive) and weighing at least 40 kg at time of berotralstat initiation
 - Ongoing treatment with berotralstat, started after April 2021 in line with the SmPC for at least 6 months with stable dosing and without treatment interruption being advised by the treating healthcare professional.
 - Patient or parent/legal guardian willing and able to provide informed consent as applicable (informed consent signed)
-

Age groups

- Adolescents (12 to < 18 years)
-

Estimated number of subjects

30

Study design details

Data analysis plan

The data analysis of the case series and its presentation will be purely descriptive and exploratory in nature.

Data management

ENCePP Seal

The use of the ENCePP Seal has been discontinued since February 2025. The ENCePP Seal fields are retained in the display mode for transparency but are no longer maintained.

Data sources

Data sources (types)

[Non-interventional study](#)

Use of a Common Data Model (CDM)

CDM mapping

Yes

Data quality specifications

Check conformance

Unknown

Check completeness

Unknown

Check stability

Unknown

Check logical consistency

Unknown

Data characterisation

Data characterisation conducted

Unknown