

## Appendix 8: CODE LISTS

### 1. Current Procedural Terminology, 4th Edition (CPT-4) and National Drug Codes (NDC) Used to Define Trumenba Exposure

Procedure Codes			
Code	Code Category	Code Type	Description
90621	Procedure	CPT-4	MENB-FHBP VACC 2/3 DOSE IM

Generic and Brand Names						
Code	Code Category	Brand Name	Generic Name	Form	Route	Manufacturer
00005010005	NDC	Trumenba	NEISSERIA MENINGITIDIS GROUP B, LIPIDATED FHBP RECOMBINANT	syringe	intramuscular	WYETH/PFIZER
00005010010	NDC	Trumenba	NEISSERIA MENINGITIDIS GROUP B, LIPIDATED FHBP RECOMBINANT	syringe	intramuscular	WYETH/PFIZER
00005010001	NDC	Trumenba	NEISSERIA MENINGITIDIS GROUP B, LIPIDATED FHBP RECOMBINANT	syringe	intramuscular	WYETH/PFIZER

PFIZER CONFIDENTIAL

2. International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, 4th Edition (CPT-4) Codes Used to Define Live Birth Delivery

Code	Code Category	Code Type	Description
Live Birth Delivery			
0W8NXZZ	Procedure	ICD-10-PCS	Division of Female Perineum, External Approach
10900ZC	Procedure	ICD-10-PCS	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Open Approach
10903ZC	Procedure	ICD-10-PCS	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Approach
10904ZC	Procedure	ICD-10-PCS	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Percutaneous Endoscopic Approach
10907ZC	Procedure	ICD-10-PCS	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening
10908ZC	Procedure	ICD-10-PCS	Drainage of Amniotic Fluid, Therapeutic from Products of Conception, Via Natural or Artificial Opening Endoscopic
10D00Z0	Procedure	ICD-10-PCS	Extraction of Products of Conception, Classical, Open Approach
10D00Z1	Procedure	ICD-10-PCS	Extraction of Products of Conception, Low Cervical, Open Approach
10D00Z2	Procedure	ICD-10-PCS	Extraction of Products of Conception, Extraperitoneal, Open Approach
10D07Z3	Procedure	ICD-10-PCS	Extraction of Products of Conception, Low Forceps, Via Natural or Artificial Opening
10D07Z4	Procedure	ICD-10-PCS	Extraction of Products of Conception, Mid Forceps, Via Natural or Artificial Opening
10D07Z5	Procedure	ICD-10-PCS	Extraction of Products of Conception, High Forceps, Via Natural or Artificial Opening
10D07Z6	Procedure	ICD-10-PCS	Extraction of Products of Conception, Vacuum, Via Natural or Artificial Opening
10D07Z7	Procedure	ICD-10-PCS	Extraction of Products of Conception, Internal Version, Via Natural or Artificial Opening

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
10D07Z8	Procedure	ICD-10-PCS	Extraction of Products of Conception, Other, Via Natural or Artificial Opening
10E0XZZ	Procedure	ICD-10-PCS	Delivery of Products of Conception, External Approach
10S07ZZ	Procedure	ICD-10-PCS	Reposition Products of Conception, Via Natural or Artificial Opening
O1002	Diagnosis	ICD-10-CM	Pre-existing essential hypertension complicating childbirth
O1012	Diagnosis	ICD-10-CM	Pre-existing hypertensive heart disease complicating childbirth
O1022	Diagnosis	ICD-10-CM	Pre-existing hypertensive chronic kidney disease complicating childbirth
O1032	Diagnosis	ICD-10-CM	Pre-existing hypertensive heart and chronic kidney disease complicating childbirth
O1042	Diagnosis	ICD-10-CM	Pre-existing secondary hypertension complicating childbirth
O1092	Diagnosis	ICD-10-CM	Unspecified pre-existing hypertension complicating childbirth
O114	Diagnosis	ICD-10-CM	Pre-existing hypertension with pre-eclampsia, complicating childbirth
O1204	Diagnosis	ICD-10-CM	Gestational edema, complicating childbirth
O1214	Diagnosis	ICD-10-CM	Gestational proteinuria, complicating childbirth
O1224	Diagnosis	ICD-10-CM	Gestational edema with proteinuria, complicating childbirth
O134	Diagnosis	ICD-10-CM	Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth
O1404	Diagnosis	ICD-10-CM	Mild to moderate pre-eclampsia, complicating childbirth
O1414	Diagnosis	ICD-10-CM	Severe pre-eclampsia complicating childbirth
O1424	Diagnosis	ICD-10-CM	HELLP syndrome, complicating childbirth
O1494	Diagnosis	ICD-10-CM	Unspecified pre-eclampsia, complicating childbirth
O164	Diagnosis	ICD-10-CM	Unspecified maternal hypertension, complicating childbirth
O2402	Diagnosis	ICD-10-CM	Pre-existing type 1 diabetes mellitus, in childbirth
O2412	Diagnosis	ICD-10-CM	Pre-existing type 2 diabetes mellitus, in childbirth
O2432	Diagnosis	ICD-10-CM	Unspecified pre-existing diabetes mellitus in childbirth
O24420	Diagnosis	ICD-10-CM	Gestational diabetes mellitus in childbirth, diet controlled
O24424	Diagnosis	ICD-10-CM	Gestational diabetes mellitus in childbirth, insulin controlled
O24425	Diagnosis	ICD-10-CM	Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
O24429	Diagnosis	ICD-10-CM	Gestational diabetes mellitus in childbirth, unspecified control
O2482	Diagnosis	ICD-10-CM	Other pre-existing diabetes mellitus in childbirth
O2492	Diagnosis	ICD-10-CM	Unspecified diabetes mellitus in childbirth
O252	Diagnosis	ICD-10-CM	Malnutrition in childbirth
O2662	Diagnosis	ICD-10-CM	Liver and biliary tract disorders in childbirth
O2672	Diagnosis	ICD-10-CM	Subluxation of symphysis (pubis) in childbirth
O6012X0	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified
O6012X1	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery second trimester, fetus 1
O6012X2	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery second trimester, fetus 2
O6012X3	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery second trimester, fetus 3
O6012X4	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery second trimester, fetus 4
O6012X5	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery second trimester, fetus 5
O6012X9	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery second trimester, other fetus
O6013X0	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified
O6013X1	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery third trimester, fetus 1
O6013X2	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery third trimester, fetus 2
O6013X3	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery third trimester, fetus 3
O6013X4	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery third trimester, fetus 4
O6013X5	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery third trimester, fetus 5
O6013X9	Diagnosis	ICD-10-CM	Preterm labor second trimester with preterm delivery third trimester, other fetus

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
O6014X0	Diagnosis	ICD-10-CM	Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified
O6014X1	Diagnosis	ICD-10-CM	Preterm labor third trimester with preterm delivery third trimester, fetus 1
O6014X2	Diagnosis	ICD-10-CM	Preterm labor third trimester with preterm delivery third trimester, fetus 2
O6014X3	Diagnosis	ICD-10-CM	Preterm labor third trimester with preterm delivery third trimester, fetus 3
O6014X4	Diagnosis	ICD-10-CM	Preterm labor third trimester with preterm delivery third trimester, fetus 4
O6014X5	Diagnosis	ICD-10-CM	Preterm labor third trimester with preterm delivery third trimester, fetus 5
O6014X9	Diagnosis	ICD-10-CM	Preterm labor third trimester with preterm delivery third trimester, other fetus
O6022X0	Diagnosis	ICD-10-CM	Term delivery with preterm labor, second trimester, not applicable or unspecified
O6022X1	Diagnosis	ICD-10-CM	Term delivery with preterm labor, second trimester, fetus 1
O6022X2	Diagnosis	ICD-10-CM	Term delivery with preterm labor, second trimester, fetus 2
O6022X3	Diagnosis	ICD-10-CM	Term delivery with preterm labor, second trimester, fetus 3
O6022X4	Diagnosis	ICD-10-CM	Term delivery with preterm labor, second trimester, fetus 4
O6022X5	Diagnosis	ICD-10-CM	Term delivery with preterm labor, second trimester, fetus 5
O6022X9	Diagnosis	ICD-10-CM	Term delivery with preterm labor, second trimester, other fetus
O6023X0	Diagnosis	ICD-10-CM	Term delivery with preterm labor, third trimester, not applicable or unspecified
O6023X1	Diagnosis	ICD-10-CM	Term delivery with preterm labor, third trimester, fetus 1
O6023X2	Diagnosis	ICD-10-CM	Term delivery with preterm labor, third trimester, fetus 2
O6023X3	Diagnosis	ICD-10-CM	Term delivery with preterm labor, third trimester, fetus 3
O6023X4	Diagnosis	ICD-10-CM	Term delivery with preterm labor, third trimester, fetus 4
O6023X5	Diagnosis	ICD-10-CM	Term delivery with preterm labor, third trimester, fetus 5
O6023X9	Diagnosis	ICD-10-CM	Term delivery with preterm labor, third trimester, other fetus
O632	Diagnosis	ICD-10-CM	Delayed delivery of second twin, triplet, etc
O670	Diagnosis	ICD-10-CM	Intrapartum hemorrhage with coagulation defect

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
O678	Diagnosis	ICD-10-CM	Other intrapartum hemorrhage
O679	Diagnosis	ICD-10-CM	Intrapartum hemorrhage, unspecified
O68	Diagnosis	ICD-10-CM	Labor and delivery complicated by abnormality of fetal acid-base balance
O690XX0	Diagnosis	ICD-10-CM	Labor and delivery complicated by prolapse of cord, not applicable or unspecified
O690XX1	Diagnosis	ICD-10-CM	Labor and delivery complicated by prolapse of cord, fetus 1
O690XX2	Diagnosis	ICD-10-CM	Labor and delivery complicated by prolapse of cord, fetus 2
O690XX3	Diagnosis	ICD-10-CM	Labor and delivery complicated by prolapse of cord, fetus 3
O690XX4	Diagnosis	ICD-10-CM	Labor and delivery complicated by prolapse of cord, fetus 4
O690XX5	Diagnosis	ICD-10-CM	Labor and delivery complicated by prolapse of cord, fetus 5
O690XX9	Diagnosis	ICD-10-CM	Labor and delivery complicated by prolapse of cord, other fetus
O691XX0	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, with compression, not applicable or unspecified
O691XX1	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, with compression, fetus 1
O691XX2	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, with compression, fetus 2
O691XX3	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, with compression, fetus 3
O691XX4	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, with compression, fetus 4
O691XX5	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, with compression, fetus 5
O691XX9	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, with compression, other fetus
O692XX0	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, with compression, not applicable or unspecified
O692XX1	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, with compression, fetus 1
O692XX2	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, with compression, fetus 2
O692XX3	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, with compression, fetus 3

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
O692XX4	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, with compression, fetus 4
O692XX5	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, with compression, fetus 5
O692XX9	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, with compression, other fetus
O693XX0	Diagnosis	ICD-10-CM	Labor and delivery complicated by short cord, not applicable or unspecified
O693XX1	Diagnosis	ICD-10-CM	Labor and delivery complicated by short cord, fetus 1
O693XX2	Diagnosis	ICD-10-CM	Labor and delivery complicated by short cord, fetus 2
O693XX3	Diagnosis	ICD-10-CM	Labor and delivery complicated by short cord, fetus 3
O693XX4	Diagnosis	ICD-10-CM	Labor and delivery complicated by short cord, fetus 4
O693XX5	Diagnosis	ICD-10-CM	Labor and delivery complicated by short cord, fetus 5
O693XX9	Diagnosis	ICD-10-CM	Labor and delivery complicated by short cord, other fetus
O694XX0	Diagnosis	ICD-10-CM	Labor and delivery complicated by vasa previa, not applicable or unspecified
O694XX1	Diagnosis	ICD-10-CM	Labor and delivery complicated by vasa previa, fetus 1
O694XX2	Diagnosis	ICD-10-CM	Labor and delivery complicated by vasa previa, fetus 2
O694XX3	Diagnosis	ICD-10-CM	Labor and delivery complicated by vasa previa, fetus 3
O694XX4	Diagnosis	ICD-10-CM	Labor and delivery complicated by vasa previa, fetus 4
O694XX5	Diagnosis	ICD-10-CM	Labor and delivery complicated by vasa previa, fetus 5
O694XX9	Diagnosis	ICD-10-CM	Labor and delivery complicated by vasa previa, other fetus
O695XX0	Diagnosis	ICD-10-CM	Labor and delivery complicated by vascular lesion of cord, not applicable or unspecified
O695XX1	Diagnosis	ICD-10-CM	Labor and delivery complicated by vascular lesion of cord, fetus 1
O695XX2	Diagnosis	ICD-10-CM	Labor and delivery complicated by vascular lesion of cord, fetus 2
O695XX3	Diagnosis	ICD-10-CM	Labor and delivery complicated by vascular lesion of cord, fetus 3
O695XX4	Diagnosis	ICD-10-CM	Labor and delivery complicated by vascular lesion of cord, fetus 4
O695XX5	Diagnosis	ICD-10-CM	Labor and delivery complicated by vascular lesion of cord, fetus 5
O695XX9	Diagnosis	ICD-10-CM	Labor and delivery complicated by vascular lesion of cord, other fetus

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
O6981X0	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, without compression, not applicable or unspecified
O6981X1	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, without compression, fetus 1
O6981X2	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, without compression, fetus 2
O6981X3	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, without compression, fetus 3
O6981X4	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, without compression, fetus 4
O6981X5	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, without compression, fetus 5
O6981X9	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord around neck, without compression, other fetus
O6982X0	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, without compression, not applicable or unspecified
O6982X1	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, without compression, fetus 1
O6982X2	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, without compression, fetus 2
O6982X3	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, without compression, fetus 3
O6982X4	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, without compression, fetus 4
O6982X5	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, without compression, fetus 5
O6982X9	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord entanglement, without compression, other fetus
O6989X0	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord complications, not applicable or unspecified
O6989X1	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord complications, fetus 1
O6989X2	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord complications, fetus 2
O6989X3	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord complications, fetus 3
O6989X4	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord complications, fetus 4
O6989X5	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord complications, fetus 5

PFIZER CONFIDENTIAL



Code	Code Category	Code Type	Description
O6989X9	Diagnosis	ICD-10-CM	Labor and delivery complicated by other cord complications, other fetus
O699XX0	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord complication, unspecified, not applicable or unspecified
O699XX1	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord complication, unspecified, fetus 1
O699XX2	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord complication, unspecified, fetus 2
O699XX3	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord complication, unspecified, fetus 3
O699XX4	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord complication, unspecified, fetus 4
O699XX5	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord complication, unspecified, fetus 5
O699XX9	Diagnosis	ICD-10-CM	Labor and delivery complicated by cord complication, unspecified, other fetus
O700	Diagnosis	ICD-10-CM	First degree perineal laceration during delivery
O701	Diagnosis	ICD-10-CM	Second degree perineal laceration during delivery
O7020	Diagnosis	ICD-10-CM	Third degree perineal laceration during delivery, unspecified
O7021	Diagnosis	ICD-10-CM	Third degree perineal laceration during delivery, IIIa
O7022	Diagnosis	ICD-10-CM	Third degree perineal laceration during delivery, IIIb
O7023	Diagnosis	ICD-10-CM	Third degree perineal laceration during delivery, IIIc
O703	Diagnosis	ICD-10-CM	Fourth degree perineal laceration during delivery
O704	Diagnosis	ICD-10-CM	Anal sphincter tear complicating delivery, not associated with third degree laceration
O709	Diagnosis	ICD-10-CM	Perineal laceration during delivery, unspecified
O740	Diagnosis	ICD-10-CM	Aspiration pneumonitis due to anesthesia during labor and delivery
O741	Diagnosis	ICD-10-CM	Other pulmonary complications of anesthesia during labor and delivery
O742	Diagnosis	ICD-10-CM	Cardiac complications of anesthesia during labor and delivery
O743	Diagnosis	ICD-10-CM	Central nervous system complications of anesthesia during labor and delivery
O744	Diagnosis	ICD-10-CM	Toxic reaction to local anesthesia during labor and delivery

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
O745	Diagnosis	ICD-10-CM	Spinal and epidural anesthesia-induced headache during labor and delivery
O746	Diagnosis	ICD-10-CM	Other complications of spinal and epidural anesthesia during labor and delivery
O747	Diagnosis	ICD-10-CM	Failed or difficult intubation for anesthesia during labor and delivery
O748	Diagnosis	ICD-10-CM	Other complications of anesthesia during labor and delivery
O749	Diagnosis	ICD-10-CM	Complication of anesthesia during labor and delivery, unspecified
O750	Diagnosis	ICD-10-CM	Maternal distress during labor and delivery
O751	Diagnosis	ICD-10-CM	Shock during or following labor and delivery
O755	Diagnosis	ICD-10-CM	Delayed delivery after artificial rupture of membranes
O7581	Diagnosis	ICD-10-CM	Maternal exhaustion complicating labor and delivery
O7582	Diagnosis	ICD-10-CM	Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section
O7589	Diagnosis	ICD-10-CM	Other specified complications of labor and delivery
O759	Diagnosis	ICD-10-CM	Complication of labor and delivery, unspecified
O76	Diagnosis	ICD-10-CM	Abnormality in fetal heart rate and rhythm complicating labor and delivery
O770	Diagnosis	ICD-10-CM	Labor and delivery complicated by meconium in amniotic fluid
O778	Diagnosis	ICD-10-CM	Labor and delivery complicated by other evidence of fetal stress
O779	Diagnosis	ICD-10-CM	Labor and delivery complicated by fetal stress, unspecified
O80	Diagnosis	ICD-10-CM	Encounter for full-term uncomplicated delivery
O82	Diagnosis	ICD-10-CM	Encounter for cesarean delivery without indication
O8802	Diagnosis	ICD-10-CM	Air embolism in childbirth
O8812	Diagnosis	ICD-10-CM	Amniotic fluid embolism in childbirth
O8822	Diagnosis	ICD-10-CM	Thromboembolism in childbirth
O8832	Diagnosis	ICD-10-CM	Pyemic and septic embolism in childbirth
O8882	Diagnosis	ICD-10-CM	Other embolism in childbirth
O9802	Diagnosis	ICD-10-CM	Tuberculosis complicating childbirth
O9812	Diagnosis	ICD-10-CM	Syphilis complicating childbirth

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
O9822	Diagnosis	ICD-10-CM	Gonorrhea complicating childbirth
O9832	Diagnosis	ICD-10-CM	Other infections with a predominantly sexual mode of transmission complicating childbirth
O9842	Diagnosis	ICD-10-CM	Viral hepatitis complicating childbirth
O9852	Diagnosis	ICD-10-CM	Other viral diseases complicating childbirth
O9862	Diagnosis	ICD-10-CM	Protozoal diseases complicating childbirth
O9872	Diagnosis	ICD-10-CM	Human immunodeficiency virus [HIV] disease complicating childbirth
O9882	Diagnosis	ICD-10-CM	Other maternal infectious and parasitic diseases complicating childbirth
O9892	Diagnosis	ICD-10-CM	Unspecified maternal infectious and parasitic disease complicating childbirth
O9902	Diagnosis	ICD-10-CM	Anemia complicating childbirth
O9912	Diagnosis	ICD-10-CM	Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating childbirth
O99214	Diagnosis	ICD-10-CM	Obesity complicating childbirth
O99284	Diagnosis	ICD-10-CM	Endocrine, nutritional and metabolic diseases complicating childbirth
O99314	Diagnosis	ICD-10-CM	Alcohol use complicating childbirth
O99324	Diagnosis	ICD-10-CM	Drug use complicating childbirth
O99334	Diagnosis	ICD-10-CM	Smoking (tobacco) complicating childbirth
O99344	Diagnosis	ICD-10-CM	Other mental disorders complicating childbirth
O99354	Diagnosis	ICD-10-CM	Diseases of the nervous system complicating childbirth
O9942	Diagnosis	ICD-10-CM	Diseases of the circulatory system complicating childbirth
O9952	Diagnosis	ICD-10-CM	Diseases of the respiratory system complicating childbirth
O9962	Diagnosis	ICD-10-CM	Diseases of the digestive system complicating childbirth
O9972	Diagnosis	ICD-10-CM	Diseases of the skin and subcutaneous tissue complicating childbirth
O99814	Diagnosis	ICD-10-CM	Abnormal glucose complicating childbirth
O99824	Diagnosis	ICD-10-CM	Streptococcus B carrier state complicating childbirth
O99834	Diagnosis	ICD-10-CM	Other infection carrier state complicating childbirth

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
O99844	Diagnosis	ICD-10-CM	Bariatric surgery status complicating childbirth
O9A12	Diagnosis	ICD-10-CM	Malignant neoplasm complicating childbirth
O9A22	Diagnosis	ICD-10-CM	Injury, poisoning and certain other consequences of external causes complicating childbirth
O9A32	Diagnosis	ICD-10-CM	Physical abuse complicating childbirth
O9A42	Diagnosis	ICD-10-CM	Sexual abuse complicating childbirth
O9A52	Diagnosis	ICD-10-CM	Psychological abuse complicating childbirth
P030	Diagnosis	ICD-10-CM	Newborn affected by breech delivery and extraction
P032	Diagnosis	ICD-10-CM	Newborn affected by forceps delivery
P033	Diagnosis	ICD-10-CM	Newborn affected by delivery by vacuum extractor [ventouse]
P034	Diagnosis	ICD-10-CM	Newborn affected by Cesarean delivery
P035	Diagnosis	ICD-10-CM	Newborn affected by precipitate delivery
P0700	Diagnosis	ICD-10-CM	Extremely low birth weight newborn, unspecified weight
P0701	Diagnosis	ICD-10-CM	Extremely low birth weight newborn, less than 500 grams
P0702	Diagnosis	ICD-10-CM	Extremely low birth weight newborn, 500-749 grams
P0703	Diagnosis	ICD-10-CM	Extremely low birth weight newborn, 750-999 grams
P0710	Diagnosis	ICD-10-CM	Other low birth weight newborn, unspecified weight
P0714	Diagnosis	ICD-10-CM	Other low birth weight newborn, 1000-1249 grams
P0715	Diagnosis	ICD-10-CM	Other low birth weight newborn, 1250-1499 grams
P0716	Diagnosis	ICD-10-CM	Other low birth weight newborn, 1500-1749 grams
P0717	Diagnosis	ICD-10-CM	Other low birth weight newborn, 1750-1999 grams
P0718	Diagnosis	ICD-10-CM	Other low birth weight newborn, 2000-2499 grams
P0720	Diagnosis	ICD-10-CM	Extreme immaturity of newborn, unspecified weeks of gestation
P0721	Diagnosis	ICD-10-CM	Extreme immaturity of newborn, gestational age less than 23 completed weeks
P0722	Diagnosis	ICD-10-CM	Extreme immaturity of newborn, gestational age 23 completed weeks
P0723	Diagnosis	ICD-10-CM	Extreme immaturity of newborn, gestational age 24 completed weeks

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
P0724	Diagnosis	ICD-10-CM	Extreme immaturity of newborn, gestational age 25 completed weeks
P0725	Diagnosis	ICD-10-CM	Extreme immaturity of newborn, gestational age 26 completed weeks
P0726	Diagnosis	ICD-10-CM	Extreme immaturity of newborn, gestational age 27 completed weeks
P0730	Diagnosis	ICD-10-CM	Preterm newborn, unspecified weeks of gestation
P0731	Diagnosis	ICD-10-CM	Preterm newborn, gestational age 28 completed weeks
P0732	Diagnosis	ICD-10-CM	Preterm newborn, gestational age 29 completed weeks
P0733	Diagnosis	ICD-10-CM	Preterm newborn, gestational age 30 completed weeks
P0734	Diagnosis	ICD-10-CM	Preterm newborn, gestational age 31 completed weeks
P0735	Diagnosis	ICD-10-CM	Preterm newborn, gestational age 32 completed weeks
P0736	Diagnosis	ICD-10-CM	Preterm newborn, gestational age 33 completed weeks
P0737	Diagnosis	ICD-10-CM	Preterm newborn, gestational age 34 completed weeks
P0738	Diagnosis	ICD-10-CM	Preterm newborn, gestational age 35 completed weeks
P0739	Diagnosis	ICD-10-CM	Preterm newborn, gestational age 36 completed weeks
P0821	Diagnosis	ICD-10-CM	Post-term newborn
P0822	Diagnosis	ICD-10-CM	Prolonged gestation of newborn
Z370	Diagnosis	ICD-10-CM	Single live birth
Z372	Diagnosis	ICD-10-CM	Twins, both liveborn
Z373	Diagnosis	ICD-10-CM	Twins, one liveborn and one stillborn
Z3750	Diagnosis	ICD-10-CM	Multiple births, unspecified, all liveborn
Z3751	Diagnosis	ICD-10-CM	Triplets, all liveborn
Z3752	Diagnosis	ICD-10-CM	Quadruplets, all liveborn
Z3753	Diagnosis	ICD-10-CM	Quintuplets, all liveborn
Z3754	Diagnosis	ICD-10-CM	Sextuplets, all liveborn
Z3759	Diagnosis	ICD-10-CM	Other multiple births, all liveborn
Z3760	Diagnosis	ICD-10-CM	Multiple births, unspecified, some liveborn
Z3761	Diagnosis	ICD-10-CM	Triplets, some liveborn
Z3762	Diagnosis	ICD-10-CM	Quadruplets, some liveborn

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
Z3763	Diagnosis	ICD-10-CM	Quintuplets, some liveborn
Z3764	Diagnosis	ICD-10-CM	Sextuplets, some liveborn
Z3769	Diagnosis	ICD-10-CM	Other multiple births, some liveborn
Z379	Diagnosis	ICD-10-CM	Outcome of delivery, unspecified
Z3800	Diagnosis	ICD-10-CM	Single liveborn infant, delivered vaginally
Z3801	Diagnosis	ICD-10-CM	Single liveborn infant, delivered by cesarean
Z381	Diagnosis	ICD-10-CM	Single liveborn infant, born outside hospital
Z382	Diagnosis	ICD-10-CM	Single liveborn infant, unspecified as to place of birth
Z3830	Diagnosis	ICD-10-CM	Twin liveborn infant, delivered vaginally
Z3831	Diagnosis	ICD-10-CM	Twin liveborn infant, delivered by cesarean
Z384	Diagnosis	ICD-10-CM	Twin liveborn infant, born outside hospital
Z385	Diagnosis	ICD-10-CM	Twin liveborn infant, unspecified as to place of birth
Z3861	Diagnosis	ICD-10-CM	Triplet liveborn infant, delivered vaginally
Z3862	Diagnosis	ICD-10-CM	Triplet liveborn infant, delivered by cesarean
Z3863	Diagnosis	ICD-10-CM	Quadruplet liveborn infant, delivered vaginally
Z3864	Diagnosis	ICD-10-CM	Quadruplet liveborn infant, delivered by cesarean
Z3865	Diagnosis	ICD-10-CM	Quintuplet liveborn infant, delivered vaginally
Z3866	Diagnosis	ICD-10-CM	Quintuplet liveborn infant, delivered by cesarean
Z3868	Diagnosis	ICD-10-CM	Other multiple liveborn infant, delivered vaginally
Z3869	Diagnosis	ICD-10-CM	Other multiple liveborn infant, delivered by cesarean
Z387	Diagnosis	ICD-10-CM	Other multiple liveborn infant, born outside hospital
Z388	Diagnosis	ICD-10-CM	Other multiple liveborn infant, unspecified as to place of birth
59400	Procedure	CPT-4	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care
59409	Procedure	CPT-4	Vaginal delivery only (with or without episiotomy and/or forceps);
59410	Procedure	CPT-4	Vaginal delivery only (with or without episiotomy and/or forceps); including postpartum care
59510	Procedure	CPT-4	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care
59514	Procedure	CPT-4	Cesarean delivery only;

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
59515	Procedure	CPT-4	Cesarean delivery only; including postpartum care
59610	Procedure	CPT-4	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care, after previous cesarean delivery
59612	Procedure	CPT-4	Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps);
59614	Procedure	CPT-4	Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps); including postpartum care
59618	Procedure	CPT-4	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care, following attempted vaginal delivery after previous cesarean delivery
59620	Procedure	CPT-4	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery;
59622	Procedure	CPT-4	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery; including postpartum care
650	Diagnosis	ICD-9-CM	Normal delivery
7630	Diagnosis	ICD-9-CM	Fetus or newborn affected by breech delivery and extraction
7632	Diagnosis	ICD-9-CM	Fetus or newborn affected by forceps delivery
7633	Diagnosis	ICD-9-CM	Fetus or newborn affected by delivery by vacuum extractor
7634	Diagnosis	ICD-9-CM	Fetus or newborn affected by cesarean delivery
7636	Diagnosis	ICD-9-CM	Fetus or newborn affected by precipitate delivery
7680	Diagnosis	ICD-9-CM	Fetal death from asphyxia or anoxia before onset of labor or at unspecified time
7681	Diagnosis	ICD-9-CM	Fetal death from asphyxia or anoxia during labor
64101	Diagnosis	ICD-9-CM	Placenta previa without hemorrhage, with delivery
64111	Diagnosis	ICD-9-CM	Hemorrhage from placenta previa, with delivery
64121	Diagnosis	ICD-9-CM	Premature separation of placenta, with delivery
64131	Diagnosis	ICD-9-CM	Antepartum hemorrhage associated with coagulation defects, with delivery
64181	Diagnosis	ICD-9-CM	Other antepartum hemorrhage, with delivery
64191	Diagnosis	ICD-9-CM	Unspecified antepartum hemorrhage, with delivery
64201	Diagnosis	ICD-9-CM	Benign essential hypertension with delivery

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
64202	Diagnosis	ICD-9-CM	Benign essential hypertension, with delivery, with current postpartum complication
64211	Diagnosis	ICD-9-CM	Hypertension secondary to renal disease, with delivery
64212	Diagnosis	ICD-9-CM	Hypertension secondary to renal disease, with delivery, with current postpartum complication
64221	Diagnosis	ICD-9-CM	Other pre-existing hypertension, with delivery
64222	Diagnosis	ICD-9-CM	Other pre-existing hypertension, with delivery, with current postpartum complication
64231	Diagnosis	ICD-9-CM	Transient hypertension of pregnancy, with delivery
64232	Diagnosis	ICD-9-CM	Transient hypertension of pregnancy, with delivery, with current postpartum complication
64241	Diagnosis	ICD-9-CM	Mild or unspecified pre-eclampsia, with delivery
64242	Diagnosis	ICD-9-CM	Mild or unspecified pre-eclampsia, with delivery, with current postpartum complication
64251	Diagnosis	ICD-9-CM	Severe pre-eclampsia, with delivery
64252	Diagnosis	ICD-9-CM	Severe pre-eclampsia, with delivery, with current postpartum complication
64261	Diagnosis	ICD-9-CM	Eclampsia, with delivery
64262	Diagnosis	ICD-9-CM	Eclampsia, with delivery, with current postpartum complication
64271	Diagnosis	ICD-9-CM	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery
64272	Diagnosis	ICD-9-CM	Pre-eclampsia or eclampsia superimposed on pre-existing hypertension, with delivery, with current postpartum complication
64291	Diagnosis	ICD-9-CM	Unspecified hypertension, with delivery
64292	Diagnosis	ICD-9-CM	Unspecified hypertension, with delivery, with current postpartum complication
64301	Diagnosis	ICD-9-CM	Mild hyperemesis gravidarum, delivered
64311	Diagnosis	ICD-9-CM	Hyperemesis gravidarum with metabolic disturbance, delivered
64321	Diagnosis	ICD-9-CM	Late vomiting of pregnancy, delivered
64381	Diagnosis	ICD-9-CM	Other vomiting complicating pregnancy, delivered
64391	Diagnosis	ICD-9-CM	Unspecified vomiting of pregnancy, delivered

PFIZER CONFIDENTIAL



Code	Code Category	Code Type	Description
64421	Diagnosis	ICD-9-CM	Early onset of delivery, delivered, with or without mention of antepartum condition
64501	Diagnosis	ICD-9-CM	Prolonged pregnancy, with delivery
64511	Diagnosis	ICD-9-CM	Post term pregnancy, delivered, with or without mention of antepartum condition
64521	Diagnosis	ICD-9-CM	Prolonged pregnancy, delivered, with or without mention of antepartum condition
64523	Diagnosis	ICD-9-CM	Prolonged pregnancy, antepartum condition or complication
64601	Diagnosis	ICD-9-CM	Papyraceous fetus, delivered, with or without mention of antepartum condition
64611	Diagnosis	ICD-9-CM	Edema or excessive weight gain in pregnancy, with delivery, with or without mention of antepartum complication
64612	Diagnosis	ICD-9-CM	Edema or excessive weight gain in pregnancy, with delivery, with current postpartum complication
64621	Diagnosis	ICD-9-CM	Unspecified renal disease in pregnancy, with delivery
64622	Diagnosis	ICD-9-CM	Unspecified renal disease in pregnancy, with delivery, with current postpartum complication
64631	Diagnosis	ICD-9-CM	Pregnancy complication, recurrent pregnancy loss, with or without mention of antepartum condition
64641	Diagnosis	ICD-9-CM	Peripheral neuritis in pregnancy, with delivery
64642	Diagnosis	ICD-9-CM	Peripheral neuritis in pregnancy, with delivery, with current postpartum complication
64651	Diagnosis	ICD-9-CM	Asymptomatic bacteriuria in pregnancy, with delivery
64652	Diagnosis	ICD-9-CM	Asymptomatic bacteriuria in pregnancy, with delivery, with current postpartum complication
64661	Diagnosis	ICD-9-CM	Infections of genitourinary tract in pregnancy, with delivery
64662	Diagnosis	ICD-9-CM	Infections of genitourinary tract in pregnancy, with delivery, with current postpartum complication
64671	Diagnosis	ICD-9-CM	Liver and biliary tract disorders in pregnancy, delivered, with or without mention of antepartum condition
64681	Diagnosis	ICD-9-CM	Other specified complication of pregnancy, with delivery
64682	Diagnosis	ICD-9-CM	Other specified complications of pregnancy, with delivery, with current postpartum complication
64691	Diagnosis	ICD-9-CM	Unspecified complication of pregnancy, with delivery

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
64701	Diagnosis	ICD-9-CM	Maternal syphilis, complicating pregnancy, with delivery
64702	Diagnosis	ICD-9-CM	Maternal syphilis, complicating pregnancy, with delivery, with current postpartum complication
64711	Diagnosis	ICD-9-CM	Maternal gonorrhea with delivery
64712	Diagnosis	ICD-9-CM	Maternal gonorrhea, with delivery, with current postpartum complication
64721	Diagnosis	ICD-9-CM	Other maternal venereal diseases with delivery
64722	Diagnosis	ICD-9-CM	Other maternal venereal diseases with delivery, with current postpartum complication
64731	Diagnosis	ICD-9-CM	Maternal tuberculosis with delivery
64732	Diagnosis	ICD-9-CM	Maternal tuberculosis with delivery, with current postpartum complication
64741	Diagnosis	ICD-9-CM	Maternal malaria with delivery
64742	Diagnosis	ICD-9-CM	Maternal malaria with delivery, with current postpartum complication
64751	Diagnosis	ICD-9-CM	Maternal rubella with delivery
64752	Diagnosis	ICD-9-CM	Maternal rubella with delivery, with current postpartum complication
64761	Diagnosis	ICD-9-CM	Other maternal viral disease with delivery
64762	Diagnosis	ICD-9-CM	Other maternal viral disease with delivery, with current postpartum complication
64781	Diagnosis	ICD-9-CM	Other specified maternal infectious and parasitic disease with delivery
64782	Diagnosis	ICD-9-CM	Other specified maternal infectious and parasitic disease with delivery, with current postpartum complication
64791	Diagnosis	ICD-9-CM	Unspecified maternal infection or infestation with delivery
64792	Diagnosis	ICD-9-CM	Unspecified maternal infection or infestation with delivery, with current postpartum complication
64801	Diagnosis	ICD-9-CM	Maternal diabetes mellitus with delivery
64802	Diagnosis	ICD-9-CM	Maternal diabetes mellitus with delivery, with current postpartum complication
64811	Diagnosis	ICD-9-CM	Maternal thyroid dysfunction with delivery, with or without mention of antepartum condition

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
64812	Diagnosis	ICD-9-CM	Maternal thyroid dysfunction with delivery, with current postpartum complication
64821	Diagnosis	ICD-9-CM	Maternal anemia, with delivery
64822	Diagnosis	ICD-9-CM	Maternal anemia with delivery, with current postpartum complication
64831	Diagnosis	ICD-9-CM	Maternal drug dependence, with delivery
64832	Diagnosis	ICD-9-CM	Maternal drug dependence, with delivery, with current postpartum complication
64841	Diagnosis	ICD-9-CM	Maternal mental disorders, with delivery
64842	Diagnosis	ICD-9-CM	Maternal mental disorders, with delivery, with current postpartum complication
64851	Diagnosis	ICD-9-CM	Maternal congenital cardiovascular disorders, with delivery
64852	Diagnosis	ICD-9-CM	Maternal congenital cardiovascular disorders, with delivery, with current postpartum complication
64861	Diagnosis	ICD-9-CM	Other maternal cardiovascular diseases, with delivery
64862	Diagnosis	ICD-9-CM	Other maternal cardiovascular diseases, with delivery, with current postpartum complication
64871	Diagnosis	ICD-9-CM	Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery
64872	Diagnosis	ICD-9-CM	Bone and joint disorders of maternal back, pelvis, and lower limbs, with delivery, with current postpartum complication
64881	Diagnosis	ICD-9-CM	Abnormal maternal glucose tolerance, with delivery
64882	Diagnosis	ICD-9-CM	Abnormal maternal glucose tolerance, with delivery, with current postpartum complication
64891	Diagnosis	ICD-9-CM	Other current maternal conditions classifiable elsewhere, with delivery
64892	Diagnosis	ICD-9-CM	Other current maternal conditions classifiable elsewhere, with delivery, with current postpartum complication
64901	Diagnosis	ICD-9-CM	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
64902	Diagnosis	ICD-9-CM	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
64911	Diagnosis	ICD-9-CM	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
64912	Diagnosis	ICD-9-CM	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
64921	Diagnosis	ICD-9-CM	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
64922	Diagnosis	ICD-9-CM	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
64931	Diagnosis	ICD-9-CM	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
64932	Diagnosis	ICD-9-CM	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
64941	Diagnosis	ICD-9-CM	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
64942	Diagnosis	ICD-9-CM	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
64951	Diagnosis	ICD-9-CM	Spotting complicating pregnancy, delivered, with or without mention of antepartum condition
64961	Diagnosis	ICD-9-CM	Uterine size date discrepancy, delivered, with or without mention of antepartum condition
64962	Diagnosis	ICD-9-CM	Uterine size date discrepancy, delivered, with mention of postpartum complication
64971	Diagnosis	ICD-9-CM	Cervical shortening, delivered, with or without mention of antepartum condition
64981	Diagnosis	ICD-9-CM	Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with or without mention of antepartum condition
64982	Diagnosis	ICD-9-CM	Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section, delivered, with mention of postpartum complication
65101	Diagnosis	ICD-9-CM	Twin pregnancy, delivered
65111	Diagnosis	ICD-9-CM	Triplet pregnancy, delivered
65121	Diagnosis	ICD-9-CM	Quadruplet pregnancy, delivered
65131	Diagnosis	ICD-9-CM	Twin pregnancy with fetal loss and retention of one fetus, delivered

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
65141	Diagnosis	ICD-9-CM	Triplet pregnancy with fetal loss and retention of one or more, delivered
65151	Diagnosis	ICD-9-CM	Quadruplet pregnancy with fetal loss and retention of one or more, delivered
65161	Diagnosis	ICD-9-CM	Other multiple pregnancy with fetal loss and retention of one or more fetus(es), delivered
65171	Diagnosis	ICD-9-CM	Multiple gestation following (elective) fetal reduction, delivered, with or without mention of antepartum condition
65181	Diagnosis	ICD-9-CM	Other specified multiple gestation, delivered
65191	Diagnosis	ICD-9-CM	Unspecified multiple gestation, delivered
65201	Diagnosis	ICD-9-CM	Unstable lie of fetus, delivered
65211	Diagnosis	ICD-9-CM	Breech or other malpresentation successfully converted to cephalic presentation, delivered
65221	Diagnosis	ICD-9-CM	Breech presentation without mention of version, delivered
65231	Diagnosis	ICD-9-CM	Transverse or oblique fetal presentation, delivered
65241	Diagnosis	ICD-9-CM	Fetal face or brow presentation, delivered
65251	Diagnosis	ICD-9-CM	High fetal head at term, delivered
65261	Diagnosis	ICD-9-CM	Multiple gestation with malpresentation of one fetus or more, delivered
65271	Diagnosis	ICD-9-CM	Prolapsed arm of fetus, delivered
65281	Diagnosis	ICD-9-CM	Other specified malposition or malpresentation of fetus, delivered
65291	Diagnosis	ICD-9-CM	Unspecified malposition or malpresentation of fetus, delivered
65301	Diagnosis	ICD-9-CM	Major abnormality of bony pelvis, not further specified, delivered
65311	Diagnosis	ICD-9-CM	Generally contracted pelvis in pregnancy, delivered
65321	Diagnosis	ICD-9-CM	Inlet contraction of pelvis in pregnancy, delivered
65331	Diagnosis	ICD-9-CM	Outlet contraction of pelvis in pregnancy, delivered
65341	Diagnosis	ICD-9-CM	Fetopelvic disproportion, delivered
65351	Diagnosis	ICD-9-CM	Unusually large fetus causing disproportion, delivered
65361	Diagnosis	ICD-9-CM	Hydrocephalic fetus causing disproportion, delivered
65371	Diagnosis	ICD-9-CM	Other fetal abnormality causing disproportion, delivered
65381	Diagnosis	ICD-9-CM	Fetal disproportion of other origin, delivered

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
65391	Diagnosis	ICD-9-CM	Unspecified fetal disproportion, delivered
65401	Diagnosis	ICD-9-CM	Congenital abnormalities of pregnant uterus, delivered
65402	Diagnosis	ICD-9-CM	Congenital abnormalities of pregnant uterus, delivered, with mention of postpartum complication
65411	Diagnosis	ICD-9-CM	Tumors of body of uterus, delivered
65412	Diagnosis	ICD-9-CM	Tumors of body of uterus, delivered, with mention of postpartum complication
65421	Diagnosis	ICD-9-CM	Previous cesarean delivery, delivered, with or without mention of antepartum condition
65431	Diagnosis	ICD-9-CM	Retroverted and incarcerated gravid uterus, delivered
65432	Diagnosis	ICD-9-CM	Retroverted and incarcerated gravid uterus, delivered, with mention of postpartum complication
65441	Diagnosis	ICD-9-CM	Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered
65442	Diagnosis	ICD-9-CM	Other abnormalities in shape or position of gravid uterus and of neighboring structures, delivered, with mention of postpartum complication
65451	Diagnosis	ICD-9-CM	Cervical incompetence, delivered
65452	Diagnosis	ICD-9-CM	Cervical incompetence, delivered, with mention of postpartum complication
65461	Diagnosis	ICD-9-CM	Other congenital or acquired abnormality of cervix, with delivery
65462	Diagnosis	ICD-9-CM	Other congenital or acquired abnormality of cervix, delivered, with mention of postpartum complication
65471	Diagnosis	ICD-9-CM	Congenital or acquired abnormality of vagina, with delivery
65472	Diagnosis	ICD-9-CM	Congenital or acquired abnormality of vagina, delivered, with mention of postpartum complication
65481	Diagnosis	ICD-9-CM	Congenital or acquired abnormality of vulva, with delivery
65482	Diagnosis	ICD-9-CM	Congenital or acquired abnormality of vulva, delivered, with mention of postpartum complication
65491	Diagnosis	ICD-9-CM	Other and unspecified abnormality of organs and soft tissues of pelvis, with delivery
65492	Diagnosis	ICD-9-CM	Other and unspecified abnormality of organs and soft tissues of pelvis, delivered, with mention of postpartum complication
65501	Diagnosis	ICD-9-CM	Central nervous system malformation in fetus, with delivery

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
65511	Diagnosis	ICD-9-CM	Chromosomal abnormality in fetus, affecting management of mother, with delivery
65521	Diagnosis	ICD-9-CM	Hereditary disease in family possibly affecting fetus, affecting management of mother, with delivery
65531	Diagnosis	ICD-9-CM	Suspected damage to fetus from viral disease in mother, affecting management of mother, with delivery
65541	Diagnosis	ICD-9-CM	Suspected damage to fetus from other disease in mother, affecting management of mother, with delivery
65551	Diagnosis	ICD-9-CM	Suspected damage to fetus from drugs, affecting management of mother, delivered
65561	Diagnosis	ICD-9-CM	Suspected damage to fetus from radiation, affecting management of mother, delivered
65571	Diagnosis	ICD-9-CM	Decreased fetal movements, affecting management of mother, delivered
65581	Diagnosis	ICD-9-CM	Other known or suspected fetal abnormality, not elsewhere classified, affecting management of mother, delivery
65591	Diagnosis	ICD-9-CM	Unspecified fetal abnormality affecting management of mother, delivery
65601	Diagnosis	ICD-9-CM	Fetal-maternal hemorrhage, with delivery
65611	Diagnosis	ICD-9-CM	Rhesus isoimmunization affecting management of mother, delivered
65621	Diagnosis	ICD-9-CM	Isoimmunization from other and unspecified blood-group incompatibility, affecting management of mother, delivered
65631	Diagnosis	ICD-9-CM	Fetal distress affecting management of mother, delivered
65641	Diagnosis	ICD-9-CM	Intrauterine death affecting management of mother, delivered
65651	Diagnosis	ICD-9-CM	Poor fetal growth, affecting management of mother, delivered
65661	Diagnosis	ICD-9-CM	Excessive fetal growth affecting management of mother, delivered
65671	Diagnosis	ICD-9-CM	Other placental conditions affecting management of mother, delivered
65681	Diagnosis	ICD-9-CM	Other specified fetal and placental problems affecting management of mother, delivered
65691	Diagnosis	ICD-9-CM	Unspecified fetal and placental problem affecting management of mother, delivered
65701	Diagnosis	ICD-9-CM	Polyhydramnios, with delivery

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
65801	Diagnosis	ICD-9-CM	Oligohydramnios, delivered
65811	Diagnosis	ICD-9-CM	Premature rupture of membranes in pregnancy, delivered
65821	Diagnosis	ICD-9-CM	Delayed delivery after spontaneous or unspecified rupture of membranes, delivered
65831	Diagnosis	ICD-9-CM	Delayed delivery after artificial rupture of membranes, delivered
65841	Diagnosis	ICD-9-CM	Infection of amniotic cavity, delivered
65881	Diagnosis	ICD-9-CM	Other problem associated with amniotic cavity and membranes, delivered
65891	Diagnosis	ICD-9-CM	Unspecified problem associated with amniotic cavity and membranes, delivered
65901	Diagnosis	ICD-9-CM	Failed mechanical induction of labor, delivered
65911	Diagnosis	ICD-9-CM	Failed medical or unspecified induction of labor, delivered
65921	Diagnosis	ICD-9-CM	Unspecified maternal pyrexia during labor, delivered
65931	Diagnosis	ICD-9-CM	Generalized infection during labor, delivered
65941	Diagnosis	ICD-9-CM	Grand multiparity, delivered, with or without mention of antepartum condition
65951	Diagnosis	ICD-9-CM	Elderly primigravida, delivered
65961	Diagnosis	ICD-9-CM	Elderly multigravida, delivered, with mention of antepartum condition
65971	Diagnosis	ICD-9-CM	Abnormality in fetal heart rate or rhythm, delivered, with or without mention of antepartum condition
65981	Diagnosis	ICD-9-CM	Other specified indication for care or intervention related to labor and delivery, delivered
65991	Diagnosis	ICD-9-CM	Unspecified indication for care or intervention related to labor and delivery, delivered
66001	Diagnosis	ICD-9-CM	Obstruction caused by malposition of fetus at onset of labor, delivered
66011	Diagnosis	ICD-9-CM	Obstruction by bony pelvis during labor and delivery, delivered
66021	Diagnosis	ICD-9-CM	Obstruction by abnormal pelvic soft tissues during labor and delivery, delivered
66031	Diagnosis	ICD-9-CM	Deep transverse arrest and persistent occipitoposterior position during labor and deliver, delivered
66041	Diagnosis	ICD-9-CM	Shoulder (girdle) dystocia during labor and deliver, delivered

PFIZER CONFIDENTIAL



Code	Code Category	Code Type	Description
66051	Diagnosis	ICD-9-CM	Locked twins, delivered
66061	Diagnosis	ICD-9-CM	Unspecified failed trial of labor, delivered
66071	Diagnosis	ICD-9-CM	Unspecified failed forceps or vacuum extractor, delivered
66081	Diagnosis	ICD-9-CM	Other causes of obstructed labor, delivered
66091	Diagnosis	ICD-9-CM	Unspecified obstructed labor, with delivery
66101	Diagnosis	ICD-9-CM	Primary uterine inertia, with delivery
66111	Diagnosis	ICD-9-CM	Secondary uterine inertia, with delivery
66121	Diagnosis	ICD-9-CM	Other and unspecified uterine inertia, with delivery
66131	Diagnosis	ICD-9-CM	Precipitate labor, with delivery
66141	Diagnosis	ICD-9-CM	Hypertonic, incoordinate, or prolonged uterine contractions, with delivery
66191	Diagnosis	ICD-9-CM	Unspecified abnormality of labor, with delivery
66201	Diagnosis	ICD-9-CM	Prolonged first stage of labor, delivered
66211	Diagnosis	ICD-9-CM	Unspecified prolonged labor, delivered
66221	Diagnosis	ICD-9-CM	Prolonged second stage of labor, delivered
66231	Diagnosis	ICD-9-CM	Delayed delivery of second twin, triplet, etc., delivered
66301	Diagnosis	ICD-9-CM	Prolapse of cord, complicating labor and delivery, delivered
66311	Diagnosis	ICD-9-CM	Cord around neck, with compression, complicating labor and delivery, delivered
66321	Diagnosis	ICD-9-CM	Other and unspecified cord entanglement, with compression, complicating labor and delivery, delivered
66331	Diagnosis	ICD-9-CM	Other and unspecified cord entanglement, without mention of compression, complicating labor and delivery, delivered
66341	Diagnosis	ICD-9-CM	Short cord complicating labor and delivery, delivered
66351	Diagnosis	ICD-9-CM	Vasa previa complicating labor and delivery, delivered
66361	Diagnosis	ICD-9-CM	Vascular lesions of cord complicating labor and delivery, delivered
66381	Diagnosis	ICD-9-CM	Other umbilical cord complications during labor and delivery, delivered
66391	Diagnosis	ICD-9-CM	Unspecified umbilical cord complication during labor and delivery, delivered
66401	Diagnosis	ICD-9-CM	First-degree perineal laceration, with delivery

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
66411	Diagnosis	ICD-9-CM	Second-degree perineal laceration, with delivery
66421	Diagnosis	ICD-9-CM	Third-degree perineal laceration, with delivery
66431	Diagnosis	ICD-9-CM	Fourth-degree perineal laceration, with delivery
66441	Diagnosis	ICD-9-CM	Unspecified perineal laceration, with delivery
66451	Diagnosis	ICD-9-CM	Vulvar and perineal hematoma, with delivery
66461	Diagnosis	ICD-9-CM	Anal sphincter tear complicating delivery, not associated with third-degree perineal laceration, delivered, with or without mention of antepartum condition
66481	Diagnosis	ICD-9-CM	Other specified trauma to perineum and vulva, with delivery
66491	Diagnosis	ICD-9-CM	Unspecified trauma to perineum and vulva, with delivery
66501	Diagnosis	ICD-9-CM	Rupture of uterus before onset of labor, with delivery
66511	Diagnosis	ICD-9-CM	Rupture of uterus during labor, with delivery
66522	Diagnosis	ICD-9-CM	Inversion of uterus, delivered with postpartum complication
66531	Diagnosis	ICD-9-CM	Laceration of cervix, with delivery
66541	Diagnosis	ICD-9-CM	High vaginal laceration, with delivery
66551	Diagnosis	ICD-9-CM	Other injury to pelvic organs, with delivery
66561	Diagnosis	ICD-9-CM	Damage to pelvic joints and ligaments, with delivery
66571	Diagnosis	ICD-9-CM	Pelvic hematoma, with delivery
66572	Diagnosis	ICD-9-CM	Pelvic hematoma, delivered with postpartum complication
66581	Diagnosis	ICD-9-CM	Other specified obstetrical trauma, with delivery
66582	Diagnosis	ICD-9-CM	Other specified obstetrical trauma, delivered, with postpartum
66591	Diagnosis	ICD-9-CM	Unspecified obstetrical trauma, with delivery
66592	Diagnosis	ICD-9-CM	Unspecified obstetrical trauma, delivered, with postpartum complication
66602	Diagnosis	ICD-9-CM	Third-stage postpartum hemorrhage, with delivery
66612	Diagnosis	ICD-9-CM	Other immediate postpartum hemorrhage, with delivery
66622	Diagnosis	ICD-9-CM	Delayed and secondary postpartum hemorrhage, with delivery
66632	Diagnosis	ICD-9-CM	Postpartum coagulation defects, with delivery
66702	Diagnosis	ICD-9-CM	Retained placenta without hemorrhage, with delivery, with mention of postpartum complication

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
66712	Diagnosis	ICD-9-CM	Retained portions of placenta or membranes, without hemorrhage, delivered, with mention of postpartum complication
66801	Diagnosis	ICD-9-CM	Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered
66802	Diagnosis	ICD-9-CM	Pulmonary complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication
66811	Diagnosis	ICD-9-CM	Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered
66812	Diagnosis	ICD-9-CM	Cardiac complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication
66821	Diagnosis	ICD-9-CM	Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered
66822	Diagnosis	ICD-9-CM	Central nervous system complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication
66881	Diagnosis	ICD-9-CM	Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered
66882	Diagnosis	ICD-9-CM	Other complications of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication
66891	Diagnosis	ICD-9-CM	Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered
66892	Diagnosis	ICD-9-CM	Unspecified complication of the administration of anesthesia or other sedation in labor and delivery, delivered, with mention of postpartum complication
66901	Diagnosis	ICD-9-CM	Maternal distress, with delivery, with or without mention of antepartum condition
66902	Diagnosis	ICD-9-CM	Maternal distress, with delivery, with mention of postpartum complication
66911	Diagnosis	ICD-9-CM	Shock during or following labor and delivery, with delivery, with or without mention of antepartum condition
66912	Diagnosis	ICD-9-CM	Shock during or following labor and delivery, with delivery, with mention of postpartum complication
66921	Diagnosis	ICD-9-CM	Maternal hypotension syndrome, with delivery, with or without mention of antepartum condition

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
66922	Diagnosis	ICD-9-CM	Maternal hypotension syndrome, with delivery, with mention of postpartum complication
66932	Diagnosis	ICD-9-CM	Acute kidney failure following labor and delivery, delivered, with mention of postpartum complication
66941	Diagnosis	ICD-9-CM	Other complications of obstetrical surgery and procedures, with delivery, with or without mention of antepartum condition
66942	Diagnosis	ICD-9-CM	Other complications of obstetrical surgery and procedures, with delivery, with mention of postpartum complication
66951	Diagnosis	ICD-9-CM	Forceps or vacuum extractor delivery without mention of indication, delivered, with or without mention of antepartum condition
66961	Diagnosis	ICD-9-CM	Breech extraction, without mention of indication, delivered, with or without mention of antepartum condition
66971	Diagnosis	ICD-9-CM	Cesarean delivery, without mention of indication, delivered, with or without mention of antepartum condition
66981	Diagnosis	ICD-9-CM	Other complication of labor and delivery, delivered, with or without mention of antepartum condition
66982	Diagnosis	ICD-9-CM	Other complication of labor and delivery, delivered, with mention of postpartum complication
66991	Diagnosis	ICD-9-CM	Unspecified complication of labor and delivery, with delivery, with or without mention of antepartum condition
66992	Diagnosis	ICD-9-CM	Unspecified complication of labor and delivery, with delivery, with mention of postpartum complication
67002	Diagnosis	ICD-9-CM	Major puerperal infection, unspecified, delivered, with mention of postpartum complication
67012	Diagnosis	ICD-9-CM	Puerperal endometritis, delivered, with mention of postpartum complication
67022	Diagnosis	ICD-9-CM	Puerperal sepsis, delivered, with mention of postpartum complication
67032	Diagnosis	ICD-9-CM	Puerperal septic thrombophlebitis, delivered, with mention of postpartum complication
67082	Diagnosis	ICD-9-CM	Other major puerperal infection, delivered, with mention of postpartum complication
67101	Diagnosis	ICD-9-CM	Varicose veins of legs, with delivery, with or without mention of antepartum condition

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
67102	Diagnosis	ICD-9-CM	Varicose veins of legs, with delivery, with mention of postpartum complication
67111	Diagnosis	ICD-9-CM	Varicose veins of vulva and perineum, with delivery, with or without mention of antepartum condition
67112	Diagnosis	ICD-9-CM	Varicose veins of vulva and perineum, with delivery, with mention of postpartum complication
67121	Diagnosis	ICD-9-CM	Superficial thrombophlebitis with delivery, with or without mention of antepartum condition
67122	Diagnosis	ICD-9-CM	Superficial thrombophlebitis with delivery, with mention of postpartum complication
67131	Diagnosis	ICD-9-CM	Deep phlebothrombosis, antepartum, with delivery
67142	Diagnosis	ICD-9-CM	Deep phlebothrombosis, postpartum, with delivery
67151	Diagnosis	ICD-9-CM	Other phlebitis and thrombosis with delivery, with or without mention of antepartum condition
67152	Diagnosis	ICD-9-CM	Other phlebitis and thrombosis with delivery, with mention of postpartum complication
67181	Diagnosis	ICD-9-CM	Other venous complication, with delivery, with or without mention of antepartum condition
67182	Diagnosis	ICD-9-CM	Other venous complication, with delivery, with mention of postpartum complication
67191	Diagnosis	ICD-9-CM	Unspecified venous complication, with delivery, with or without mention of antepartum condition
67192	Diagnosis	ICD-9-CM	Unspecified venous complication, with delivery, with mention of postpartum complication
67202	Diagnosis	ICD-9-CM	Puerperal pyrexia of unknown origin, delivered, with mention of postpartum complication
67301	Diagnosis	ICD-9-CM	Obstetrical air embolism, with delivery, with or without mention of antepartum condition
67302	Diagnosis	ICD-9-CM	Obstetrical air embolism, with delivery, with mention of postpartum complication
67311	Diagnosis	ICD-9-CM	Amniotic fluid embolism, with delivery, with or without mention of antepartum condition
67312	Diagnosis	ICD-9-CM	Amniotic fluid embolism, with delivery, with mention of postpartum complication

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
67321	Diagnosis	ICD-9-CM	Obstetrical blood-clot embolism, with delivery, with or without mention of antepartum condition
67322	Diagnosis	ICD-9-CM	Obstetrical blood-clot embolism, with mention of postpartum complication
67331	Diagnosis	ICD-9-CM	Obstetrical pyemic and septic embolism, with delivery, with or without mention of antepartum condition
67332	Diagnosis	ICD-9-CM	Obstetrical pyemic and septic embolism, with delivery, with mention of postpartum complication
67381	Diagnosis	ICD-9-CM	Other obstetrical pulmonary embolism, with delivery, with or without mention of antepartum condition
67382	Diagnosis	ICD-9-CM	Other obstetrical pulmonary embolism, with delivery, with mention of postpartum complication
67401	Diagnosis	ICD-9-CM	Cerebrovascular disorder, with delivery, with or without mention of antepartum condition
67402	Diagnosis	ICD-9-CM	Cerebrovascular disorder, with delivery, with mention of postpartum complication
67412	Diagnosis	ICD-9-CM	Disruption of cesarean wound, with delivery, with mention of postpartum complication
67422	Diagnosis	ICD-9-CM	Disruption of perineal wound, with delivery, with mention of postpartum complication
67432	Diagnosis	ICD-9-CM	Other complication of obstetrical surgical wounds, with delivery, with mention of postpartum complication
67442	Diagnosis	ICD-9-CM	Placental polyp, with delivery, with mention of postpartum complication
67451	Diagnosis	ICD-9-CM	Peripartum cardiomyopathy, delivered, with or without mention of antepartum condition
67452	Diagnosis	ICD-9-CM	Peripartum cardiomyopathy, delivered, with mention of postpartum condition
67482	Diagnosis	ICD-9-CM	Other complication of puerperium, with delivery, with mention of postpartum complication
67492	Diagnosis	ICD-9-CM	Unspecified complications of puerperium, with delivery, with mention of postpartum complication
67501	Diagnosis	ICD-9-CM	Infection of nipple associated with childbirth, delivered, with or without mention of antepartum condition
67502	Diagnosis	ICD-9-CM	Infection of nipple associated with childbirth, delivered with mention of postpartum complication

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
67511	Diagnosis	ICD-9-CM	Abscess of breast associated with childbirth, delivered, with or without mention of antepartum condition
67512	Diagnosis	ICD-9-CM	Abscess of breast associated with childbirth, delivered, with mention of postpartum complication
67521	Diagnosis	ICD-9-CM	Nonpurulent mastitis, delivered, with or without mention of antepartum condition
67522	Diagnosis	ICD-9-CM	Nonpurulent mastitis, delivered, with mention of postpartum complication
67581	Diagnosis	ICD-9-CM	Other specified infection of the breast and nipple associated with childbirth, delivered, with or without mention of antepartum condition
67582	Diagnosis	ICD-9-CM	Other specified infection of the breast and nipple associated with childbirth, delivered, with mention of postpartum complication
67591	Diagnosis	ICD-9-CM	Unspecified infection of the breast and nipple, delivered, with or without mention of antepartum condition
67592	Diagnosis	ICD-9-CM	Unspecified infection of the breast and nipple, delivered, with mention of postpartum complication
67601	Diagnosis	ICD-9-CM	Retracted nipple, delivered, with or without mention of antepartum condition
67602	Diagnosis	ICD-9-CM	Retracted nipple, delivered, with mention of postpartum complication
67611	Diagnosis	ICD-9-CM	Cracked nipple, delivered, with or without mention of antepartum condition
67612	Diagnosis	ICD-9-CM	Cracked nipple, delivered, with mention of postpartum complication
67621	Diagnosis	ICD-9-CM	Engorgement of breasts, delivered, with or without mention of antepartum condition
67622	Diagnosis	ICD-9-CM	Engorgement of breasts, delivered, with mention of postpartum complication
67631	Diagnosis	ICD-9-CM	Other and unspecified disorder of breast associated with childbirth, delivered, with or without mention of antepartum condition
67632	Diagnosis	ICD-9-CM	Other and unspecified disorder of breast associated with childbirth, delivered, with mention of postpartum complication
67641	Diagnosis	ICD-9-CM	Failure of lactation, with delivery, with or without mention of antepartum condition

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
67642	Diagnosis	ICD-9-CM	Failure of lactation, with delivery, with mention of postpartum complication
67651	Diagnosis	ICD-9-CM	Suppressed lactation, with delivery, with or without mention of antepartum condition
67652	Diagnosis	ICD-9-CM	Suppressed lactation, with delivery, with mention of postpartum complication
67661	Diagnosis	ICD-9-CM	Galactorrhea, with delivery, with or without mention of antepartum condition
67662	Diagnosis	ICD-9-CM	Galactorrhea, with delivery, with mention of postpartum complication
67681	Diagnosis	ICD-9-CM	Other disorder of lactation, with delivery, with or without mention of antepartum condition
67682	Diagnosis	ICD-9-CM	Other disorder of lactation, with delivery, with mention of postpartum complication
67691	Diagnosis	ICD-9-CM	Unspecified disorder of lactation, with delivery, with or without mention of antepartum condition
72	Procedure	ICD-9-CM	Forceps, vacuum, and breech delivery
73	Procedure	ICD-9-CM	Other procedures inducing or assisting delivery
720	Procedure	ICD-9-CM	Low forceps operation
721	Procedure	ICD-9-CM	Low forceps operation with episiotomy
722	Procedure	ICD-9-CM	Mid forceps operation
723	Procedure	ICD-9-CM	High forceps operation
724	Procedure	ICD-9-CM	Forceps rotation of fetal head
725	Procedure	ICD-9-CM	Breech extraction
726	Procedure	ICD-9-CM	Forceps application to aftercoming head
727	Procedure	ICD-9-CM	Vacuum extraction
728	Procedure	ICD-9-CM	Other specified instrumental delivery
729	Procedure	ICD-9-CM	Unspecified instrumental delivery
730	Procedure	ICD-9-CM	Artificial rupture of membranes
731	Procedure	ICD-9-CM	Other surgical induction of labor
732	Procedure	ICD-9-CM	Internal and combined version and extraction
733	Procedure	ICD-9-CM	Failed forceps

PFIZER CONFIDENTIAL



Code	Code Category	Code Type	Description
734	Procedure	ICD-9-CM	Medical induction of labor
735	Procedure	ICD-9-CM	Manually assisted delivery
736	Procedure	ICD-9-CM	Episiotomy
738	Procedure	ICD-9-CM	Operations on fetus to facilitate delivery
739	Procedure	ICD-9-CM	Other operations assisting delivery
740	Procedure	ICD-9-CM	Classical cesarean section
741	Procedure	ICD-9-CM	Low cervical cesarean section
742	Procedure	ICD-9-CM	Extraperitoneal cesarean section
744	Procedure	ICD-9-CM	Cesarean section of other specified type
749	Procedure	ICD-9-CM	Cesarean section of unspecified type
7221	Procedure	ICD-9-CM	Mid forceps operation with episiotomy
7229	Procedure	ICD-9-CM	Other mid forceps operation
7231	Procedure	ICD-9-CM	High forceps operation with episiotomy
7239	Procedure	ICD-9-CM	Other high forceps operation
7251	Procedure	ICD-9-CM	Partial breech extraction with forceps to aftercoming head
7252	Procedure	ICD-9-CM	Other partial breech extraction
7253	Procedure	ICD-9-CM	Total breech extraction with forceps to aftercoming head
7254	Procedure	ICD-9-CM	Other total breech extraction
7271	Procedure	ICD-9-CM	Vacuum extraction with episiotomy
7279	Procedure	ICD-9-CM	Other vacuum extraction
7301	Procedure	ICD-9-CM	Induction of labor by artificial rupture of membranes
7309	Procedure	ICD-9-CM	Other artificial rupture of membranes
7321	Procedure	ICD-9-CM	Internal and combined version without extraction
7322	Procedure	ICD-9-CM	Internal and combined version with extraction
7351	Procedure	ICD-9-CM	Manual rotation of fetal head
7359	Procedure	ICD-9-CM	Other manually assisted delivery
7391	Procedure	ICD-9-CM	External version to assist delivery
7392	Procedure	ICD-9-CM	Replacement of prolapsed umbilical cord

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
7393	Procedure	ICD-9-CM	Incision of cervix to assist delivery
7394	Procedure	ICD-9-CM	Pubiotomy to assist delivery
7399	Procedure	ICD-9-CM	Other operations to assist delivery
7499	Procedure	ICD-9-CM	Other cesarean section of unspecified type
67692	Diagnosis	ICD-9-CM	Unspecified disorder of lactation, with delivery, with mention of postpartum complication
67801	Diagnosis	ICD-9-CM	Fetal hematologic conditions, delivered, with or without mention of antepartum condition
67811	Diagnosis	ICD-9-CM	Fetal conjoined twins, delivered, with or without mention of antepartum condition
67901	Diagnosis	ICD-9-CM	Maternal complications from in utero procedure, delivered, with or without mention of antepartum condition
67902	Diagnosis	ICD-9-CM	Maternal complications from in utero procedure, delivered, with mention of postpartum complication
67911	Diagnosis	ICD-9-CM	Fetal complications from in utero procedure, delivered, with or without mention of antepartum condition
67912	Diagnosis	ICD-9-CM	Fetal complications from in utero procedure, delivered, with mention of postpartum complication
V27	Diagnosis	ICD-9-CM	Outcome of delivery
V270	Diagnosis	ICD-9-CM	Outcome of delivery, single liveborn
V271	Diagnosis	ICD-9-CM	Outcome of delivery, single stillborn
V272	Diagnosis	ICD-9-CM	Outcome of delivery, twins, both liveborn
V273	Diagnosis	ICD-9-CM	Outcome of delivery, twins, one liveborn and one stillborn
V274	Diagnosis	ICD-9-CM	Outcome of delivery, twins, both stillborn
V275	Diagnosis	ICD-9-CM	Outcome of delivery, other multiple birth, all liveborn
V276	Diagnosis	ICD-9-CM	Outcome of delivery, other multiple birth, some liveborn
V277	Diagnosis	ICD-9-CM	Outcome of delivery, other multiple birth, all stillborn
V279	Diagnosis	ICD-9-CM	Outcome of delivery, unspecified
V30	Diagnosis	ICD-9-CM	Single liveborn
V300	Diagnosis	ICD-9-CM	Single liveborn, born in hospital
V3000	Diagnosis	ICD-9-CM	Single liveborn, born in hospital, delivered without mention of cesarean delivery

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
V3001	Diagnosis	ICD-9-CM	Single liveborn, born in hospital, delivered by cesarean delivery
V301	Diagnosis	ICD-9-CM	Single liveborn, born before admission to hospital
V302	Diagnosis	ICD-9-CM	Single liveborn, born outside hospital and not hospitalized
V31	Diagnosis	ICD-9-CM	Twin birth, mate liveborn
V310	Diagnosis	ICD-9-CM	Twin, mate liveborn, born in hospital
V3100	Diagnosis	ICD-9-CM	Twin, mate liveborn, born in hospital, delivered without mention of cesarean delivery
V3101	Diagnosis	ICD-9-CM	Twin, mate liveborn, born in hospital, delivered by cesarean delivery
V311	Diagnosis	ICD-9-CM	Twin birth, mate liveborn, born before admission to hospital
V312	Diagnosis	ICD-9-CM	Twin birth, mate liveborn, born outside hospital and not hospitalized
V32	Diagnosis	ICD-9-CM	Twin birth, mate stillborn
V320	Diagnosis	ICD-9-CM	Twin, mate stillborn, born in hospital
V3200	Diagnosis	ICD-9-CM	Twin, mate stillborn, born in hospital, delivered without mention of cesarean delivery
V3201	Diagnosis	ICD-9-CM	Twin, mate stillborn, born in hospital, delivered by cesarean delivery
V321	Diagnosis	ICD-9-CM	Twin birth, mate stillborn, born before admission to hospital
V322	Diagnosis	ICD-9-CM	Twin birth, mate stillborn, born outside hospital and not hospitalized
V33	Diagnosis	ICD-9-CM	Twin birth, unspecified whether mate liveborn or stillborn
V330	Diagnosis	ICD-9-CM	Twin, unspecified, born in hospital
V3300	Diagnosis	ICD-9-CM	Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery
V3301	Diagnosis	ICD-9-CM	Twin, unspecified whether mate stillborn or liveborn, born in hospital, delivered by cesarean delivery
V331	Diagnosis	ICD-9-CM	Twin birth, unspecified whether mate liveborn or stillborn, born before admission to hospital
V332	Diagnosis	ICD-9-CM	Twin birth, unspecified whether mate liveborn or stillborn, born outside hospital and not hospitalized
V34	Diagnosis	ICD-9-CM	Other multiple birth (three or more), mates all liveborn

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
V340	Diagnosis	ICD-9-CM	Other multiple, mates all liveborn, born in hospital
V3400	Diagnosis	ICD-9-CM	Other multiple, mates all liveborn, born in hospital, delivered without mention of cesarean delivery
V3401	Diagnosis	ICD-9-CM	Other multiple, mates all liveborn, born in hospital, delivered by cesarean delivery
V341	Diagnosis	ICD-9-CM	Other multiple birth (three or more), mates all liveborn, born before admission to hospital
V342	Diagnosis	ICD-9-CM	Other multiple birth (three or more), mates all liveborn, born outside hospital and not hospitalized
V35	Diagnosis	ICD-9-CM	Other multiple birth (three or more), mates all stillborn
V350	Diagnosis	ICD-9-CM	Other multiple, mates all stillborn, born in hospital
V3500	Diagnosis	ICD-9-CM	Other multiple, mates all stillborn, born in hospital, delivered without mention of cesarean delivery
V3501	Diagnosis	ICD-9-CM	Other multiple, mates all stillborn, born in hospital, delivered by cesarean delivery
V351	Diagnosis	ICD-9-CM	Other multiple birth (three or more), mates all stillborn, born before admission to hospital
V352	Diagnosis	ICD-9-CM	Other multiple birth (three or more), mates all stillborn, born outside of hospital and not hospitalized
V36	Diagnosis	ICD-9-CM	Other multiple birth (three or more), mates liveborn and stillborn
V360	Diagnosis	ICD-9-CM	Other multiple, mates liveborn and stillborn, born in hospital
V3600	Diagnosis	ICD-9-CM	Other multiple, mates liveborn and stillborn, born in hospital, delivered without mention of cesarean delivery
V3601	Diagnosis	ICD-9-CM	Other multiple, mates liveborn and stillborn, born in hospital, delivered by cesarean delivery
V361	Diagnosis	ICD-9-CM	Other multiple birth (three or more), mates liveborn and stillborn, born before admission to hospital
V362	Diagnosis	ICD-9-CM	Other multiple birth (three or more), mates liveborn and stillborn, born outside hospital and not hospitalized
V37	Diagnosis	ICD-9-CM	Other multiple birth (three or more), unspecified whether mates liveborn or stillborn
V370	Diagnosis	ICD-9-CM	Other multiple, unspecified whether mates stillborn or liveborn, born in hospital
V3700	Diagnosis	ICD-9-CM	Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered without mention of cesarean delivery

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
V3701	Diagnosis	ICD-9-CM	Other multiple, unspecified whether mates stillborn or liveborn, born in hospital, delivered by cesarean delivery
V371	Diagnosis	ICD-9-CM	Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born before admission to hospital
V372	Diagnosis	ICD-9-CM	Other multiple birth (three or more), unspecified whether mates liveborn or stillborn, born outside of hospital
V39	Diagnosis	ICD-9-CM	Liveborn, unspecified whether single, twin, or multiple
V390	Diagnosis	ICD-9-CM	Other liveborn, unspecified whether single, twin, or multiple, born in hospital
V3900	Diagnosis	ICD-9-CM	Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered without mention of cesarean delivery
V3901	Diagnosis	ICD-9-CM	Liveborn infant, unspecified whether single, twin, or multiple, born in hospital, delivered by cesarean
V391	Diagnosis	ICD-9-CM	Liveborn, unspecified whether single, twin or multiple, born before admission to hospital
V392	Diagnosis	ICD-9-CM	Liveborn, unspecified whether single, twin or multiple, born outside hospital and not hospitalized

3. International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), International Classification of Diseases, Tenth Revision, Procedure Coding System (ICD-10-PCS), and Current Procedural Terminology, 4th Edition (CPT-4) Codes Used to Define Stillbirth Delivery

Code Definition	Code	Code Category	Code Type	Description
Stillbirth Delivery Definition #1				
2 diagnoses on index date	O364	Diagnosis	ICD-10-CM	Maternal care for intrauterine death
2 diagnoses on index date	O364X X0	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, not applicable or unspecified
2 diagnoses on index date	O364X X1	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, fetus 1
2 diagnoses on index date	O364X X2	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, fetus 2

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
2 diagnoses on index date	O364X X3	Diagnosis	ICD-10- CM	Maternal care for intrauterine death, fetus 3
2 diagnoses on index date	O364X X4	Diagnosis	ICD-10- CM	Maternal care for intrauterine death, fetus 4
2 diagnoses on index date	O364X X5	Diagnosis	ICD-10- CM	Maternal care for intrauterine death, fetus 5
2 diagnoses on index date	O364X X9	Diagnosis	ICD-10- CM	Maternal care for intrauterine death, other fetus
2 diagnoses on index date	P95	Diagnosis	ICD-10- CM	Stillbirth
2 diagnoses on index date	Z371	Diagnosis	ICD-10- CM	Single stillbirth
2 diagnoses on index date	Z373	Diagnosis	ICD-10- CM	Twins, one liveborn and one stillborn
2 diagnoses on index date	Z374	Diagnosis	ICD-10- CM	Twins, both stillborn
2 diagnoses on index date	Z376	Diagnosis	ICD-10- CM	Other multiple births, some liveborn
2 diagnoses on index date	Z3760	Diagnosis	ICD-10- CM	Multiple births, unspecified, some liveborn
2 diagnoses on index date	Z3761	Diagnosis	ICD-10- CM	Triplets, some liveborn
2 diagnoses on index date	Z3762	Diagnosis	ICD-10- CM	Quadruplets, some liveborn
2 diagnoses on index date	Z3763	Diagnosis	ICD-10- CM	Quintuplets, some liveborn
2 diagnoses on index date	Z3764	Diagnosis	ICD-10- CM	Sextuplets, some liveborn
2 diagnoses on index date	Z3769	Diagnosis	ICD-10- CM	Other multiple births, some liveborn
2 diagnoses on index date	Z377	Diagnosis	ICD-10- CM	Other multiple births, all stillborn
2 diagnoses on index date	O3120	Diagnosis	ICD-10- CM	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
2 diagnoses on index date	O3120 X0	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, not applicable or unspecified
2 diagnoses on index date	O3120 X1	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 1
2 diagnoses on index date	O3120 X2	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 2
2 diagnoses on index date	O3120 X3	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 3
2 diagnoses on index date	O3120 X4	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 4
2 diagnoses on index date	O3120 X5	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 5
2 diagnoses on index date	O3120 X9	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, other fetus
2 diagnoses on index date	O3122	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, second trimester
2 diagnoses on index date	O3122 X0	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, not applicable or unspecified
2 diagnoses on index date	O3122 X1	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 1
2 diagnoses on index date	O3122 X2	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 2
2 diagnoses on index date	O3122 X3	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 3
2 diagnoses on index date	O3122 X4	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 4
2 diagnoses on index date	O3122 X5	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 5
2 diagnoses on index date	O3122 X9	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, second trimester, other fetus
2 diagnoses on index date	O3123	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, third trimester

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
2 diagnoses on index date	O3123 X0	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, not applicable or unspecified
2 diagnoses on index date	O3123 X1	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 1
2 diagnoses on index date	O3123 X2	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 2
2 diagnoses on index date	O3123 X3	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 3
2 diagnoses on index date	O3123 X4	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 4
2 diagnoses on index date	O3123 X5	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 5
2 diagnoses on index date	O3123 X9	Diagnosis	ICD-10-CM	Continuing pregnancy after intrauterine death of one fetus or more, third trimester, other fetus
2 diagnoses on index date	O310	Diagnosis	ICD-10-CM	Papyraceous fetus
2 diagnoses on index date	O3100	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester
2 diagnoses on index date	O3100 X0	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, not applicable or unspecified
2 diagnoses on index date	O3100 X1	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 1
2 diagnoses on index date	O3100 X2	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 2
2 diagnoses on index date	O3100 X3	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 3
2 diagnoses on index date	O3100 X4	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 4
2 diagnoses on index date	O3100 X5	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 5
2 diagnoses on index date	O3100 X9	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, other fetus
2 diagnoses on index date	O3101	Diagnosis	ICD-10-CM	Papyraceous fetus, first trimester

PFIZER CONFIDENTIAL



Code Definition	Code	Code Category	Code Type	Description
2 diagnoses on index date	O3102	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester
2 diagnoses on index date	O3102 X0	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, not applicable or unspecified
2 diagnoses on index date	O3102 X1	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 1
2 diagnoses on index date	O3102 X2	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 2
2 diagnoses on index date	O3102 X3	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 3
2 diagnoses on index date	O3102 X4	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 4
2 diagnoses on index date	O3102 X5	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 5
2 diagnoses on index date	O3102 X9	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, other fetus
2 diagnoses on index date	O3103	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester
2 diagnoses on index date	O3103 X0	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, not applicable or unspecified
2 diagnoses on index date	O3103 X1	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 1
2 diagnoses on index date	O3103 X2	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 2
2 diagnoses on index date	O3103 X3	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 3
2 diagnoses on index date	O3103 X4	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 4
2 diagnoses on index date	O3103 X5	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 5
2 diagnoses on index date	O3103 X9	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, other fetus
Stillbirth Delivery Definition #2				

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
1 diagnosis on index date	O310	Diagnosis	ICD-10-CM	Papyraceous fetus
1 diagnosis on index date	O3100	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester
1 diagnosis on index date	O3100 X0	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, not applicable or unspecified
1 diagnosis on index date	O3100 X1	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 1
1 diagnosis on index date	O3100 X2	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 2
1 diagnosis on index date	O3100 X3	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 3
1 diagnosis on index date	O3100 X4	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 4
1 diagnosis on index date	O3100 X5	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, fetus 5
1 diagnosis on index date	O3100 X9	Diagnosis	ICD-10-CM	Papyraceous fetus, unspecified trimester, other fetus
1 diagnosis on index date	O3101	Diagnosis	ICD-10-CM	Papyraceous fetus, first trimester
1 diagnosis on index date	O3102	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester
1 diagnosis on index date	O3102 X0	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, not applicable or unspecified
1 diagnosis on index date	O3102 X1	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 1
1 diagnosis on index date	O3102 X2	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 2
1 diagnosis on index date	O3102 X3	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 3
1 diagnosis on index date	O3102 X4	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 4
1 diagnosis on index date	O3102 X5	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, fetus 5

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
1 diagnosis on index date	O3102X9	Diagnosis	ICD-10-CM	Papyraceous fetus, second trimester, other fetus
1 diagnosis on index date	O3103	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester
1 diagnosis on index date	O3103X0	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, not applicable or unspecified
1 diagnosis on index date	O3103X1	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 1
1 diagnosis on index date	O3103X2	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 2
1 diagnosis on index date	O3103X3	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 3
1 diagnosis on index date	O3103X4	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 4
1 diagnosis on index date	O3103X5	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, fetus 5
1 diagnosis on index date	O3103X9	Diagnosis	ICD-10-CM	Papyraceous fetus, third trimester, other fetus
1 diagnosis on index date	O364	Diagnosis	ICD-10-CM	Maternal care for intrauterine death
1 diagnosis on index date	O364X0	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, not applicable or unspecified
1 diagnosis on index date	O364X1	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, fetus 1
1 diagnosis on index date	O364X2	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, fetus 2
1 diagnosis on index date	O364X3	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, fetus 3
1 diagnosis on index date	O364X4	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, fetus 4
1 diagnosis on index date	O364X5	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, fetus 5
1 diagnosis on index date	O364X9	Diagnosis	ICD-10-CM	Maternal care for intrauterine death, other fetus

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
1 diagnosis on index date	P95	Diagnosis	ICD-10-CM	Stillbirth
1 diagnosis on index date	Z371	Diagnosis	ICD-10-CM	Single stillbirth
1 diagnosis on index date	Z373	Diagnosis	ICD-10-CM	Twins, one liveborn and one stillborn
1 diagnosis on index date	Z374	Diagnosis	ICD-10-CM	Twins, both stillborn
1 diagnosis on index date	Z376	Diagnosis	ICD-10-CM	Other multiple births, some liveborn
1 diagnosis on index date	Z3760	Diagnosis	ICD-10-CM	Multiple births, unspecified, some liveborn
1 diagnosis on index date	Z3761	Diagnosis	ICD-10-CM	Triplets, some liveborn
1 diagnosis on index date	Z3762	Diagnosis	ICD-10-CM	Quadruplets, some liveborn
1 diagnosis on index date	Z3763	Diagnosis	ICD-10-CM	Quintuplets, some liveborn
1 diagnosis on index date	Z3764	Diagnosis	ICD-10-CM	Sextuplets, some liveborn
1 diagnosis on index date	Z3769	Diagnosis	ICD-10-CM	Other multiple births, some liveborn
1 diagnosis on index date	Z377	Diagnosis	ICD-10-CM	Other multiple births, all stillborn
Exclusion for index date	O021	Diagnosis	ICD-10-CM	Missed abortion
Exclusion for index date	O030	Diagnosis	ICD-10-CM	Genital tract and pelvic infection following incomplete spontaneous abortion
Exclusion for index date	O031	Diagnosis	ICD-10-CM	Delayed or excessive hemorrhage following incomplete spontaneous abortion
Exclusion for index date	O032	Diagnosis	ICD-10-CM	Embolism following incomplete spontaneous abortion
Exclusion for index date	O0330	Diagnosis	ICD-10-CM	Unspecified complication following incomplete spontaneous abortion

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
Exclusion for index date	O0331	Diagnosis	ICD-10-CM	Shock following incomplete spontaneous abortion
Exclusion for index date	O0332	Diagnosis	ICD-10-CM	Renal failure following incomplete spontaneous abortion
Exclusion for index date	O0333	Diagnosis	ICD-10-CM	Metabolic disorder following incomplete spontaneous abortion
Exclusion for index date	O0334	Diagnosis	ICD-10-CM	Damage to pelvic organs following incomplete spontaneous abortion
Exclusion for index date	O0335	Diagnosis	ICD-10-CM	Other venous complications following incomplete spontaneous abortion
Exclusion for index date	O0336	Diagnosis	ICD-10-CM	Cardiac arrest following incomplete spontaneous abortion
Exclusion for index date	O0337	Diagnosis	ICD-10-CM	Sepsis following incomplete spontaneous abortion
Exclusion for index date	O0338	Diagnosis	ICD-10-CM	Urinary tract infection following incomplete spontaneous abortion
Exclusion for index date	O0339	Diagnosis	ICD-10-CM	Incomplete spontaneous abortion with other complications
Exclusion for index date	O034	Diagnosis	ICD-10-CM	Incomplete spontaneous abortion without complication
Exclusion for index date	O035	Diagnosis	ICD-10-CM	Genital tract and pelvic infection following complete or unspecified spontaneous abortion
Exclusion for index date	O036	Diagnosis	ICD-10-CM	Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion
Exclusion for index date	O037	Diagnosis	ICD-10-CM	Embolism following complete or unspecified spontaneous abortion
Exclusion for index date	O0380	Diagnosis	ICD-10-CM	Unspecified complication following complete or unspecified spontaneous abortion
Exclusion for index date	O0381	Diagnosis	ICD-10-CM	Shock following complete or unspecified spontaneous abortion
Exclusion for index date	O0382	Diagnosis	ICD-10-CM	Renal failure following complete or unspecified spontaneous abortion
Exclusion for index date	O0383	Diagnosis	ICD-10-CM	Metabolic disorder following complete or unspecified spontaneous abortion

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
Exclusion for index date	O0384	Diagnosis	ICD-10-CM	Damage to pelvic organs following complete or unspecified spontaneous abortion
Exclusion for index date	O0385	Diagnosis	ICD-10-CM	Other venous complications following complete or unspecified spontaneous abortion
Exclusion for index date	O0386	Diagnosis	ICD-10-CM	Cardiac arrest following complete or unspecified spontaneous abortion
Exclusion for index date	O0387	Diagnosis	ICD-10-CM	Sepsis following complete or unspecified spontaneous abortion
Exclusion for index date	O0388	Diagnosis	ICD-10-CM	Urinary tract infection following complete or unspecified spontaneous abortion
Exclusion for index date	O0389	Diagnosis	ICD-10-CM	Complete or unspecified spontaneous abortion with other complications
Exclusion for index date	O039	Diagnosis	ICD-10-CM	Complete or unspecified spontaneous abortion without complication
Exclusion for index date	O3110 X0	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, not applicable or unspecified
Exclusion for index date	O3110 X1	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 1
Exclusion for index date	O3110 X2	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 2
Exclusion for index date	O3110 X3	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 3
Exclusion for index date	O3110 X4	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 4
Exclusion for index date	O3110 X5	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 5
Exclusion for index date	O3110 X9	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, other fetus
Exclusion for index date	O3111 X0	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, not applicable or unspecified
Exclusion for index date	O3111 X1	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 1
Exclusion for index date	O3111 X2	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 2

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
Exclusion for index date	O3111 X3	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 3
Exclusion for index date	O3111 X4	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 4
Exclusion for index date	O3111 X5	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 5
Exclusion for index date	O3111 X9	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, other fetus
Exclusion for index date	O3112 X0	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, not applicable or unspecified
Exclusion for index date	O3112 X1	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 1
Exclusion for index date	O3112 X2	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 2
Exclusion for index date	O3112 X3	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 3
Exclusion for index date	O3112 X4	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 4
Exclusion for index date	O3112 X5	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 5
Exclusion for index date	O3112 X9	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, other fetus
Exclusion for index date	O3113 X0	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, not applicable or unspecified
Exclusion for index date	O3113 X1	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 1
Exclusion for index date	O3113 X2	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 2
Exclusion for index date	O3113 X3	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 3
Exclusion for index date	O3113 X4	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 4
Exclusion for index date	O3113 X5	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 5

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
Exclusion for index date	O3113 X9	Diagnosis	ICD-10-CM	Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, other fetus
Exclusion for index date	01965	Procedure	CPT-4	Anesthesia for incomplete or missed abortion procedures
Exclusion for index date	59812	Procedure	CPT-4	Treatment of incomplete abortion, any trimester, completed surgically
Exclusion for index date	59820	Procedure	CPT-4	Treatment of incomplete abortion completed surgically, first trimester
Exclusion for index date	59821	Procedure	CPT-4	Treatment of incomplete abortion completed surgically, second trimester
Exclusion for index date	O045	Diagnosis	ICD-10-CM	Genital tract and pelvic infection following (induced) termination of pregnancy
Exclusion for index date	O046	Diagnosis	ICD-10-CM	Delayed or excessive hemorrhage following (induced) termination of pregnancy
Exclusion for index date	O047	Diagnosis	ICD-10-CM	Embolism following (induced) termination of pregnancy
Exclusion for index date	O0480	Diagnosis	ICD-10-CM	(Induced) termination of pregnancy with unspecified complications
Exclusion for index date	O0481	Diagnosis	ICD-10-CM	Shock following (induced) termination of pregnancy
Exclusion for index date	O0482	Diagnosis	ICD-10-CM	Renal failure following (induced) termination of pregnancy
Exclusion for index date	O0483	Diagnosis	ICD-10-CM	Metabolic disorder following (induced) termination of pregnancy
Exclusion for index date	O0484	Diagnosis	ICD-10-CM	Damage to pelvic organs following (induced) termination of pregnancy
Exclusion for index date	O0485	Diagnosis	ICD-10-CM	Other venous complications following (induced) termination of pregnancy
Exclusion for index date	O0486	Diagnosis	ICD-10-CM	Cardiac arrest following (induced) termination of pregnancy
Exclusion for index date	O0487	Diagnosis	ICD-10-CM	Sepsis following (induced) termination of pregnancy
Exclusion for index date	O0488	Diagnosis	ICD-10-CM	Urinary tract infection following (induced) termination of pregnancy
Exclusion for index date	O0489	Diagnosis	ICD-10-CM	(Induced) termination of pregnancy with other complications

PFIZER CONFIDENTIAL



Code Definition	Code	Code Category	Code Type	Description
Exclusion for index date	Z332	Diagnosis	ICD-10-CM	Encounter for elective termination of pregnancy
Exclusion for index date	01964	Procedure	CPT-4	ANESTHESIA FOR ABORTION PROCEDURES
Exclusion for index date	01966	Procedure	CPT-4	Anesthesia for induced abortion procedures
Exclusion for index date	59830	Procedure	CPT-4	TREATMENT OF SEPTIC ABORTION, COMPLETED SURGICALLY
Exclusion for index date	59840	Procedure	CPT-4	INDUCED ABORTION, BY DILATION AND CURETTAGE
Exclusion for index date	59841	Procedure	CPT-4	INDUCED ABORTION, BY DILATION AND EVACUATION
Exclusion for index date	59850	Procedure	CPT-4	INDUCED ABORTION, BY ONE OR MORE INTRAAMNIOTIC INJECTIONS
Exclusion for index date	59851	Procedure	CPT-4	INDUCED ABORTION, BY ONE OR MORE INTRAAMNIOTIC INJECTIONS, WITH DILATION AND CURETTAGE AND/OR EVACUATION
Exclusion for index date	59852	Procedure	CPT-4	INDUCED ABORTION, BY ONE OR MORE INTRAAMNIOTIC INJECTIONS, WITH HYSTEROTOMY
Exclusion for index date	59855	Procedure	CPT-4	INDUCED ABORTION, BY ONE OR MORE VAGINAL SUPPOSITORIES
Exclusion for index date	59856	Procedure	CPT-4	INDUCED ABORTION, BY ONE OR MORE VAGINAL SUPPOSITORIES, WITH DILATION AND CURETTAGE AND/OR EVACUATION
Exclusion for index date	59857	Procedure	CPT-4	INDUCED ABORTION, BY ONE OR MORE VAGINAL SUPPOSITORIES, WITH HYSTEROTOMY
Exclusion for index date	10A00Z Z	Procedure	ICD-10-PCS	Abortion of Products of Conception, Open Approach
Exclusion for index date	10A03Z Z	Procedure	ICD-10-PCS	Abortion of Products of Conception, Percutaneous Approach
Exclusion for index date	10A04Z Z	Procedure	ICD-10-PCS	Abortion of Products of Conception, Percutaneous Endoscopic Approach
Exclusion for index date	10A07Z 6	Procedure	ICD-10-PCS	Abortion of Products of Conception, Vacuum, Via Natural or Artificial Opening
Exclusion for index date	10A07Z W	Procedure	ICD-10-PCS	Abortion of Products of Conception, Laminaria, Via Natural or Artificial Opening
Exclusion for index date	10A07Z X	Procedure	ICD-10-PCS	Abortion of Products of Conception, Abortifacient, Via Natural or Artificial Opening

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
Exclusion for index date	10A07Z Z	Procedure	ICD-10- PCS	Abortion of Products of Conception, Via Natural or Artificial Opening
Exclusion for index date	10A08Z Z	Procedure	ICD-10- PCS	Abortion of Products of Conception, Via Natural or Artificial Opening Endoscopic
Exclusion for index date	Z370	Diagnosis	ICD-10- CM	Single live birth
Exclusion for index date	Z372	Diagnosis	ICD-10- CM	Twins, both liveborn
Exclusion for index date	Z3750	Diagnosis	ICD-10- CM	Multiple births, unspecified, all liveborn
Exclusion for index date	Z3751	Diagnosis	ICD-10- CM	Triplets, all liveborn
Exclusion for index date	Z3752	Diagnosis	ICD-10- CM	Quadruplets, all liveborn
Exclusion for index date	Z3753	Diagnosis	ICD-10- CM	Quintuplets, all liveborn
Exclusion for index date	Z3754	Diagnosis	ICD-10- CM	Sextuplets, all liveborn
Exclusion for index date	Z3759	Diagnosis	ICD-10- CM	Other multiple births, all liveborn
Exclusion for index date	Z3800	Diagnosis	ICD-10- CM	Single liveborn infant, delivered vaginally
Exclusion for index date	Z3801	Diagnosis	ICD-10- CM	Single liveborn infant, delivered by cesarean
Exclusion for index date	Z381	Diagnosis	ICD-10- CM	Single liveborn infant, born outside hospital
Exclusion for index date	Z382	Diagnosis	ICD-10- CM	Single liveborn infant, unspecified as to place of birth
Exclusion for index date	Z3830	Diagnosis	ICD-10- CM	Twin liveborn infant, delivered vaginally
Exclusion for index date	Z3831	Diagnosis	ICD-10- CM	Twin liveborn infant, delivered by cesarean
Exclusion for index date	Z384	Diagnosis	ICD-10- CM	Twin liveborn infant, born outside hospital

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
Exclusion for index date	Z385	Diagnosis	ICD-10-CM	Twin liveborn infant, unspecified as to place of birth
Exclusion for index date	Z3861	Diagnosis	ICD-10-CM	Triplet liveborn infant, delivered vaginally
Exclusion for index date	Z3862	Diagnosis	ICD-10-CM	Triplet liveborn infant, delivered by cesarean
Exclusion for index date	Z3863	Diagnosis	ICD-10-CM	Quadruplet liveborn infant, delivered vaginally
Exclusion for index date	Z3864	Diagnosis	ICD-10-CM	Quadruplet liveborn infant, delivered by cesarean
Exclusion for index date	Z3865	Diagnosis	ICD-10-CM	Quintuplet liveborn infant, delivered vaginally
Exclusion for index date	Z3866	Diagnosis	ICD-10-CM	Quintuplet liveborn infant, delivered by cesarean
Exclusion for index date	Z3868	Diagnosis	ICD-10-CM	Other multiple liveborn infant, delivered vaginally
Exclusion for index date	Z3869	Diagnosis	ICD-10-CM	Other multiple liveborn infant, delivered by cesarean
Exclusion for index date	Z387	Diagnosis	ICD-10-CM	Other multiple liveborn infant, born outside hospital
Exclusion for index date	Z388	Diagnosis	ICD-10-CM	Other multiple liveborn infant, unspecified as to place of birth

Gestational Age Code ≥ 20 Weeks				
Diagnosed (-28, 0) days of index date	Z3A20	Diagnosis	ICD-10-CM	20 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A21	Diagnosis	ICD-10-CM	21 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A22	Diagnosis	ICD-10-CM	22 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A23	Diagnosis	ICD-10-CM	23 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A24	Diagnosis	ICD-10-CM	24 weeks gestation of pregnancy

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
Diagnosed (-28, 0) days of index date	Z3A25	Diagnosis	ICD-10-CM	25 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A26	Diagnosis	ICD-10-CM	26 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A27	Diagnosis	ICD-10-CM	27 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A28	Diagnosis	ICD-10-CM	28 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A29	Diagnosis	ICD-10-CM	29 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A30	Diagnosis	ICD-10-CM	30 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A31	Diagnosis	ICD-10-CM	31 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A32	Diagnosis	ICD-10-CM	32 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A33	Diagnosis	ICD-10-CM	33 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A34	Diagnosis	ICD-10-CM	34 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A35	Diagnosis	ICD-10-CM	35 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A36	Diagnosis	ICD-10-CM	36 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A37	Diagnosis	ICD-10-CM	37 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A38	Diagnosis	ICD-10-CM	38 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A39	Diagnosis	ICD-10-CM	39 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A40	Diagnosis	ICD-10-CM	40 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A41	Diagnosis	ICD-10-CM	41 weeks gestation of pregnancy

PFIZER CONFIDENTIAL

Code Definition	Code	Code Category	Code Type	Description
Diagnosed (-28, 0) days of index date	Z3A42	Diagnosis	ICD-10-CM	42 weeks gestation of pregnancy
Diagnosed (-28, 0) days of index date	Z3A49	Diagnosis	ICD-10-CM	Greater than 42 weeks gestation of pregnancy

There were two possible definitions to define index date for stillbirth delivery:

- 1) Two diagnosis codes for stillbirth delivery, intrauterine fetal death (IUFD), or continuing pregnancy after IUFD identified on the index date; or
- 2) At least one diagnosis code for stillbirth delivery, IUFD, or papyraceous fetus and no co-occurrence of live birth delivery, spontaneous abortion, or induced abortion on the index date.

Additionally, the qualifying index date via either definitions #1 or #2 must have had an accompanying diagnosis code indicating gestational age  $\geq 20$  weeks in the 28 days prior to (and including) the index date.

PFIZER CONFIDENTIAL

4. International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Gestational Age Algorithm

Code	Code Category	Code Type	Duration	Description	Priority Group 1	Priority Group 2	Priority
Gestational Age Algorithm							
O481	Diagnosis	ICD-10-CM	294	Prolonged pregnancy	0	1	1
P0822	Diagnosis	ICD-10-CM	294	Prolonged gestation of newborn	0	1	1
Z3A49	Diagnosis	ICD-10-CM	301	Greater than 42 weeks gestation of pregnancy	1	0	1
O480	Diagnosis	ICD-10-CM	287	Post-term pregnancy	0	1	2
P0821	Diagnosis	ICD-10-CM	287	Post-term newborn	0	1	2
Z3A42	Diagnosis	ICD-10-CM	298	42 weeks gestation of pregnancy	1	0	2
Z3A41	Diagnosis	ICD-10-CM	291	41 weeks gestation of pregnancy	1	0	3
Z3A40	Diagnosis	ICD-10-CM	284	40 weeks gestation of pregnancy	1	0	4
Z3A39	Diagnosis	ICD-10-CM	277	39 weeks gestation of pregnancy	1	0	5
Z3A38	Diagnosis	ICD-10-CM	270	38 weeks gestation of pregnancy	1	0	6
Z3A37	Diagnosis	ICD-10-CM	263	37 weeks gestation of pregnancy	1	0	7
P0739	Diagnosis	ICD-10-CM	256	Preterm newborn, gestational age 36 completed weeks	1	0	8
Z3A36	Diagnosis	ICD-10-CM	256	36 weeks gestation of pregnancy	1	0	8
P0738	Diagnosis	ICD-10-CM	249	Preterm newborn, gestational age 35 completed weeks	1	0	9
Z3A35	Diagnosis	ICD-10-CM	249	35 weeks gestation of pregnancy	1	0	9

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Duration	Description	Priority Group 1	Priority Group 2	Priority
P0737	Diagnosis	ICD-10-CM	242	Preterm newborn, gestational age 34 completed weeks	1	0	10
Z3A34	Diagnosis	ICD-10-CM	242	34 weeks gestation of pregnancy	1	0	10
P0736	Diagnosis	ICD-10-CM	235	Preterm newborn, gestational age 33 completed weeks	1	0	11
Z3A33	Diagnosis	ICD-10-CM	235	33 weeks gestation of pregnancy	1	0	11
P0735	Diagnosis	ICD-10-CM	228	Preterm newborn, gestational age 32 completed weeks	1	0	12
Z3A32	Diagnosis	ICD-10-CM	228	32 weeks gestation of pregnancy	1	0	12
P0734	Diagnosis	ICD-10-CM	221	Preterm newborn, gestational age 31 completed weeks	1	0	13
Z3A31	Diagnosis	ICD-10-CM	221	31 weeks gestation of pregnancy	1	0	13
P0733	Diagnosis	ICD-10-CM	214	Preterm newborn, gestational age 30 completed weeks	1	0	14
Z3A30	Diagnosis	ICD-10-CM	214	30 weeks gestation of pregnancy	1	0	14
P0732	Diagnosis	ICD-10-CM	207	Preterm newborn, gestational age 29 completed weeks	1	0	15
Z3A29	Diagnosis	ICD-10-CM	207	29 weeks gestation of pregnancy	1	0	15
P0731	Diagnosis	ICD-10-CM	200	Preterm newborn, gestational age 28 completed weeks	1	0	16
Z3A28	Diagnosis	ICD-10-CM	200	28 weeks gestation of pregnancy	1	0	16
P0726	Diagnosis	ICD-10-CM	193	Extreme immaturity of newborn,	1	0	17

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Duration	Description	Priority Group 1	Priority Group 2	Priority
				gestational age 27 completed weeks			
Z3A27	Diagnosis	ICD-10-CM	193	27 weeks gestation of pregnancy	1	0	17
P0725	Diagnosis	ICD-10-CM	186	Extreme immaturity of newborn, gestational age 26 completed weeks	1	0	18
Z3A26	Diagnosis	ICD-10-CM	186	26 weeks gestation of pregnancy	1	0	18
P0724	Diagnosis	ICD-10-CM	179	Extreme immaturity of newborn, gestational age 25 completed weeks	1	0	19
Z3A25	Diagnosis	ICD-10-CM	179	25 weeks gestation of pregnancy	1	0	19
P0723	Diagnosis	ICD-10-CM	172	Extreme immaturity of newborn, gestational age 24 completed weeks	1	0	20
Z3A24	Diagnosis	ICD-10-CM	172	24 weeks gestation of pregnancy	1	0	20
P0722	Diagnosis	ICD-10-CM	165	Extreme immaturity of newborn, gestational age 23 completed weeks	1	0	21
Z3A23	Diagnosis	ICD-10-CM	165	23 weeks gestation of pregnancy	1	0	21
P0721	Diagnosis	ICD-10-CM	158	Extreme immaturity of newborn, gestational age less than 23 completed weeks	1	0	22
Z3A22	Diagnosis	ICD-10-CM	158	22 weeks gestation of pregnancy	1	0	22
Z3A21	Diagnosis	ICD-10-CM	151	21 weeks gestation of pregnancy	1	0	23
Z3A20	Diagnosis	ICD-10-CM	144	20 weeks gestation of pregnancy	1	0	24

PFIZER CONFIDENTIAL



Code	Code Category	Code Type	Duration	Description	Priority Group 1	Priority Group 2	Priority
P0720	Diagnosis	ICD-10-CM	196	Extreme immaturity of newborn, unspecified weeks of gestation	1	0	25
O6013X0	Diagnosis	ICD-10-CM	245	Preterm labor second trimester with preterm delivery third trimester	1	0	26
O6013X1	Diagnosis	ICD-10-CM	245	Preterm labor second trimester with preterm delivery third trimester	1	0	26
O6013X2	Diagnosis	ICD-10-CM	245	Preterm labor second trimester with preterm delivery third trimester	1	0	26
O6013X3	Diagnosis	ICD-10-CM	245	Preterm labor second trimester with preterm delivery third trimester	1	0	26
O6013X4	Diagnosis	ICD-10-CM	245	Preterm labor second trimester with preterm delivery third trimester	1	0	26
O6013X5	Diagnosis	ICD-10-CM	245	Preterm labor second trimester with preterm delivery third trimester	1	0	26
O6013X9	Diagnosis	ICD-10-CM	245	Preterm labor second trimester with preterm delivery third trimester	1	0	26
O6014X0	Diagnosis	ICD-10-CM	245	Preterm labor third trimester with preterm delivery third trimester	1	0	26

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Duration	Description	Priority Group 1	Priority Group 2	Priority
O6014X1	Diagnosis	ICD-10-CM	245	Preterm labor third trimester with preterm delivery third trimester	1	0	26
O6014X2	Diagnosis	ICD-10-CM	245	Preterm labor third trimester with preterm delivery third trimester	1	0	26
O6014X3	Diagnosis	ICD-10-CM	245	Preterm labor third trimester with preterm delivery third trimester	1	0	26
O6014X4	Diagnosis	ICD-10-CM	245	Preterm labor third trimester with preterm delivery third trimester	1	0	26
O6014X5	Diagnosis	ICD-10-CM	245	Preterm labor third trimester with preterm delivery third trimester	1	0	26
O6014X9	Diagnosis	ICD-10-CM	245	Preterm labor third trimester with preterm delivery third trimester	1	0	26
P0730	Diagnosis	ICD-10-CM	245	Preterm newborn, unspecified weeks of gestation	1	0	26
O6012X0	Diagnosis	ICD-10-CM	168	Preterm labor second trimester with preterm delivery second trimester	1	0	27
O6012X1	Diagnosis	ICD-10-CM	168	Preterm labor second trimester with preterm delivery second trimester	1	0	27
O6012X2	Diagnosis	ICD-10-CM	168	Preterm labor second trimester with preterm delivery second trimester	1	0	27

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Duration	Description	Priority Group 1	Priority Group 2	Priority
O6012X3	Diagnosis	ICD-10-CM	168	Preterm labor second trimester with preterm delivery second trimester	1	0	27
O6012X4	Diagnosis	ICD-10-CM	168	Preterm labor second trimester with preterm delivery second trimester	1	0	27
O6012X5	Diagnosis	ICD-10-CM	168	Preterm labor second trimester with preterm delivery second trimester	1	0	27
O6012X9	Diagnosis	ICD-10-CM	168	Preterm labor second trimester with preterm delivery second trimester	1	0	27
64520	Diagnosis	ICD-9-CM	294	Prolonged pregnancy	0	1	28
64521	Diagnosis	ICD-9-CM	294	Prolonged pregnancy	0	1	28
64523	Diagnosis	ICD-9-CM	294	Prolonged pregnancy	0	1	28
76528	Diagnosis	ICD-9-CM	252	35-36 completed weeks of gestation	1	0	28
76622	Diagnosis	ICD-9-CM	294	Prolonged gestation of infant	0	1	28
64510	Diagnosis	ICD-9-CM	287	Post term pregnancy	0	1	29
64511	Diagnosis	ICD-9-CM	287	Post term pregnancy	0	1	29
64513	Diagnosis	ICD-9-CM	287	Post term pregnancy	0	1	29
76527	Diagnosis	ICD-9-CM	238	33-34 completed weeks of gestation	1	0	29
76621	Diagnosis	ICD-9-CM	287	Post-term infant	0	1	29
76526	Diagnosis	ICD-9-CM	224	31-32 completed weeks of gestation	1	0	30
76525	Diagnosis	ICD-9-CM	210	29-30 completed weeks of gestation	1	0	31

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Duration	Description	Priority Group 1	Priority Group 2	Priority
76524	Diagnosis	ICD-9-CM	196	27-28 completed weeks of gestation	1	0	32
76523	Diagnosis	ICD-9-CM	182	25-26 completed weeks of gestation	1	0	33
76521	Diagnosis	ICD-9-CM	168	Less than 24 completed weeks of gestation	1	0	34
76522	Diagnosis	ICD-9-CM	168	24 completed weeks of gestation	1	0	34
76500	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
76501	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
76502	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
76503	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
76504	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
76505	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
76506	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
76507	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
76508	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
76509	Diagnosis	ICD-9-CM	196	Extreme immaturity, by weight	1	0	35
64421	Diagnosis	ICD-9-CM	245	Early onset of delivery, delivered, with or without mention of antepartum condition	1	0	36
76510	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Duration	Description	Priority Group 1	Priority Group 2	Priority
76511	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36
76512	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36
76513	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36
76514	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36
76515	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36
76516	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36
76517	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36
76518	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36
76519	Diagnosis	ICD-9-CM	245	Other preterm infants, by weight	1	0	36
76520	Diagnosis	ICD-9-CM	245	Unspecified weeks of gestation	1	0	36

If multiple codes for specific weeks of gestation (Z codes), preterm delivery, and/or postterm delivery are available, the ICD-10 algorithm for gestational age prioritizes the following codes:

1) Codes that specify weeks of gestation, including all Z codes ranging from 20 weeks through  $\geq 42$  weeks of gestation in one week increments, and codes that indicate preterm delivery with weeks of gestation specified in one week increments (other than Z codes). If multiple codes are observed, codes indicating longer gestational age are prioritized over those indicating shorter gestational age. We assumed the approximate mid-point of the specified gestational age [e.g., assumption of 263 days (37 weeks and 4 days) for 37 weeks gestation].

2) Codes that indicate preterm delivery without specifying weeks of gestation. If multiple codes are observed, codes with more specificity (e.g., preterm delivery, 2nd trimester of pregnancy or 'extreme immaturity') are prioritized over those with less specificity (e.g., preterm newborn, unspecified weeks of gestation). Further, codes indicating longer gestational age are prioritized over those indicating shorter gestational age.

3) Codes that indicate postterm delivery without specifying weeks of gestation. If multiple codes are observed, codes indicating longer gestational age are prioritized over those indicating shorter gestational age.

If no codes for preterm or postterm delivery are observed, then the default assumption for gestational age is 273 days. However, this assumption is user specified and can be modified.

PFIZER CONFIDENTIAL

PFIZER CONFIDENTIAL

5. International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) and Current Procedural Terminology, 4th Edition (CPT-4) Codes Used to Define Spontaneous Abortion

Code	Code Category	Code Type	Description
Spontaneous Abortion			
O021	Diagnosis	ICD-10-CM	Missed abortion
O030	Diagnosis	ICD-10-CM	Genital tract and pelvic infection following incomplete spontaneous abortion
O031	Diagnosis	ICD-10-CM	Delayed or excessive hemorrhage following incomplete spontaneous abortion
O032	Diagnosis	ICD-10-CM	Embolism following incomplete spontaneous abortion
O0330	Diagnosis	ICD-10-CM	Unspecified complication following incomplete spontaneous abortion
O0331	Diagnosis	ICD-10-CM	Shock following incomplete spontaneous abortion
O0332	Diagnosis	ICD-10-CM	Renal failure following incomplete spontaneous abortion
O0333	Diagnosis	ICD-10-CM	Metabolic disorder following incomplete spontaneous abortion
O0334	Diagnosis	ICD-10-CM	Damage to pelvic organs following incomplete spontaneous abortion
O0335	Diagnosis	ICD-10-CM	Other venous complications following incomplete spontaneous abortion
O0336	Diagnosis	ICD-10-CM	Cardiac arrest following incomplete spontaneous abortion
O0337	Diagnosis	ICD-10-CM	Sepsis following incomplete spontaneous abortion
O0338	Diagnosis	ICD-10-CM	Urinary tract infection following incomplete spontaneous abortion
O0339	Diagnosis	ICD-10-CM	Incomplete spontaneous abortion with other complications
O034	Diagnosis	ICD-10-CM	Incomplete spontaneous abortion without complication

PFIZER CONFIDENTIAL

Code	Code Category	Code Type	Description
O035	Diagnosis	ICD-10-CM	Genital tract and pelvic infection following complete or unspecified spontaneous abortion
O036	Diagnosis	ICD-10-CM	Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion
O037	Diagnosis	ICD-10-CM	Embolism following complete or unspecified spontaneous abortion
O0380	Diagnosis	ICD-10-CM	Unspecified complication following complete or unspecified spontaneous abortion
O0381	Diagnosis	ICD-10-CM	Shock following complete or unspecified spontaneous abortion
O0382	Diagnosis	ICD-10-CM	Renal failure following complete or unspecified spontaneous abortion
O0383	Diagnosis	ICD-10-CM	Metabolic disorder following complete or unspecified spontaneous abortion
O0384	Diagnosis	ICD-10-CM	Damage to pelvic organs following complete or unspecified spontaneous abortion
O0385	Diagnosis	ICD-10-CM	Other venous complications following complete or unspecified spontaneous abortion
O0386	Diagnosis	ICD-10-CM	Cardiac arrest following complete or unspecified spontaneous abortion
O0387	Diagnosis	ICD-10-CM	Sepsis following complete or unspecified spontaneous abortion
O0388	Diagnosis	ICD-10-CM	Urinary tract infection following complete or unspecified spontaneous abortion
O0389	Diagnosis	ICD-10-CM	Complete or unspecified spontaneous abortion with other complications
O039	Diagnosis	ICD-10-CM	Complete or unspecified spontaneous abortion without complication
01965	Procedure	CPT-4	Anesthesia for incomplete or missed abortion procedures
59812	Procedure	CPT-4	Treatment of incomplete abortion, any trimester, completed surgically
59820	Procedure	CPT-4	Treatment of incomplete abortion completed surgically, first trimester
59821	Procedure	CPT-4	Treatment of incomplete abortion completed surgically, second trimester

PFIZER CONFIDENTIAL



PFIZER CONFIDENTIAL

6. International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM), Current Procedural Terminology, Category II (CPT Category II), Current Procedural Terminology, 4th Edition (CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used to Define Baseline Characteristics

Code	Description	Code Category	Code Type
Alcohol Abuse			
2910	Alcohol withdrawal delirium	Diagnosis	ICD-9-CM
2911	Alcohol-induced persisting amnestic disorder	Diagnosis	ICD-9-CM
2912	Alcohol-induced persisting dementia	Diagnosis	ICD-9-CM
2913	Alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-9-CM
2914	Idiosyncratic alcohol intoxication	Diagnosis	ICD-9-CM
2915	Alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-9-CM
29181	Alcohol withdrawal	Diagnosis	ICD-9-CM
29182	Alcohol induced sleep disorders	Diagnosis	ICD-9-CM
29189	Other specified alcohol-induced mental disorders	Diagnosis	ICD-9-CM
2919	Unspecified alcohol-induced mental disorders	Diagnosis	ICD-9-CM
30300	Acute alcoholic intoxication, unspecified	Diagnosis	ICD-9-CM
30301	Acute alcoholic intoxication, continuous	Diagnosis	ICD-9-CM
30302	Acute alcoholic intoxication, episodic	Diagnosis	ICD-9-CM
30303	Acute alcoholic intoxication, in remission	Diagnosis	ICD-9-CM
30390	Other and unspecified alcohol dependence, unspecified	Diagnosis	ICD-9-CM
30391	Other and unspecified alcohol dependence, continuous	Diagnosis	ICD-9-CM
30392	Other and unspecified alcohol dependence, episodic	Diagnosis	ICD-9-CM
30393	Other and unspecified alcohol dependence, in remission	Diagnosis	ICD-9-CM
30500	Nondependent alcohol abuse, unspecified	Diagnosis	ICD-9-CM
30501	Nondependent alcohol abuse, continuous	Diagnosis	ICD-9-CM
30502	Nondependent alcohol abuse, episodic	Diagnosis	ICD-9-CM
30503	Nondependent alcohol abuse, in remission	Diagnosis	ICD-9-CM
F1010	Alcohol abuse, uncomplicated	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F1011	Alcohol abuse, in remission	Diagnosis	ICD-10-CM
F10120	Alcohol abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10121	Alcohol abuse with intoxication delirium	Diagnosis	ICD-10-CM
F10129	Alcohol abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F1014	Alcohol abuse with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10180	Alcohol abuse with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10181	Alcohol abuse with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10182	Alcohol abuse with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10188	Alcohol abuse with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F1019	Alcohol abuse with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F1020	Alcohol dependence, uncomplicated	Diagnosis	ICD-10-CM
F1021	Alcohol dependence, in remission	Diagnosis	ICD-10-CM
F10220	Alcohol dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10221	Alcohol dependence with intoxication delirium	Diagnosis	ICD-10-CM
F10229	Alcohol dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F10230	Alcohol dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F10231	Alcohol dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F10232	Alcohol dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F10239	Alcohol dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F1024	Alcohol dependence with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F1026	Alcohol dependence with alcohol-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F1027	Alcohol dependence with alcohol-induced persisting dementia	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F10280	Alcohol dependence with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10281	Alcohol dependence with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10282	Alcohol dependence with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10288	Alcohol dependence with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F1029	Alcohol dependence with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F10920	Alcohol use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10921	Alcohol use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F10929	Alcohol use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F1094	Alcohol use, unspecified with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F1096	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F1097	Alcohol use, unspecified with alcohol-induced persisting dementia	Diagnosis	ICD-10-CM
F10980	Alcohol use, unspecified with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10981	Alcohol use, unspecified with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10982	Alcohol use, unspecified with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10988	Alcohol use, unspecified with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F1099	Alcohol use, unspecified with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
O354	Maternal care for (suspected) damage to fetus from alcohol	Diagnosis	ICD-10-CM
O354XX0	Maternal care for (suspected) damage to fetus from alcohol, not applicable or unspecified	Diagnosis	ICD-10-CM
O354XX1	Maternal care for (suspected) damage to fetus from alcohol, fetus 1	Diagnosis	ICD-10-CM
O354XX2	Maternal care for (suspected) damage to fetus from alcohol, fetus 2	Diagnosis	ICD-10-CM
O354XX3	Maternal care for (suspected) damage to fetus from alcohol, fetus 3	Diagnosis	ICD-10-CM
O354XX4	Maternal care for (suspected) damage to fetus from alcohol, fetus 4	Diagnosis	ICD-10-CM
O354XX5	Maternal care for (suspected) damage to fetus from alcohol, fetus 5	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
O354XX9	Maternal care for (suspected) damage to fetus from alcohol, other fetus	Diagnosis	ICD-10-CM
O9931	Alcohol use complicating pregnancy, childbirth, and the puerperium	Diagnosis	ICD-10-CM
O99310	Alcohol use complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99311	Alcohol use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99312	Alcohol use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99313	Alcohol use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99314	Alcohol use complicating childbirth	Diagnosis	ICD-10-CM
O99315	Alcohol use complicating the puerperium	Diagnosis	ICD-10-CM

Asthma			
49300	Extrinsic asthma, unspecified	Diagnosis	ICD-9-CM
49301	Extrinsic asthma with status asthmaticus	Diagnosis	ICD-9-CM
49302	Extrinsic asthma, with (acute) exacerbation	Diagnosis	ICD-9-CM
49310	Intrinsic asthma, unspecified	Diagnosis	ICD-9-CM
49311	Intrinsic asthma with status asthmaticus	Diagnosis	ICD-9-CM
49312	Intrinsic asthma, with (acute) exacerbation	Diagnosis	ICD-9-CM
49381	Exercise induced bronchospasm	Diagnosis	ICD-9-CM
49382	Cough variant asthma	Diagnosis	ICD-9-CM
49390	Asthma, unspecified, unspecified status	Diagnosis	ICD-9-CM
49391	Asthma, unspecified with status asthmaticus	Diagnosis	ICD-9-CM
49392	Asthma, unspecified, with (acute) exacerbation	Diagnosis	ICD-9-CM
J4520	Mild intermittent asthma, uncomplicated	Diagnosis	ICD-10-CM
J4521	Mild intermittent asthma with (acute) exacerbation	Diagnosis	ICD-10-CM
J4522	Mild intermittent asthma with status asthmaticus	Diagnosis	ICD-10-CM
J4530	Mild persistent asthma, uncomplicated	Diagnosis	ICD-10-CM
J4531	Mild persistent asthma with (acute) exacerbation	Diagnosis	ICD-10-CM
J4532	Mild persistent asthma with status asthmaticus	Diagnosis	ICD-10-CM
J4540	Moderate persistent asthma, uncomplicated	Diagnosis	ICD-10-CM
J4541	Moderate persistent asthma with (acute) exacerbation	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
J4542	Moderate persistent asthma with status asthmaticus	Diagnosis	ICD-10-CM
J4550	Severe persistent asthma, uncomplicated	Diagnosis	ICD-10-CM
J4551	Severe persistent asthma with (acute) exacerbation	Diagnosis	ICD-10-CM
J4552	Severe persistent asthma with status asthmaticus	Diagnosis	ICD-10-CM
J45901	Unspecified asthma with (acute) exacerbation	Diagnosis	ICD-10-CM
J45902	Unspecified asthma with status asthmaticus	Diagnosis	ICD-10-CM
J45909	Unspecified asthma, uncomplicated	Diagnosis	ICD-10-CM
J45990	Exercise induced bronchospasm	Diagnosis	ICD-10-CM
J45991	Cough variant asthma	Diagnosis	ICD-10-CM
J45998	Other asthma	Diagnosis	ICD-10-CM

Diabetes			
24900	Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
24901	Secondary diabetes mellitus without mention of complication, uncontrolled	Diagnosis	ICD-9-CM
24910	Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
24911	Secondary diabetes mellitus with ketoacidosis, uncontrolled	Diagnosis	ICD-9-CM
24920	Secondary diabetes mellitus with hyperosmolarity, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
24921	Secondary diabetes mellitus with hyperosmolarity, uncontrolled	Diagnosis	ICD-9-CM
24930	Secondary diabetes mellitus with other coma, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
24931	Secondary diabetes mellitus with other coma, uncontrolled	Diagnosis	ICD-9-CM
24940	Secondary diabetes mellitus with renal manifestations, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
24941	Secondary diabetes mellitus with renal manifestations, uncontrolled	Diagnosis	ICD-9-CM
24950	Secondary diabetes mellitus with ophthalmic manifestations, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
24951	Secondary diabetes mellitus with ophthalmic manifestations, uncontrolled	Diagnosis	ICD-9-CM
24960	Secondary diabetes mellitus with neurological manifestations, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
24961	Secondary diabetes mellitus with neurological manifestations, uncontrolled	Diagnosis	ICD-9-CM
24970	Secondary diabetes mellitus with peripheral circulatory disorders, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
24971	Secondary diabetes mellitus with peripheral circulatory disorders, uncontrolled	Diagnosis	ICD-9-CM
24980	Secondary diabetes mellitus with other specified manifestations, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
24981	Secondary diabetes mellitus with other specified manifestations, uncontrolled	Diagnosis	ICD-9-CM
24990	Secondary diabetes mellitus with unspecified complication, not stated as uncontrolled, or unspecified	Diagnosis	ICD-9-CM
24991	Secondary diabetes mellitus with unspecified complication, uncontrolled	Diagnosis	ICD-9-CM
25000	Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25001	Diabetes mellitus without mention of complication, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
25002	Diabetes mellitus without mention of complication, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25003	Diabetes mellitus without mention of complication, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
25010	Diabetes with ketoacidosis, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25011	Diabetes with ketoacidosis, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
25012	Diabetes with ketoacidosis, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25013	Diabetes with ketoacidosis, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
25020	Diabetes with hyperosmolarity, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25021	Diabetes with hyperosmolarity, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
25022	Diabetes with hyperosmolarity, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25023	Diabetes with hyperosmolarity, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
25030	Diabetes with other coma, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25031	Diabetes with other coma, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
25032	Diabetes with other coma, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25033	Diabetes with other coma, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
25040	Diabetes with renal manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25041	Diabetes with renal manifestations, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
25042	Diabetes with renal manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25043	Diabetes with renal manifestations, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
25050	Diabetes with ophthalmic manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25051	Diabetes with ophthalmic manifestations, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
25052	Diabetes with ophthalmic manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25053	Diabetes with ophthalmic manifestations, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
25060	Diabetes with neurological manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25061	Diabetes with neurological manifestations, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
25062	Diabetes with neurological manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25063	Diabetes with neurological manifestations, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
25070	Diabetes with peripheral circulatory disorders, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25071	Diabetes with peripheral circulatory disorders, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
25072	Diabetes with peripheral circulatory disorders, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25073	Diabetes with peripheral circulatory disorders, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
25080	Diabetes with other specified manifestations, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25081	Diabetes with other specified manifestations, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL



Code	Description	Code Category	Code Type
25082	Diabetes with other specified manifestations, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25083	Diabetes with other specified manifestations, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
25090	Diabetes with unspecified complication, type II or unspecified type, not stated as uncontrolled	Diagnosis	ICD-9-CM
25091	Diabetes with unspecified complication, type I [juvenile type], not stated as uncontrolled	Diagnosis	ICD-9-CM
25092	Diabetes with unspecified complication, type II or unspecified type, uncontrolled	Diagnosis	ICD-9-CM
25093	Diabetes with unspecified complication, type I [juvenile type], uncontrolled	Diagnosis	ICD-9-CM
2511	Other specified hypoglycemia	Diagnosis	ICD-9-CM
34989	Other specified disorder of nervous system	Diagnosis	ICD-9-CM
3535	Neuralgic amyotrophy	Diagnosis	ICD-9-CM
3559	Mononeuritis of unspecified site	Diagnosis	ICD-9-CM
3572	Polyneuropathy in diabetes	Diagnosis	ICD-9-CM
36100	Retinal detachment with retinal defect, unspecified	Diagnosis	ICD-9-CM
36181	Traction detachment of retina	Diagnosis	ICD-9-CM
36201	Background diabetic retinopathy	Diagnosis	ICD-9-CM
36202	Proliferative diabetic retinopathy	Diagnosis	ICD-9-CM
36203	Nonproliferative diabetic retinopathy NOS	Diagnosis	ICD-9-CM
36204	Mild nonproliferative diabetic retinopathy	Diagnosis	ICD-9-CM
36205	Moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-9-CM
36206	Severe nonproliferative diabetic retinopathy	Diagnosis	ICD-9-CM
36207	Diabetic macular edema	Diagnosis	ICD-9-CM
36641	Diabetic cataract	Diagnosis	ICD-9-CM
44381	Peripheral angiopathy in diseases classified elsewhere	Diagnosis	ICD-9-CM
5238	Other specified periodontal diseases	Diagnosis	ICD-9-CM
5289	Other and unspecified diseases of the oral soft tissues	Diagnosis	ICD-9-CM
5363	Gastroparesis	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
58181	Nephrotic syndrome with other specified pathological lesion in kidney in diseases classified elsewhere	Diagnosis	ICD-9-CM
58381	Nephritis and nephropathy, not specified as acute or chronic, with other specified pathological lesion in kidney, in diseases classified elsewhere	Diagnosis	ICD-9-CM
64800	Maternal diabetes mellitus, complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care	Diagnosis	ICD-9-CM
64801	Maternal diabetes mellitus with delivery	Diagnosis	ICD-9-CM
64803	Maternal diabetes mellitus, antepartum	Diagnosis	ICD-9-CM
64804	Maternal diabetes mellitus, complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM
7098	Other specified disorder of skin	Diagnosis	ICD-9-CM
7135	Arthropathy associated with neurological disorders	Diagnosis	ICD-9-CM
71680	Other specified arthropathy, site unspecified	Diagnosis	ICD-9-CM
7854	Gangrene	Diagnosis	ICD-9-CM
E080	Diabetes mellitus due to underlying condition with hyperosmolarity	Diagnosis	ICD-10-CM
E0800	Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)	Diagnosis	ICD-10-CM
E0801	Diabetes mellitus due to underlying condition with hyperosmolarity with coma	Diagnosis	ICD-10-CM
E081	Diabetes mellitus due to underlying condition with ketoacidosis	Diagnosis	ICD-10-CM
E0810	Diabetes mellitus due to underlying condition with ketoacidosis without coma	Diagnosis	ICD-10-CM
E0811	Diabetes mellitus due to underlying condition with ketoacidosis with coma	Diagnosis	ICD-10-CM
E082	Diabetes mellitus due to underlying condition with kidney complications	Diagnosis	ICD-10-CM
E0821	Diabetes mellitus due to underlying condition with diabetic nephropathy	Diagnosis	ICD-10-CM
E0822	Diabetes mellitus due to underlying condition with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E0829	Diabetes mellitus due to underlying condition with other diabetic kidney complication	Diagnosis	ICD-10-CM
E083	Diabetes mellitus due to underlying condition with ophthalmic complications	Diagnosis	ICD-10-CM
E0831	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E08311	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E08319	Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E0832	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E08321	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E083211	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E083212	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E083213	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E083219	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E08329	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E083291	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E083292	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E083293	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E083299	Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E0833	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E08331	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E083311	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E083312	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E083313	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E083319	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E08339	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E083391	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E083392	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E083393	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E083399	Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E0834	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E08341	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E083411	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E083412	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E083413	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E083419	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E08349	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E083491	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E083492	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E083493	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E083499	Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E0835	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E08351	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E083511	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E083512	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E083513	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E083519	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E08352	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E083521	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E083522	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E083523	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E083529	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E08353	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E083531	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E083532	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM
E083533	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E083539	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E08354	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E083541	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E083542	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E083543	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E083549	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E08355	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E083551	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E083552	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E083553	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E083559	Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E08359	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E083591	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E083592	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E083593	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E083599	Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E0836	Diabetes mellitus due to underlying condition with diabetic cataract	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E0837	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E0837X1	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM
E0837X2	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E0837X3	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E0837X9	Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E0839	Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E084	Diabetes mellitus due to underlying condition with neurological complications	Diagnosis	ICD-10-CM
E0840	Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E0841	Diabetes mellitus due to underlying condition with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E0842	Diabetes mellitus due to underlying condition with diabetic polyneuropathy	Diagnosis	ICD-10-CM
E0843	Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E0844	Diabetes mellitus due to underlying condition with diabetic amyotrophy	Diagnosis	ICD-10-CM
E0849	Diabetes mellitus due to underlying condition with other diabetic neurological complication	Diagnosis	ICD-10-CM
E085	Diabetes mellitus due to underlying condition with circulatory complications	Diagnosis	ICD-10-CM
E0851	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E0852	Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM
E0859	Diabetes mellitus due to underlying condition with other circulatory complications	Diagnosis	ICD-10-CM
E086	Diabetes mellitus due to underlying condition with other specified complications	Diagnosis	ICD-10-CM
E0861	Diabetes mellitus due to underlying condition with diabetic arthropathy	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E08610	Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E08618	Diabetes mellitus due to underlying condition with other diabetic arthropathy	Diagnosis	ICD-10-CM
E0862	Diabetes mellitus due to underlying condition with skin complications	Diagnosis	ICD-10-CM
E08620	Diabetes mellitus due to underlying condition with diabetic dermatitis	Diagnosis	ICD-10-CM
E08621	Diabetes mellitus due to underlying condition with foot ulcer	Diagnosis	ICD-10-CM
E08622	Diabetes mellitus due to underlying condition with other skin ulcer	Diagnosis	ICD-10-CM
E08628	Diabetes mellitus due to underlying condition with other skin complications	Diagnosis	ICD-10-CM
E0863	Diabetes mellitus due to underlying condition with oral complications	Diagnosis	ICD-10-CM
E08630	Diabetes mellitus due to underlying condition with periodontal disease	Diagnosis	ICD-10-CM
E08638	Diabetes mellitus due to underlying condition with other oral complications	Diagnosis	ICD-10-CM
E0864	Diabetes mellitus due to underlying condition with hypoglycemia	Diagnosis	ICD-10-CM
E08641	Diabetes mellitus due to underlying condition with hypoglycemia with coma	Diagnosis	ICD-10-CM
E08649	Diabetes mellitus due to underlying condition with hypoglycemia without coma	Diagnosis	ICD-10-CM
E0865	Diabetes mellitus due to underlying condition with hyperglycemia	Diagnosis	ICD-10-CM
E0869	Diabetes mellitus due to underlying condition with other specified complication	Diagnosis	ICD-10-CM
E088	Diabetes mellitus due to underlying condition with unspecified complications	Diagnosis	ICD-10-CM
E089	Diabetes mellitus due to underlying condition without complications	Diagnosis	ICD-10-CM
E090	Drug or chemical induced diabetes mellitus with hyperosmolarity	Diagnosis	ICD-10-CM
E0900	Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)	Diagnosis	ICD-10-CM
E0901	Drug or chemical induced diabetes mellitus with hyperosmolarity with coma	Diagnosis	ICD-10-CM
E091	Drug or chemical induced diabetes mellitus with ketoacidosis	Diagnosis	ICD-10-CM
E0910	Drug or chemical induced diabetes mellitus with ketoacidosis without coma	Diagnosis	ICD-10-CM
E0911	Drug or chemical induced diabetes mellitus with ketoacidosis with coma	Diagnosis	ICD-10-CM
E092	Drug or chemical induced diabetes mellitus with kidney complications	Diagnosis	ICD-10-CM
E0921	Drug or chemical induced diabetes mellitus with diabetic nephropathy	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL



Code	Description	Code Category	Code Type
E0922	Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E0929	Drug or chemical induced diabetes mellitus with other diabetic kidney complication	Diagnosis	ICD-10-CM
E093	Drug or chemical induced diabetes mellitus with ophthalmic complications	Diagnosis	ICD-10-CM
E0931	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E09311	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E09319	Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E0932	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E09321	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E093211	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E093212	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E093213	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E093219	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09329	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E093291	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E093292	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E093293	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E093299	Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E0933	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E09331	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E093311	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E093312	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E093313	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E093319	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09339	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E093391	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E093392	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E093393	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E093399	Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E0934	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E09341	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E093411	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E093412	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E093413	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E093419	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09349	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E093491	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E093492	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E093493	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E093499	Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E0935	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E09351	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E093511	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E093512	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E093513	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E093519	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E09352	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E093521	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E093522	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E093523	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E093529	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E09353	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E093531	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E093532	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E093533	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E093539	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E09354	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E093541	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E093542	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E093543	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E093549	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E09355	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E093551	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E093552	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E093553	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E093559	Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E09359	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E093591	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E093592	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E093593	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E093599	Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E0936	Drug or chemical induced diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E0937	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E0937X1	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM
E0937X2	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E0937X3	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E0937X9	Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E0939	Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E094	Drug or chemical induced diabetes mellitus with neurological complications	Diagnosis	ICD-10-CM
E0940	Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E0941	Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E0942	Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy	Diagnosis	ICD-10-CM
E0943	Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E0944	Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy	Diagnosis	ICD-10-CM
E0949	Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological complication	Diagnosis	ICD-10-CM
E095	Drug or chemical induced diabetes mellitus with circulatory complications	Diagnosis	ICD-10-CM
E0951	Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E0952	Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E0959	Drug or chemical induced diabetes mellitus with other circulatory complications	Diagnosis	ICD-10-CM
E096	Drug or chemical induced diabetes mellitus with other specified complications	Diagnosis	ICD-10-CM
E0961	Drug or chemical induced diabetes mellitus with diabetic arthropathy	Diagnosis	ICD-10-CM
E09610	Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E09618	Drug or chemical induced diabetes mellitus with other diabetic arthropathy	Diagnosis	ICD-10-CM
E0962	Drug or chemical induced diabetes mellitus with skin complications	Diagnosis	ICD-10-CM
E09620	Drug or chemical induced diabetes mellitus with diabetic dermatitis	Diagnosis	ICD-10-CM
E09621	Drug or chemical induced diabetes mellitus with foot ulcer	Diagnosis	ICD-10-CM
E09622	Drug or chemical induced diabetes mellitus with other skin ulcer	Diagnosis	ICD-10-CM
E09628	Drug or chemical induced diabetes mellitus with other skin complications	Diagnosis	ICD-10-CM
E0963	Drug or chemical induced diabetes mellitus with oral complications	Diagnosis	ICD-10-CM
E09630	Drug or chemical induced diabetes mellitus with periodontal disease	Diagnosis	ICD-10-CM
E09638	Drug or chemical induced diabetes mellitus with other oral complications	Diagnosis	ICD-10-CM
E0964	Drug or chemical induced diabetes mellitus with hypoglycemia	Diagnosis	ICD-10-CM
E09641	Drug or chemical induced diabetes mellitus with hypoglycemia with coma	Diagnosis	ICD-10-CM
E09649	Drug or chemical induced diabetes mellitus with hypoglycemia without coma	Diagnosis	ICD-10-CM
E0965	Drug or chemical induced diabetes mellitus with hyperglycemia	Diagnosis	ICD-10-CM
E0969	Drug or chemical induced diabetes mellitus with other specified complication	Diagnosis	ICD-10-CM
E098	Drug or chemical induced diabetes mellitus with unspecified complications	Diagnosis	ICD-10-CM
E099	Drug or chemical induced diabetes mellitus without complications	Diagnosis	ICD-10-CM
E101	Type 1 diabetes mellitus with ketoacidosis	Diagnosis	ICD-10-CM
E1010	Type 1 diabetes mellitus with ketoacidosis without coma	Diagnosis	ICD-10-CM
E1011	Type 1 diabetes mellitus with ketoacidosis with coma	Diagnosis	ICD-10-CM
E102	Type 1 diabetes mellitus with kidney complications	Diagnosis	ICD-10-CM
E1021	Type 1 diabetes mellitus with diabetic nephropathy	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E1022	Type 1 diabetes mellitus with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E1029	Type 1 diabetes mellitus with other diabetic kidney complication	Diagnosis	ICD-10-CM
E103	Type 1 diabetes mellitus with ophthalmic complications	Diagnosis	ICD-10-CM
E1031	Type 1 diabetes mellitus with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E10311	Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E10319	Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E1032	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E10321	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E103211	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E103212	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E103213	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E103219	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10329	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E103291	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E103292	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E103293	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E103299	Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1033	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E10331	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E103311	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E103312	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E103313	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E103319	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10339	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E103391	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E103392	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E103393	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E103399	Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1034	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E10341	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E103411	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E103412	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E103413	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E103419	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10349	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E103491	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E103492	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E103493	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL



Code	Description	Code Category	Code Type
E103499	Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1035	Type 1 diabetes mellitus with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E10351	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E103511	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E103512	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E103513	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E103519	Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E10352	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E103521	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E103522	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E103523	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E103529	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E10353	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E103531	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E103532	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM
E103533	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E103539	Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E10354	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E103541	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E103542	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E103543	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E103549	Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E10355	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E103551	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E103552	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E103553	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E103559	Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E10359	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E103591	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E103592	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E103593	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E103599	Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1036	Type 1 diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E1037	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E1037X1	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E1037X2	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E1037X3	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E1037X9	Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E1039	Type 1 diabetes mellitus with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E104	Type 1 diabetes mellitus with neurological complications	Diagnosis	ICD-10-CM
E1040	Type 1 diabetes mellitus with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E1041	Type 1 diabetes mellitus with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E1042	Type 1 diabetes mellitus with diabetic polyneuropathy	Diagnosis	ICD-10-CM
E1043	Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E1044	Type 1 diabetes mellitus with diabetic amyotrophy	Diagnosis	ICD-10-CM
E1049	Type 1 diabetes mellitus with other diabetic neurological complication	Diagnosis	ICD-10-CM
E105	Type 1 diabetes mellitus with circulatory complications	Diagnosis	ICD-10-CM
E1051	Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E1052	Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM
E1059	Type 1 diabetes mellitus with other circulatory complications	Diagnosis	ICD-10-CM
E106	Type 1 diabetes mellitus with other specified complications	Diagnosis	ICD-10-CM
E1061	Type 1 diabetes mellitus with diabetic arthropathy	Diagnosis	ICD-10-CM
E10610	Type 1 diabetes mellitus with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E10618	Type 1 diabetes mellitus with other diabetic arthropathy	Diagnosis	ICD-10-CM
E1062	Type 1 diabetes mellitus with skin complications	Diagnosis	ICD-10-CM
E10620	Type 1 diabetes mellitus with diabetic dermatitis	Diagnosis	ICD-10-CM
E10621	Type 1 diabetes mellitus with foot ulcer	Diagnosis	ICD-10-CM
E10622	Type 1 diabetes mellitus with other skin ulcer	Diagnosis	ICD-10-CM
E10628	Type 1 diabetes mellitus with other skin complications	Diagnosis	ICD-10-CM
E1063	Type 1 diabetes mellitus with oral complications	Diagnosis	ICD-10-CM
E10630	Type 1 diabetes mellitus with periodontal disease	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E10638	Type 1 diabetes mellitus with other oral complications	Diagnosis	ICD-10-CM
E1064	Type 1 diabetes mellitus with hypoglycemia	Diagnosis	ICD-10-CM
E10641	Type 1 diabetes mellitus with hypoglycemia with coma	Diagnosis	ICD-10-CM
E10649	Type 1 diabetes mellitus with hypoglycemia without coma	Diagnosis	ICD-10-CM
E1065	Type 1 diabetes mellitus with hyperglycemia	Diagnosis	ICD-10-CM
E1069	Type 1 diabetes mellitus with other specified complication	Diagnosis	ICD-10-CM
E108	Type 1 diabetes mellitus with unspecified complications	Diagnosis	ICD-10-CM
E109	Type 1 diabetes mellitus without complications	Diagnosis	ICD-10-CM
E110	Type 2 diabetes mellitus with hyperosmolarity	Diagnosis	ICD-10-CM
E1100	Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)	Diagnosis	ICD-10-CM
E1101	Type 2 diabetes mellitus with hyperosmolarity with coma	Diagnosis	ICD-10-CM
E111	Type 2 diabetes mellitus with ketoacidosis	Diagnosis	ICD-10-CM
E1110	Type 2 diabetes mellitus with ketoacidosis without coma	Diagnosis	ICD-10-CM
E1111	Type 2 diabetes mellitus with ketoacidosis with coma	Diagnosis	ICD-10-CM
E112	Type 2 diabetes mellitus with kidney complications	Diagnosis	ICD-10-CM
E1121	Type 2 diabetes mellitus with diabetic nephropathy	Diagnosis	ICD-10-CM
E1122	Type 2 diabetes mellitus with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E1129	Type 2 diabetes mellitus with other diabetic kidney complication	Diagnosis	ICD-10-CM
E113	Type 2 diabetes mellitus with ophthalmic complications	Diagnosis	ICD-10-CM
E1131	Type 2 diabetes mellitus with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E11311	Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E11319	Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E1132	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11321	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E113211	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E113212	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E113213	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E113219	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11329	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E113291	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E113292	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E113293	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E113299	Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1133	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11331	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E113311	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E113312	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E113313	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E113319	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11339	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E113391	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E113392	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E113393	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E113399	Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1134	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11341	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E113411	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E113412	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E113413	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E113419	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E11349	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E113491	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E113492	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E113493	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E113499	Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1135	Type 2 diabetes mellitus with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E11351	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E113511	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E113512	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E113513	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E113519	Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E11352	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E113521	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E113522	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E113523	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E113529	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E11353	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E113531	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E113532	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM
E113533	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E113539	Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E11354	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E113541	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E113542	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E113543	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E113549	Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E11355	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E113551	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E113552	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E113553	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E113559	Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E11359	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E113591	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E113592	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E113593	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E113599	Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1136	Type 2 diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E1137	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E1137X1	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM
E1137X2	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E1137X3	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E1137X9	Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E1139	Type 2 diabetes mellitus with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E114	Type 2 diabetes mellitus with neurological complications	Diagnosis	ICD-10-CM
E1140	Type 2 diabetes mellitus with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E1141	Type 2 diabetes mellitus with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E1142	Type 2 diabetes mellitus with diabetic polyneuropathy	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL



Code	Description	Code Category	Code Type
E1143	Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E1144	Type 2 diabetes mellitus with diabetic amyotrophy	Diagnosis	ICD-10-CM
E1149	Type 2 diabetes mellitus with other diabetic neurological complication	Diagnosis	ICD-10-CM
E115	Type 2 diabetes mellitus with circulatory complications	Diagnosis	ICD-10-CM
E1151	Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E1152	Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM
E1159	Type 2 diabetes mellitus with other circulatory complications	Diagnosis	ICD-10-CM
E116	Type 2 diabetes mellitus with other specified complications	Diagnosis	ICD-10-CM
E1161	Type 2 diabetes mellitus with diabetic arthropathy	Diagnosis	ICD-10-CM
E11610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E11618	Type 2 diabetes mellitus with other diabetic arthropathy	Diagnosis	ICD-10-CM
E1162	Type 2 diabetes mellitus with skin complications	Diagnosis	ICD-10-CM
E11620	Type 2 diabetes mellitus with diabetic dermatitis	Diagnosis	ICD-10-CM
E11621	Type 2 diabetes mellitus with foot ulcer	Diagnosis	ICD-10-CM
E11622	Type 2 diabetes mellitus with other skin ulcer	Diagnosis	ICD-10-CM
E11628	Type 2 diabetes mellitus with other skin complications	Diagnosis	ICD-10-CM
E1163	Type 2 diabetes mellitus with oral complications	Diagnosis	ICD-10-CM
E11630	Type 2 diabetes mellitus with periodontal disease	Diagnosis	ICD-10-CM
E11638	Type 2 diabetes mellitus with other oral complications	Diagnosis	ICD-10-CM
E1164	Type 2 diabetes mellitus with hypoglycemia	Diagnosis	ICD-10-CM
E11641	Type 2 diabetes mellitus with hypoglycemia with coma	Diagnosis	ICD-10-CM
E11649	Type 2 diabetes mellitus with hypoglycemia without coma	Diagnosis	ICD-10-CM
E1165	Type 2 diabetes mellitus with hyperglycemia	Diagnosis	ICD-10-CM
E1169	Type 2 diabetes mellitus with other specified complication	Diagnosis	ICD-10-CM
E118	Type 2 diabetes mellitus with unspecified complications	Diagnosis	ICD-10-CM
E119	Type 2 diabetes mellitus without complications	Diagnosis	ICD-10-CM
E130	Other specified diabetes mellitus with hyperosmolarity	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E1300	Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)	Diagnosis	ICD-10-CM
E1301	Other specified diabetes mellitus with hyperosmolarity with coma	Diagnosis	ICD-10-CM
E131	Other specified diabetes mellitus with ketoacidosis	Diagnosis	ICD-10-CM
E1310	Other specified diabetes mellitus with ketoacidosis without coma	Diagnosis	ICD-10-CM
E1311	Other specified diabetes mellitus with ketoacidosis with coma	Diagnosis	ICD-10-CM
E132	Other specified diabetes mellitus with kidney complications	Diagnosis	ICD-10-CM
E1321	Other specified diabetes mellitus with diabetic nephropathy	Diagnosis	ICD-10-CM
E1322	Other specified diabetes mellitus with diabetic chronic kidney disease	Diagnosis	ICD-10-CM
E1329	Other specified diabetes mellitus with other diabetic kidney complication	Diagnosis	ICD-10-CM
E133	Other specified diabetes mellitus with ophthalmic complications	Diagnosis	ICD-10-CM
E1331	Other specified diabetes mellitus with unspecified diabetic retinopathy	Diagnosis	ICD-10-CM
E13311	Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E13319	Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E1332	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E13321	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E133211	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E133212	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E133213	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E133219	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13329	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E133291	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E133292	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E133293	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E133299	Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1333	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E13331	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E133311	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E133312	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E133313	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E133319	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13339	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E133391	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E133392	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E133393	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E133399	Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1334	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E13341	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E133411	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E133412	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E133413	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E133419	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13349	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM
E133491	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E133492	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E133493	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E133499	Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1335	Other specified diabetes mellitus with proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E13351	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema	Diagnosis	ICD-10-CM
E133511	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye	Diagnosis	ICD-10-CM
E133512	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye	Diagnosis	ICD-10-CM
E133513	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral	Diagnosis	ICD-10-CM
E133519	Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye	Diagnosis	ICD-10-CM
E13352	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula	Diagnosis	ICD-10-CM
E133521	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye	Diagnosis	ICD-10-CM
E133522	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye	Diagnosis	ICD-10-CM
E133523	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral	Diagnosis	ICD-10-CM
E133529	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E13353	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula	Diagnosis	ICD-10-CM
E133531	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye	Diagnosis	ICD-10-CM
E133532	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye	Diagnosis	ICD-10-CM
E133533	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral	Diagnosis	ICD-10-CM
E133539	Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye	Diagnosis	ICD-10-CM
E13354	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment	Diagnosis	ICD-10-CM
E133541	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye	Diagnosis	ICD-10-CM
E133542	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye	Diagnosis	ICD-10-CM
E133543	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral	Diagnosis	ICD-10-CM
E133549	Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye	Diagnosis	ICD-10-CM
E13355	Other specified diabetes mellitus with stable proliferative diabetic retinopathy	Diagnosis	ICD-10-CM
E133551	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye	Diagnosis	ICD-10-CM
E133552	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye	Diagnosis	ICD-10-CM
E133553	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral	Diagnosis	ICD-10-CM
E133559	Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye	Diagnosis	ICD-10-CM
E13359	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E133591	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye	Diagnosis	ICD-10-CM
E133592	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye	Diagnosis	ICD-10-CM
E133593	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral	Diagnosis	ICD-10-CM
E133599	Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye	Diagnosis	ICD-10-CM
E1336	Other specified diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E1337	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment	Diagnosis	ICD-10-CM
E1337X1	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye	Diagnosis	ICD-10-CM
E1337X2	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye	Diagnosis	ICD-10-CM
E1337X3	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral	Diagnosis	ICD-10-CM
E1337X9	Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye	Diagnosis	ICD-10-CM
E1339	Other specified diabetes mellitus with other diabetic ophthalmic complication	Diagnosis	ICD-10-CM
E134	Other specified diabetes mellitus with neurological complications	Diagnosis	ICD-10-CM
E1340	Other specified diabetes mellitus with diabetic neuropathy, unspecified	Diagnosis	ICD-10-CM
E1341	Other specified diabetes mellitus with diabetic mononeuropathy	Diagnosis	ICD-10-CM
E1342	Other specified diabetes mellitus with diabetic polyneuropathy	Diagnosis	ICD-10-CM
E1343	Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy	Diagnosis	ICD-10-CM
E1344	Other specified diabetes mellitus with diabetic amyotrophy	Diagnosis	ICD-10-CM
E1349	Other specified diabetes mellitus with other diabetic neurological complication	Diagnosis	ICD-10-CM
E135	Other specified diabetes mellitus with circulatory complications	Diagnosis	ICD-10-CM
E1351	Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene	Diagnosis	ICD-10-CM
E1352	Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
E1359	Other specified diabetes mellitus with other circulatory complications	Diagnosis	ICD-10-CM
E136	Other specified diabetes mellitus with other specified complications	Diagnosis	ICD-10-CM
E1361	Other specified diabetes mellitus with diabetic arthropathy	Diagnosis	ICD-10-CM
E13610	Other specified diabetes mellitus with diabetic neuropathic arthropathy	Diagnosis	ICD-10-CM
E13618	Other specified diabetes mellitus with other diabetic arthropathy	Diagnosis	ICD-10-CM
E1362	Other specified diabetes mellitus with skin complications	Diagnosis	ICD-10-CM
E13620	Other specified diabetes mellitus with diabetic dermatitis	Diagnosis	ICD-10-CM
E13621	Other specified diabetes mellitus with foot ulcer	Diagnosis	ICD-10-CM
E13622	Other specified diabetes mellitus with other skin ulcer	Diagnosis	ICD-10-CM
E13628	Other specified diabetes mellitus with other skin complications	Diagnosis	ICD-10-CM
E1363	Other specified diabetes mellitus with oral complications	Diagnosis	ICD-10-CM
E13630	Other specified diabetes mellitus with periodontal disease	Diagnosis	ICD-10-CM
E13638	Other specified diabetes mellitus with other oral complications	Diagnosis	ICD-10-CM
E1364	Other specified diabetes mellitus with hypoglycemia	Diagnosis	ICD-10-CM
E13641	Other specified diabetes mellitus with hypoglycemia with coma	Diagnosis	ICD-10-CM
E13649	Other specified diabetes mellitus with hypoglycemia without coma	Diagnosis	ICD-10-CM
E1365	Other specified diabetes mellitus with hyperglycemia	Diagnosis	ICD-10-CM
E1369	Other specified diabetes mellitus with other specified complication	Diagnosis	ICD-10-CM
E138	Other specified diabetes mellitus with unspecified complications	Diagnosis	ICD-10-CM
E139	Other specified diabetes mellitus without complications	Diagnosis	ICD-10-CM
O240	Pre-existing type 1 diabetes mellitus, in pregnancy, childbirth and the puerperium	Diagnosis	ICD-10-CM
O2401	Pre-existing type 1 diabetes mellitus, in pregnancy	Diagnosis	ICD-10-CM
O24011	Pre-existing type 1 diabetes mellitus, in pregnancy, first trimester	Diagnosis	ICD-10-CM
O24012	Pre-existing type 1 diabetes mellitus, in pregnancy, second trimester	Diagnosis	ICD-10-CM
O24013	Pre-existing type 1 diabetes mellitus, in pregnancy, third trimester	Diagnosis	ICD-10-CM
O24019	Pre-existing type 1 diabetes mellitus, in pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O2402	Pre-existing type 1 diabetes mellitus, in childbirth	Diagnosis	ICD-10-CM
O2403	Pre-existing type 1 diabetes mellitus, in the puerperium	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
O241	Pre-existing type 2 diabetes mellitus, in pregnancy, childbirth and the puerperium	Diagnosis	ICD-10-CM
O2411	Pre-existing type 2 diabetes mellitus, in pregnancy	Diagnosis	ICD-10-CM
O24111	Pre-existing type 2 diabetes mellitus, in pregnancy, first trimester	Diagnosis	ICD-10-CM
O24112	Pre-existing type 2 diabetes mellitus, in pregnancy, second trimester	Diagnosis	ICD-10-CM
O24113	Pre-existing type 2 diabetes mellitus, in pregnancy, third trimester	Diagnosis	ICD-10-CM
O24119	Pre-existing type 2 diabetes mellitus, in pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O2412	Pre-existing type 2 diabetes mellitus, in childbirth	Diagnosis	ICD-10-CM
O2413	Pre-existing type 2 diabetes mellitus, in the puerperium	Diagnosis	ICD-10-CM
O243	Unspecified pre-existing diabetes mellitus in pregnancy, childbirth and the puerperium	Diagnosis	ICD-10-CM
O2431	Unspecified pre-existing diabetes mellitus in pregnancy	Diagnosis	ICD-10-CM
O24311	Unspecified pre-existing diabetes mellitus in pregnancy, first trimester	Diagnosis	ICD-10-CM
O24312	Unspecified pre-existing diabetes mellitus in pregnancy, second trimester	Diagnosis	ICD-10-CM
O24313	Unspecified pre-existing diabetes mellitus in pregnancy, third trimester	Diagnosis	ICD-10-CM
O24319	Unspecified pre-existing diabetes mellitus in pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O2432	Unspecified pre-existing diabetes mellitus in childbirth	Diagnosis	ICD-10-CM
O2433	Unspecified pre-existing diabetes mellitus in the puerperium	Diagnosis	ICD-10-CM
O24811	Other pre-existing diabetes mellitus in pregnancy, first trimester	Diagnosis	ICD-10-CM
O24812	Other pre-existing diabetes mellitus in pregnancy, second trimester	Diagnosis	ICD-10-CM
O24813	Other pre-existing diabetes mellitus in pregnancy, third trimester	Diagnosis	ICD-10-CM
O24819	Other pre-existing diabetes mellitus in pregnancy, unspecified trimester	Diagnosis	ICD-10-CM

Drug Dependence			
2920	Drug withdrawal	Diagnosis	ICD-9-CM
29211	Drug-induced psychotic disorder with delusions	Diagnosis	ICD-9-CM
29212	Drug-induced psychotic disorder with hallucinations	Diagnosis	ICD-9-CM
2922	Pathological drug intoxication	Diagnosis	ICD-9-CM
29281	Drug-induced delirium	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL



Code	Description	Code Category	Code Type
29282	Drug-induced persisting dementia	Diagnosis	ICD-9-CM
29283	Drug-induced persisting amnesic disorder	Diagnosis	ICD-9-CM
29284	Drug-induced mood disorder	Diagnosis	ICD-9-CM
29285	Drug induced sleep disorders	Diagnosis	ICD-9-CM
29289	Other specified drug-induced mental disorder	Diagnosis	ICD-9-CM
2929	Unspecified drug-induced mental disorder	Diagnosis	ICD-9-CM
30400	Opioid type dependence, unspecified	Diagnosis	ICD-9-CM
30410	Sedative, hypnotic or anxiolytic dependence, unspecified	Diagnosis	ICD-9-CM
30420	Cocaine dependence, unspecified	Diagnosis	ICD-9-CM
30430	Cannabis dependence, unspecified	Diagnosis	ICD-9-CM
30440	Amphetamine and other psychostimulant dependence, unspecified	Diagnosis	ICD-9-CM
30450	Hallucinogen dependence, unspecified	Diagnosis	ICD-9-CM
30460	Other specified drug dependence, unspecified	Diagnosis	ICD-9-CM
30463	Other specified drug dependence, in remission	Diagnosis	ICD-9-CM
30473	Combinations of opioid type drug with any other drug dependence, in remission	Diagnosis	ICD-9-CM
30483	Combinations of drug dependence excluding opioid type drug, in remission	Diagnosis	ICD-9-CM
30493	Unspecified drug dependence, in remission	Diagnosis	ICD-9-CM
30520	Nondependent cannabis abuse, unspecified	Diagnosis	ICD-9-CM
30521	Nondependent cannabis abuse, continuous	Diagnosis	ICD-9-CM
30522	Nondependent cannabis abuse, episodic	Diagnosis	ICD-9-CM
30523	Nondependent cannabis abuse, in remission	Diagnosis	ICD-9-CM
30530	Nondependent hallucinogen abuse, unspecified	Diagnosis	ICD-9-CM
30531	Nondependent hallucinogen abuse, continuous	Diagnosis	ICD-9-CM
30532	Nondependent hallucinogen abuse, episodic	Diagnosis	ICD-9-CM
30533	Nondependent hallucinogen abuse, in remission	Diagnosis	ICD-9-CM
30540	Nondependent sedative, hypnotic or anxiolytic abuse, unspecified	Diagnosis	ICD-9-CM
30541	Nondependent sedative hypnotic or anxiolytic abuse, continuous	Diagnosis	ICD-9-CM
30542	Nondependent sedative, hypnotic or anxiolytic abuse, episodic	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
30543	Nondependent sedative, hypnotic or anxiolytic abuse, in remission	Diagnosis	ICD-9-CM
30550	Nondependent opioid abuse, unspecified	Diagnosis	ICD-9-CM
30551	Nondependent opioid abuse, continuous	Diagnosis	ICD-9-CM
30552	Nondependent opioid abuse, episodic	Diagnosis	ICD-9-CM
30553	Nondependent opioid abuse, in remission	Diagnosis	ICD-9-CM
30560	Nondependent cocaine abuse, unspecified	Diagnosis	ICD-9-CM
30561	Nondependent cocaine abuse, continuous	Diagnosis	ICD-9-CM
30562	Nondependent cocaine abuse, episodic	Diagnosis	ICD-9-CM
30563	Nondependent cocaine abuse, in remission	Diagnosis	ICD-9-CM
30570	Nondependent amphetamine or related acting sympathomimetic abuse, unspecified	Diagnosis	ICD-9-CM
30571	Nondependent amphetamine or related acting sympathomimetic abuse, continuous	Diagnosis	ICD-9-CM
30572	Nondependent amphetamine or related acting sympathomimetic abuse, episodic	Diagnosis	ICD-9-CM
30573	Nondependent amphetamine or related acting sympathomimetic abuse, in remission	Diagnosis	ICD-9-CM
30580	Nondependent antidepressant type abuse, unspecified	Diagnosis	ICD-9-CM
30581	Nondependent antidepressant type abuse, continuous	Diagnosis	ICD-9-CM
30582	Nondependent antidepressant type abuse, episodic	Diagnosis	ICD-9-CM
30583	Nondependent antidepressant type abuse, in remission	Diagnosis	ICD-9-CM
30590	Other, mixed, or unspecified nondependent drug abuse, unspecified	Diagnosis	ICD-9-CM
30591	Other, mixed, or unspecified nondependent drug abuse, continuous	Diagnosis	ICD-9-CM
30592	Other, mixed, or unspecified nondependent drug abuse, episodic	Diagnosis	ICD-9-CM
30593	Other, mixed, or unspecified nondependent drug abuse, in remission	Diagnosis	ICD-9-CM
64830	Maternal drug dependence complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care	Diagnosis	ICD-9-CM
64831	Maternal drug dependence, with delivery	Diagnosis	ICD-9-CM
64832	Maternal drug dependence, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64833	Maternal drug dependence, antepartum	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
64834	Maternal drug dependence complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM
F1110	Opioid abuse, uncomplicated	Diagnosis	ICD-10-CM
F1111	Opioid abuse, in remission	Diagnosis	ICD-10-CM
F11120	Opioid abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11121	Opioid abuse with intoxication delirium	Diagnosis	ICD-10-CM
F11122	Opioid abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11129	Opioid abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F1114	Opioid abuse with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11150	Opioid abuse with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11151	Opioid abuse with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11159	Opioid abuse with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11181	Opioid abuse with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11182	Opioid abuse with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11188	Opioid abuse with other opioid-induced disorder	Diagnosis	ICD-10-CM
F1119	Opioid abuse with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F11220	Opioid dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11221	Opioid dependence with intoxication delirium	Diagnosis	ICD-10-CM
F11222	Opioid dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11229	Opioid dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F1123	Opioid dependence with withdrawal	Diagnosis	ICD-10-CM
F1124	Opioid dependence with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11250	Opioid dependence with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11259	Opioid dependence with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11281	Opioid dependence with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11282	Opioid dependence with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11288	Opioid dependence with other opioid-induced disorder	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F1129	Opioid dependence with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F1190	Opioid use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F11920	Opioid use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11921	Opioid use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F11922	Opioid use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11929	Opioid use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F1193	Opioid use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F1194	Opioid use, unspecified with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11950	Opioid use, unspecified with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11951	Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11959	Opioid use, unspecified with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11981	Opioid use, unspecified with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11982	Opioid use, unspecified with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11988	Opioid use, unspecified with other opioid-induced disorder	Diagnosis	ICD-10-CM
F1199	Opioid use, unspecified with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F1210	Cannabis abuse, uncomplicated	Diagnosis	ICD-10-CM
F1211	Cannabis abuse, in remission	Diagnosis	ICD-10-CM
F12120	Cannabis abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12121	Cannabis abuse with intoxication delirium	Diagnosis	ICD-10-CM
F12122	Cannabis abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12129	Cannabis abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F12150	Cannabis abuse with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12151	Cannabis abuse with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12159	Cannabis abuse with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12180	Cannabis abuse with cannabis-induced anxiety disorder	Diagnosis	ICD-10-CM
F12188	Cannabis abuse with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F1219	Cannabis abuse with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F12220	Cannabis dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12221	Cannabis dependence with intoxication delirium	Diagnosis	ICD-10-CM
F12222	Cannabis dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12229	Cannabis dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F12250	Cannabis dependence with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12251	Cannabis dependence with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12259	Cannabis dependence with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12280	Cannabis dependence with cannabis-induced anxiety disorder	Diagnosis	ICD-10-CM
F12288	Cannabis dependence with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F1229	Cannabis dependence with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F1290	Cannabis use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F12920	Cannabis use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12921	Cannabis use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F12922	Cannabis use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12929	Cannabis use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F12950	Cannabis use, unspecified with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12951	Cannabis use, unspecified with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12959	Cannabis use, unspecified with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12980	Cannabis use, unspecified with anxiety disorder	Diagnosis	ICD-10-CM
F12988	Cannabis use, unspecified with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F1299	Cannabis use, unspecified with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F1310	Sedative, hypnotic or anxiolytic abuse, uncomplicated	Diagnosis	ICD-10-CM
F1311	Sedative, hypnotic or anxiolytic abuse, in remission	Diagnosis	ICD-10-CM
F13120	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13121	Sedative, hypnotic or anxiolytic abuse with intoxication delirium	Diagnosis	ICD-10-CM
F13129	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F1314	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F13150	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13151	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13159	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F13180	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13181	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13182	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13188	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F1319	Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13220	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13221	Sedative, hypnotic or anxiolytic dependence with intoxication delirium	Diagnosis	ICD-10-CM
F13229	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F13230	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F13231	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F13232	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F13239	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F1324	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13250	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13251	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13259	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F1326	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F1327	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia	Diagnosis	ICD-10-CM
F13280	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13281	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13282	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13288	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F1329	Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F1390	Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F13920	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13921	Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F13929	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F13930	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F13931	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium	Diagnosis	ICD-10-CM
F13932	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances	Diagnosis	ICD-10-CM
F13939	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified	Diagnosis	ICD-10-CM
F1394	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13950	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13951	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13959	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F1396	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F1397	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia	Diagnosis	ICD-10-CM
F13980	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13981	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13982	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13988	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F1399	Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F1410	Cocaine abuse, uncomplicated	Diagnosis	ICD-10-CM
F1411	Cocaine abuse, in remission	Diagnosis	ICD-10-CM
F14120	Cocaine abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14121	Cocaine abuse with intoxication with delirium	Diagnosis	ICD-10-CM
F14122	Cocaine abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14129	Cocaine abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F1414	Cocaine abuse with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14150	Cocaine abuse with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14151	Cocaine abuse with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14159	Cocaine abuse with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14180	Cocaine abuse with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14181	Cocaine abuse with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14182	Cocaine abuse with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14188	Cocaine abuse with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F1419	Cocaine abuse with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F14220	Cocaine dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14221	Cocaine dependence with intoxication delirium	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL



Code	Description	Code Category	Code Type
F14222	Cocaine dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14229	Cocaine dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F1423	Cocaine dependence with withdrawal	Diagnosis	ICD-10-CM
F1424	Cocaine dependence with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14250	Cocaine dependence with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14251	Cocaine dependence with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14259	Cocaine dependence with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14280	Cocaine dependence with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14281	Cocaine dependence with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14282	Cocaine dependence with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14288	Cocaine dependence with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F1429	Cocaine dependence with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F1490	Cocaine use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F14920	Cocaine use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14921	Cocaine use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F14922	Cocaine use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14929	Cocaine use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F1494	Cocaine use, unspecified with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14950	Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14951	Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14959	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14980	Cocaine use, unspecified with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14981	Cocaine use, unspecified with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14982	Cocaine use, unspecified with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14988	Cocaine use, unspecified with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F1499	Cocaine use, unspecified with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F1510	Other stimulant abuse, uncomplicated	Diagnosis	ICD-10-CM
F1511	Other stimulant abuse, in remission	Diagnosis	ICD-10-CM
F15120	Other stimulant abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15121	Other stimulant abuse with intoxication delirium	Diagnosis	ICD-10-CM
F15122	Other stimulant abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15129	Other stimulant abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F1514	Other stimulant abuse with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15150	Other stimulant abuse with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15151	Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15159	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15180	Other stimulant abuse with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15181	Other stimulant abuse with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15182	Other stimulant abuse with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15188	Other stimulant abuse with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F1519	Other stimulant abuse with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F15220	Other stimulant dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15221	Other stimulant dependence with intoxication delirium	Diagnosis	ICD-10-CM
F15222	Other stimulant dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15229	Other stimulant dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F1523	Other stimulant dependence with withdrawal	Diagnosis	ICD-10-CM
F1524	Other stimulant dependence with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15250	Other stimulant dependence with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15251	Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15259	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15280	Other stimulant dependence with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F15281	Other stimulant dependence with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15282	Other stimulant dependence with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15288	Other stimulant dependence with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F1529	Other stimulant dependence with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F1590	Other stimulant use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F15920	Other stimulant use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15921	Other stimulant use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F15922	Other stimulant use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15929	Other stimulant use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F1593	Other stimulant use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F1594	Other stimulant use, unspecified with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15950	Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15951	Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15959	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15980	Other stimulant use, unspecified with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15981	Other stimulant use, unspecified with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15982	Other stimulant use, unspecified with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15988	Other stimulant use, unspecified with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F1599	Other stimulant use, unspecified with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F1610	Hallucinogen abuse, uncomplicated	Diagnosis	ICD-10-CM
F1611	Hallucinogen abuse, in remission	Diagnosis	ICD-10-CM
F16120	Hallucinogen abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16121	Hallucinogen abuse with intoxication with delirium	Diagnosis	ICD-10-CM
F16122	Hallucinogen abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F16129	Hallucinogen abuse with intoxication, unspecified	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F1614	Hallucinogen abuse with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16150	Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16151	Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16159	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16180	Hallucinogen abuse with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16183	Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16188	Hallucinogen abuse with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F1619	Hallucinogen abuse with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16220	Hallucinogen dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16221	Hallucinogen dependence with intoxication with delirium	Diagnosis	ICD-10-CM
F16229	Hallucinogen dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F1624	Hallucinogen dependence with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16250	Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16251	Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16259	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16280	Hallucinogen dependence with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16283	Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16288	Hallucinogen dependence with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F1629	Hallucinogen dependence with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F1690	Hallucinogen use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F16920	Hallucinogen use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16921	Hallucinogen use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F16929	Hallucinogen use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F1694	Hallucinogen use, unspecified with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F16950	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16951	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16959	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16980	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16983	Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16988	Hallucinogen use, unspecified with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F1699	Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F1810	Inhalant abuse, uncomplicated	Diagnosis	ICD-10-CM
F1811	Inhalant abuse, in remission	Diagnosis	ICD-10-CM
F18120	Inhalant abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18121	Inhalant abuse with intoxication delirium	Diagnosis	ICD-10-CM
F18129	Inhalant abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F1814	Inhalant abuse with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18150	Inhalant abuse with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18151	Inhalant abuse with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18159	Inhalant abuse with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F1817	Inhalant abuse with inhalant-induced dementia	Diagnosis	ICD-10-CM
F18180	Inhalant abuse with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18188	Inhalant abuse with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F1819	Inhalant abuse with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F18220	Inhalant dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18221	Inhalant dependence with intoxication delirium	Diagnosis	ICD-10-CM
F18229	Inhalant dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F1824	Inhalant dependence with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18250	Inhalant dependence with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F18251	Inhalant dependence with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18259	Inhalant dependence with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F1827	Inhalant dependence with inhalant-induced dementia	Diagnosis	ICD-10-CM
F18280	Inhalant dependence with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18288	Inhalant dependence with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F1829	Inhalant dependence with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F1890	Inhalant use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F18920	Inhalant use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18921	Inhalant use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F18929	Inhalant use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F1894	Inhalant use, unspecified with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18950	Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18951	Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18959	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F1897	Inhalant use, unspecified with inhalant-induced persisting dementia	Diagnosis	ICD-10-CM
F18980	Inhalant use, unspecified with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18988	Inhalant use, unspecified with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F1899	Inhalant use, unspecified with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F1910	Other psychoactive substance abuse, uncomplicated	Diagnosis	ICD-10-CM
F1911	Other psychoactive substance abuse, in remission	Diagnosis	ICD-10-CM
F19120	Other psychoactive substance abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19121	Other psychoactive substance abuse with intoxication delirium	Diagnosis	ICD-10-CM
F19122	Other psychoactive substance abuse with intoxication with perceptual disturbances	Diagnosis	ICD-10-CM
F19129	Other psychoactive substance abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F1914	Other psychoactive substance abuse with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F19150	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19151	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19159	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F1916	Other psychoactive substance abuse with psychoactive substance-induced persisting amnestic disorder	Diagnosis	ICD-10-CM
F1917	Other psychoactive substance abuse with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19180	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19181	Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19182	Other psychoactive substance abuse with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19188	Other psychoactive substance abuse with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F1919	Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F1921	Other psychoactive substance dependence, in remission	Diagnosis	ICD-10-CM
F19220	Other psychoactive substance dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19221	Other psychoactive substance dependence with intoxication delirium	Diagnosis	ICD-10-CM
F19222	Other psychoactive substance dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F19229	Other psychoactive substance dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F19230	Other psychoactive substance dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F19231	Other psychoactive substance dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F19232	Other psychoactive substance dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F19239	Other psychoactive substance dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F1924	Other psychoactive substance dependence with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F19250	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19251	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19259	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F1926	Other psychoactive substance dependence with psychoactive substance-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F1927	Other psychoactive substance dependence with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19280	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19281	Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19282	Other psychoactive substance dependence with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19288	Other psychoactive substance dependence with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F1929	Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F1990	Other psychoactive substance use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F19920	Other psychoactive substance use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19921	Other psychoactive substance use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F19922	Other psychoactive substance use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F19929	Other psychoactive substance use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F19930	Other psychoactive substance use, unspecified with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F19931	Other psychoactive substance use, unspecified with withdrawal delirium	Diagnosis	ICD-10-CM
F19932	Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F19939	Other psychoactive substance use, unspecified with withdrawal, unspecified	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL



Code	Description	Code Category	Code Type
F1994	Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19950	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19951	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19959	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F1996	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F1997	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19980	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19981	Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19982	Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19988	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F1999	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
O99320	Drug use complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99321	Drug use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99322	Drug use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99323	Drug use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99324	Drug use complicating childbirth	Diagnosis	ICD-10-CM
O99325	Drug use complicating the puerperium	Diagnosis	ICD-10-CM
O355	Maternal care for (suspected) damage to fetus by drugs	Diagnosis	ICD-10-CM
O355XX0	Maternal care for (suspected) damage to fetus by drugs, not applicable or unspecified	Diagnosis	ICD-10-CM
O355XX1	Maternal care for (suspected) damage to fetus by drugs, fetus 1	Diagnosis	ICD-10-CM
O355XX2	Maternal care for (suspected) damage to fetus by drugs, fetus 2	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
O355XX3	Maternal care for (suspected) damage to fetus by drugs, fetus 3	Diagnosis	ICD-10-CM
O355XX4	Maternal care for (suspected) damage to fetus by drugs, fetus 4	Diagnosis	ICD-10-CM
O355XX5	Maternal care for (suspected) damage to fetus by drugs, fetus 5	Diagnosis	ICD-10-CM
O355XX9	Maternal care for (suspected) damage to fetus by drugs, other fetus	Diagnosis	ICD-10-CM
O9932	Drug use complicating pregnancy, childbirth, and the puerperium	Diagnosis	ICD-10-CM
O99320	Drug use complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99321	Drug use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99322	Drug use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99323	Drug use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99324	Drug use complicating childbirth	Diagnosis	ICD-10-CM
O99325	Drug use complicating the puerperium	Diagnosis	ICD-10-CM

Gestational Diabetes			
6488	Abnormal maternal glucose tolerance, complicating pregnancy, childbirth, or the puerperium	Diagnosis	ICD-9-CM
64880	Abnormal maternal glucose tolerance, complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care	Diagnosis	ICD-9-CM
64881	Abnormal maternal glucose tolerance, with delivery	Diagnosis	ICD-9-CM
64882	Abnormal maternal glucose tolerance, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64883	Abnormal maternal glucose tolerance, antepartum	Diagnosis	ICD-9-CM
64884	Abnormal maternal glucose tolerance complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM
O244	Gestational diabetes mellitus	Diagnosis	ICD-10-CM
O2441	Gestational diabetes mellitus in pregnancy	Diagnosis	ICD-10-CM
O24410	Gestational diabetes mellitus in pregnancy, diet controlled	Diagnosis	ICD-10-CM
O24414	Gestational diabetes mellitus in pregnancy, insulin controlled	Diagnosis	ICD-10-CM
O24415	Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs	Diagnosis	ICD-10-CM
O24419	Gestational diabetes mellitus in pregnancy, unspecified control	Diagnosis	ICD-10-CM
O2442	Gestational diabetes mellitus in childbirth	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
O24420	Gestational diabetes mellitus in childbirth, diet controlled	Diagnosis	ICD-10-CM
O24424	Gestational diabetes mellitus in childbirth, insulin controlled	Diagnosis	ICD-10-CM
O24425	Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs	Diagnosis	ICD-10-CM
O24429	Gestational diabetes mellitus in childbirth, unspecified control	Diagnosis	ICD-10-CM
O2443	Gestational diabetes mellitus in the puerperium	Diagnosis	ICD-10-CM
O24430	Gestational diabetes mellitus in the puerperium, diet controlled	Diagnosis	ICD-10-CM
O24434	Gestational diabetes mellitus in the puerperium, insulin controlled	Diagnosis	ICD-10-CM
O24435	Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs	Diagnosis	ICD-10-CM
O24439	Gestational diabetes mellitus in the puerperium, unspecified control	Diagnosis	ICD-10-CM

Gestational Hypertension			
6423	Transient hypertension of pregnancy	Diagnosis	ICD-9-CM
64230	Transient hypertension of pregnancy, unspecified as to episode of care	Diagnosis	ICD-9-CM
64231	Transient hypertension of pregnancy, with delivery	Diagnosis	ICD-9-CM
64232	Transient hypertension of pregnancy, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64233	Transient hypertension of pregnancy, antepartum	Diagnosis	ICD-9-CM
64234	Transient hypertension of pregnancy, postpartum condition or complication	Diagnosis	ICD-9-CM
O131	Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester	Diagnosis	ICD-10-CM
O132	Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester	Diagnosis	ICD-10-CM
O133	Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester	Diagnosis	ICD-10-CM
O134	Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth	Diagnosis	ICD-10-CM
O135	Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium	Diagnosis	ICD-10-CM
O139	Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
Hypertension			
4010	Essential hypertension, malignant	Diagnosis	ICD-9-CM
4011	Essential hypertension, benign	Diagnosis	ICD-9-CM
4019	Unspecified essential hypertension	Diagnosis	ICD-9-CM
40200	Malignant hypertensive heart disease without heart failure	Diagnosis	ICD-9-CM
40210	Benign hypertensive heart disease without heart failure	Diagnosis	ICD-9-CM
40290	Unspecified hypertensive heart disease without heart failure	Diagnosis	ICD-9-CM
40300	Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage I through stage IV, or unspecified	Diagnosis	ICD-9-CM
40301	Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage V or end stage renal disease	Diagnosis	ICD-9-CM
40310	Hypertensive chronic kidney disease, benign, with chronic kidney disease stage I through stage IV, or unspecified	Diagnosis	ICD-9-CM
40311	Hypertensive chronic kidney disease, benign, with chronic kidney disease stage V or end stage renal disease	Diagnosis	ICD-9-CM
40390	Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified	Diagnosis	ICD-9-CM
40391	Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage V or end stage renal disease	Diagnosis	ICD-9-CM
40400	Hypertensive heart and chronic kidney disease, malignant, without heart failure and with chronic kidney disease stage I through stage IV, or unspecified	Diagnosis	ICD-9-CM
40401	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified	Diagnosis	ICD-9-CM
40402	Hypertensive heart and chronic kidney disease, malignant, without heart failure and with chronic kidney disease stage V or end stage renal disease	Diagnosis	ICD-9-CM
40403	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage V or end stage renal disease	Diagnosis	ICD-9-CM
40410	Hypertensive heart and chronic kidney disease, benign, without heart failure and with chronic kidney disease stage I through stage IV, or unspecified	Diagnosis	ICD-9-CM
40411	Hypertensive heart and chronic kidney disease, benign, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified	Diagnosis	ICD-9-CM
40412	Hypertensive heart and chronic kidney disease, benign, without heart failure and with chronic kidney disease stage V or end stage renal disease	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
40413	Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease stage V or end stage renal disease	Diagnosis	ICD-9-CM
40490	Hypertensive heart and chronic kidney disease, unspecified, without heart failure and with chronic kidney disease stage I through stage IV, or unspecified	Diagnosis	ICD-9-CM
40491	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified	Diagnosis	ICD-9-CM
40492	Hypertensive heart and chronic kidney disease, unspecified, without heart failure and with chronic kidney disease stage V or end stage renal disease	Diagnosis	ICD-9-CM
40493	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney disease stage V or end stage renal disease	Diagnosis	ICD-9-CM
40501	Secondary renovascular hypertension, malignant	Diagnosis	ICD-9-CM
40509	Other secondary hypertension, malignant	Diagnosis	ICD-9-CM
40511	Secondary renovascular hypertension, benign	Diagnosis	ICD-9-CM
40519	Other secondary hypertension, benign	Diagnosis	ICD-9-CM
40591	Secondary renovascular hypertension, unspecified	Diagnosis	ICD-9-CM
40599	Other secondary hypertension, unspecified	Diagnosis	ICD-9-CM
64200	Benign essential hypertension complicating pregnancy, childbirth, and the puerperium, unspecified as to episode of care	Diagnosis	ICD-9-CM
64201	Benign essential hypertension with delivery	Diagnosis	ICD-9-CM
64202	Benign essential hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64203	Benign essential hypertension antepartum	Diagnosis	ICD-9-CM
64204	Benign essential hypertension, complicating pregnancy, childbirth, and the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM
64210	Hypertension secondary to renal disease, complicating pregnancy, childbirth, and the puerperium, unspecified as to episode of care	Diagnosis	ICD-9-CM
64211	Hypertension secondary to renal disease, with delivery	Diagnosis	ICD-9-CM
64212	Hypertension secondary to renal disease, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64213	Hypertension secondary to renal disease, antepartum	Diagnosis	ICD-9-CM
64214	Hypertension secondary to renal disease, complicating pregnancy, childbirth, and the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
64220	Other pre-existing hypertension complicating pregnancy, childbirth, and the puerperium, unspecified as to episode of care	Diagnosis	ICD-9-CM
64221	Other pre-existing hypertension, with delivery	Diagnosis	ICD-9-CM
64222	Other pre-existing hypertension, with delivery, with current postpartum complication	Diagnosis	ICD-9-CM
64223	Other pre-existing hypertension, antepartum	Diagnosis	ICD-9-CM
64224	Other pre-existing hypertension complicating pregnancy, childbirth, and the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM
I10	Essential (primary) hypertension	Diagnosis	ICD-10-CM
I119	Hypertensive heart disease without heart failure	Diagnosis	ICD-10-CM
I120	Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease	Diagnosis	ICD-10-CM
I129	Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease	Diagnosis	ICD-10-CM
I130	Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease	Diagnosis	ICD-10-CM
I1310	Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease	Diagnosis	ICD-10-CM
I1311	Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease	Diagnosis	ICD-10-CM
I132	Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease	Diagnosis	ICD-10-CM
I150	Renovascular hypertension	Diagnosis	ICD-10-CM
I151	Hypertension secondary to other renal disorders	Diagnosis	ICD-10-CM
I152	Hypertension secondary to endocrine disorders	Diagnosis	ICD-10-CM
I158	Other secondary hypertension	Diagnosis	ICD-10-CM
I159	Secondary hypertension, unspecified	Diagnosis	ICD-10-CM
I160	Hypertensive urgency	Diagnosis	ICD-10-CM
I161	Hypertensive emergency	Diagnosis	ICD-10-CM
I169	Hypertensive crisis, unspecified	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
O100	Pre-existing essential hypertension complicating pregnancy, childbirth and the puerperium	Diagnosis	ICD-10-CM
O1001	Pre-existing essential hypertension complicating pregnancy,	Diagnosis	ICD-10-CM
O10011	Pre-existing essential hypertension complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10012	Pre-existing essential hypertension complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10013	Pre-existing essential hypertension complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O10019	Pre-existing essential hypertension complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O1002	Pre-existing essential hypertension complicating childbirth	Diagnosis	ICD-10-CM
O1003	Pre-existing essential hypertension complicating the puerperium	Diagnosis	ICD-10-CM
O101	Pre-existing hypertensive heart disease complicating pregnancy, childbirth and the puerperium	Diagnosis	ICD-10-CM
O1011	Pre-existing hypertensive heart disease complicating pregnancy	Diagnosis	ICD-10-CM
O10111	Pre-existing hypertensive heart disease complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10112	Pre-existing hypertensive heart disease complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10113	Pre-existing hypertensive heart disease complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O10119	Pre-existing hypertensive heart disease complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O1012	Pre-existing hypertensive heart disease complicating childbirth	Diagnosis	ICD-10-CM
O1013	Pre-existing hypertensive heart disease complicating the puerperium	Diagnosis	ICD-10-CM
O102	Pre-existing hypertensive chronic kidney disease complicating pregnancy, childbirth and the puerperium	Diagnosis	ICD-10-CM
O1021	Pre-existing hypertensive chronic kidney disease complicating pregnancy	Diagnosis	ICD-10-CM
O10211	Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10212	Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10213	Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
O10219	Pre-existing hypertensive chronic kidney disease complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O1022	Pre-existing hypertensive chronic kidney disease complicating childbirth	Diagnosis	ICD-10-CM
O1023	Pre-existing hypertensive chronic kidney disease complicating the puerperium	Diagnosis	ICD-10-CM
O103	Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, childbirth and the puerperium	Diagnosis	ICD-10-CM
O1031	Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy	Diagnosis	ICD-10-CM
O10311	Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10312	Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10313	Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O10319	Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O1032	Pre-existing hypertensive heart and chronic kidney disease complicating childbirth	Diagnosis	ICD-10-CM
O1033	Pre-existing hypertensive heart and chronic kidney disease complicating the puerperium	Diagnosis	ICD-10-CM
O104	Pre-existing secondary hypertension complicating pregnancy, childbirth and the puerperium	Diagnosis	ICD-10-CM
O1041	Pre-existing secondary hypertension complicating pregnancy	Diagnosis	ICD-10-CM
O10411	Pre-existing secondary hypertension complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10412	Pre-existing secondary hypertension complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10413	Pre-existing secondary hypertension complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O10419	Pre-existing secondary hypertension complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O1042	Pre-existing secondary hypertension complicating childbirth	Diagnosis	ICD-10-CM
O1043	Pre-existing secondary hypertension complicating the puerperium	Diagnosis	ICD-10-CM
O109	Unspecified pre-existing hypertension complicating pregnancy, childbirth and the puerperium	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL



Code	Description	Code Category	Code Type
O1091	Unspecified pre-existing hypertension complicating pregnancy	Diagnosis	ICD-10-CM
O10911	Unspecified pre-existing hypertension complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O10912	Unspecified pre-existing hypertension complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O10913	Unspecified pre-existing hypertension complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O10919	Unspecified pre-existing hypertension complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O1092	Unspecified pre-existing hypertension complicating childbirth	Diagnosis	ICD-10-CM
O1093	Unspecified pre-existing hypertension complicating the puerperium	Diagnosis	ICD-10-CM

Obesity			
27800	Obesity, unspecified	Diagnosis	ICD-9-CM
27801	Morbid obesity	Diagnosis	ICD-9-CM
27803	Obesity hypoventilation syndrome	Diagnosis	ICD-9-CM
53901	Infection due to gastric band procedure	Diagnosis	ICD-9-CM
53909	Other complications of gastric band procedure	Diagnosis	ICD-9-CM
53981	Infection due to other bariatric procedure	Diagnosis	ICD-9-CM
53989	Other complications of other bariatric procedure	Diagnosis	ICD-9-CM
64910	Obesity complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable	Diagnosis	ICD-9-CM
64911	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64912	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64913	Obesity complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication	Diagnosis	ICD-9-CM
64914	Obesity complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM
64920	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable	Diagnosis	ICD-9-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
64921	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64922	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64923	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication	Diagnosis	ICD-9-CM
64924	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM
V8530	Body Mass Index 30.0-30.9, adult	Diagnosis	ICD-9-CM
V8531	Body Mass Index 31.0-31.9, adult	Diagnosis	ICD-9-CM
V8532	Body Mass Index 32.0-32.9, adult	Diagnosis	ICD-9-CM
V8533	Body Mass Index 33.0-33.9, adult	Diagnosis	ICD-9-CM
V8534	Body Mass Index 34.0-34.9, adult	Diagnosis	ICD-9-CM
V8535	Body Mass Index 35.0-35.9, adult	Diagnosis	ICD-9-CM
V8536	Body Mass Index 36.0-36.9, adult	Diagnosis	ICD-9-CM
V8537	Body Mass Index 37.0-37.9, adult	Diagnosis	ICD-9-CM
V8538	Body Mass Index 38.0-38.9, adult	Diagnosis	ICD-9-CM
V8539	Body Mass Index 39.0-39.9, adult	Diagnosis	ICD-9-CM
V8541	Body Mass Index 40.0-44.9, adult	Diagnosis	ICD-9-CM
V8542	Body Mass Index 45.0-49.9, adult	Diagnosis	ICD-9-CM
V8543	Body Mass Index 50.0-59.9, adult	Diagnosis	ICD-9-CM
V8544	Body Mass Index 60.0-69.9, adult	Diagnosis	ICD-9-CM
V8545	Body Mass Index 70 and over, adult	Diagnosis	ICD-9-CM
E6601	Morbid (severe) obesity due to excess calories	Diagnosis	ICD-10-CM
E6609	Other obesity due to excess calories	Diagnosis	ICD-10-CM
E661	Drug-induced obesity	Diagnosis	ICD-10-CM
E662	Morbid (severe) obesity with alveolar hypoventilation	Diagnosis	ICD-10-CM
E668	Other obesity	Diagnosis	ICD-10-CM
E669	Obesity, unspecified	Diagnosis	ICD-10-CM
K9501	Infection due to gastric band procedure	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
K9509	Other complications of gastric band procedure	Diagnosis	ICD-10-CM
K9581	Infection due to other bariatric procedure	Diagnosis	ICD-10-CM
K9589	Other complications of other bariatric procedure	Diagnosis	ICD-10-CM
O99210	Obesity complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99211	Obesity complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99212	Obesity complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99213	Obesity complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99214	Obesity complicating childbirth	Diagnosis	ICD-10-CM
O99215	Obesity complicating the puerperium	Diagnosis	ICD-10-CM
O99840	Bariatric surgery status complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99841	Bariatric surgery status complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99842	Bariatric surgery status complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99843	Bariatric surgery status complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99844	Bariatric surgery status complicating childbirth	Diagnosis	ICD-10-CM
O99845	Bariatric surgery status complicating the puerperium	Diagnosis	ICD-10-CM
Z6830	Body mass index [BMI] 30.0-30.9, adult	Diagnosis	ICD-10-CM
Z6831	Body mass index [BMI] 31.0-31.9, adult	Diagnosis	ICD-10-CM
Z6832	Body mass index [BMI] 32.0-32.9, adult	Diagnosis	ICD-10-CM
Z6833	Body mass index [BMI] 33.0-33.9, adult	Diagnosis	ICD-10-CM
Z6834	Body mass index [BMI] 34.0-34.9, adult	Diagnosis	ICD-10-CM
Z6835	Body mass index [BMI] 35.0-35.9, adult	Diagnosis	ICD-10-CM
Z6836	Body mass index [BMI] 36.0-36.9, adult	Diagnosis	ICD-10-CM
Z6837	Body mass index [BMI] 37.0-37.9, adult	Diagnosis	ICD-10-CM
Z6838	Body mass index [BMI] 38.0-38.9, adult	Diagnosis	ICD-10-CM
Z6839	Body mass index [BMI] 39.0-39.9, adult	Diagnosis	ICD-10-CM
Z6841	Body mass index [BMI] 40.0-44.9, adult	Diagnosis	ICD-10-CM
Z6842	Body mass index [BMI] 45.0-49.9, adult	Diagnosis	ICD-10-CM
Z6843	Body mass index [BMI] 50.0-59.9, adult	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
Z6844	Body mass index [BMI] 60.0-69.9, adult	Diagnosis	ICD-10-CM
Z6845	Body mass index [BMI] 70 or greater, adult	Diagnosis	ICD-10-CM
3483	Closure of fistula of diaphragm	Procedure	09
4284	Repair of esophageal fistula, not elsewhere classified	Procedure	ICD-9-CM
4342	Local excision of other lesion or tissue of stomach	Procedure	ICD-9-CM
436	Partial gastrectomy with anastomosis to duodenum	Procedure	ICD-9-CM
437	Partial gastrectomy with anastomosis to jejunum	Procedure	ICD-9-CM
4381	Partial gastrectomy with jejunal transposition	Procedure	ICD-9-CM
4389	Open and other partial gastrectomy	Procedure	ICD-9-CM
4431	High gastric bypass	Procedure	ICD-9-CM
4438	Laparoscopic gastroenterostomy	Procedure	ICD-9-CM
4439	Other gastroenterostomy without gastrectomy	Procedure	ICD-9-CM
4440	Suture of peptic ulcer, not otherwise specified	Procedure	ICD-9-CM
4441	Suture of gastric ulcer site	Procedure	ICD-9-CM
4449	Other control of hemorrhage of stomach or duodenum	Procedure	ICD-9-CM
445	Revision of gastric anastomosis	Procedure	ICD-9-CM
4461	Suture of laceration of stomach	Procedure	ICD-9-CM
4462	Closure of gastrostomy	Procedure	ICD-9-CM
4463	Closure of other gastric fistula	Procedure	ICD-9-CM
4468	Laparoscopic gastroplasty	Procedure	ICD-9-CM
4495	Laparoscopic gastric restrictive procedure	Procedure	ICD-9-CM
4531	Other local excision of lesion of duodenum	Procedure	ICD-9-CM
4533	Local excision of lesion or tissue of small intestine, except duodenum	Procedure	ICD-9-CM
4550	Isolation of intestinal segment, not otherwise specified	Procedure	ICD-9-CM
4551	Isolation of segment of small intestine	Procedure	ICD-9-CM
4552	Isolation of segment of large intestine	Procedure	ICD-9-CM
4561	Multiple segmental resection of small intestine	Procedure	ICD-9-CM
4562	Other partial resection of small intestine	Procedure	ICD-9-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
4590	Intestinal anastomosis, not otherwise specified	Procedure	ICD-9-CM
4591	Small-to-small intestinal anastomosis	Procedure	ICD-9-CM
5136	Choledochenterostomy	Procedure	ICD-9-CM
5193	Closure of other biliary fistula	Procedure	ICD-9-CM
5251	Proximal pancreatectomy	Procedure	ICD-9-CM
527	Radical pancreaticoduodenectomy	Procedure	ICD-9-CM
5651	Formation of cutaneous uretero-ileostomy	Procedure	ICD-9-CM
5787	Reconstruction of urinary bladder	Procedure	ICD-9-CM
0D16079	Bypass Stomach to Duodenum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1607A	Bypass Stomach to Jejunum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1607B	Bypass Stomach to Ileum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1607L	Bypass Stomach to Transverse Colon with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D160J9	Bypass Stomach to Duodenum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D160JA	Bypass Stomach to Jejunum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D160JB	Bypass Stomach to Ileum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D160JL	Bypass Stomach to Transverse Colon with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D160K9	Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D160KA	Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D160KB	Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D160KL	Bypass Stomach to Transverse Colon with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D160Z9	Bypass Stomach to Duodenum, Open Approach	Procedure	ICD-10-PCS
0D160ZA	Bypass Stomach to Jejunum, Open Approach	Procedure	ICD-10-PCS
0D160ZB	Bypass Stomach to Ileum, Open Approach	Procedure	ICD-10-PCS
0D160ZL	Bypass Stomach to Transverse Colon, Open Approach	Procedure	ICD-10-PCS

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
0D16479	Bypass Stomach to Duodenum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1647A	Bypass Stomach to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1647B	Bypass Stomach to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1647L	Bypass Stomach to Transverse Colon with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164J9	Bypass Stomach to Duodenum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164JA	Bypass Stomach to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164JB	Bypass Stomach to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164JL	Bypass Stomach to Transverse Colon with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164K9	Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164KA	Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164KB	Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164KL	Bypass Stomach to Transverse Colon with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164Z9	Bypass Stomach to Duodenum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164ZA	Bypass Stomach to Jejunum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164ZB	Bypass Stomach to Ileum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D164ZL	Bypass Stomach to Transverse Colon, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D16879	Bypass Stomach to Duodenum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1687A	Bypass Stomach to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1687B	Bypass Stomach to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
0D1687L	Bypass Stomach to Transverse Colon with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168J9	Bypass Stomach to Duodenum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168JA	Bypass Stomach to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168JB	Bypass Stomach to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168JL	Bypass Stomach to Transverse Colon with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168K9	Bypass Stomach to Duodenum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168KA	Bypass Stomach to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168KB	Bypass Stomach to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168KL	Bypass Stomach to Transverse Colon with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168Z9	Bypass Stomach to Duodenum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168ZA	Bypass Stomach to Jejunum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168ZB	Bypass Stomach to Ileum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D168ZL	Bypass Stomach to Transverse Colon, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D19079	Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1907A	Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1907B	Bypass Duodenum to Ileum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D190J9	Bypass Duodenum to Duodenum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D190JA	Bypass Duodenum to Jejunum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D190JB	Bypass Duodenum to Ileum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D190K9	Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
0D190KA	Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D190KB	Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D190Z9	Bypass Duodenum to Duodenum, Open Approach	Procedure	ICD-10-PCS
0D190ZA	Bypass Duodenum to Jejunum, Open Approach	Procedure	ICD-10-PCS
0D190ZB	Bypass Duodenum to Ileum, Open Approach	Procedure	ICD-10-PCS
0D19479	Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1947A	Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1947B	Bypass Duodenum to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D194J9	Bypass Duodenum to Duodenum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D194JA	Bypass Duodenum to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D194JB	Bypass Duodenum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D194K9	Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D194KA	Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D194KB	Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D194Z9	Bypass Duodenum to Duodenum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D194ZA	Bypass Duodenum to Jejunum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D194ZB	Bypass Duodenum to Ileum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D19879	Bypass Duodenum to Duodenum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1987A	Bypass Duodenum to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1987B	Bypass Duodenum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS

PFIZER CONFIDENTIAL



Code	Description	Code Category	Code Type
0D198J9	Bypass Duodenum to Duodenum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D198JA	Bypass Duodenum to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D198JB	Bypass Duodenum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D198K9	Bypass Duodenum to Duodenum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D198KA	Bypass Duodenum to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D198KB	Bypass Duodenum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D198Z9	Bypass Duodenum to Duodenum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D198ZA	Bypass Duodenum to Jejunum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D198ZB	Bypass Duodenum to Ileum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1A07A	Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1A07B	Bypass Jejunum to Ileum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1A0JA	Bypass Jejunum to Jejunum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D1A0JB	Bypass Jejunum to Ileum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D1A0KA	Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1A0KB	Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1A0ZA	Bypass Jejunum to Jejunum, Open Approach	Procedure	ICD-10-PCS
0D1A0ZB	Bypass Jejunum to Ileum, Open Approach	Procedure	ICD-10-PCS
0D1A47A	Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1A47B	Bypass Jejunum to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1A4JA	Bypass Jejunum to Jejunum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
0D1A4JB	Bypass Jejunum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1A4KA	Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1A4KB	Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1A4ZA	Bypass Jejunum to Jejunum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1A4ZB	Bypass Jejunum to Ileum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1A87A	Bypass Jejunum to Jejunum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1A87B	Bypass Jejunum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1A8JA	Bypass Jejunum to Jejunum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1A8JB	Bypass Jejunum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1A8KA	Bypass Jejunum to Jejunum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1A8KB	Bypass Jejunum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1A8ZA	Bypass Jejunum to Jejunum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1A8ZB	Bypass Jejunum to Ileum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1A8ZH	Bypass Jejunum to Cecum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1B07B	Bypass Ileum to Ileum with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1B0JB	Bypass Ileum to Ileum with Synthetic Substitute, Open Approach	Procedure	ICD-10-PCS
0D1B0KB	Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
0D1B0ZB	Bypass Ileum to Ileum, Open Approach	Procedure	ICD-10-PCS
0D1B47B	Bypass Ileum to Ileum with Autologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1B4JB	Bypass Ileum to Ileum with Synthetic Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1B4KB	Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
0D1B4ZB	Bypass Ileum to Ileum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D1B87B	Bypass Ileum to Ileum with Autologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1B8JB	Bypass Ileum to Ileum with Synthetic Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1B8KB	Bypass Ileum to Ileum with Nonautologous Tissue Substitute, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1B8ZB	Bypass Ileum to Ileum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0D1B8ZH	Bypass Ileum to Cecum, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0DB60Z3	Excision of Stomach, Open Approach, Vertical	Procedure	ICD-10-PCS
0DB60ZZ	Excision of Stomach, Open Approach	Procedure	ICD-10-PCS
0DB63Z3	Excision of Stomach, Percutaneous Approach, Vertical	Procedure	ICD-10-PCS
0DB63ZZ	Excision of Stomach, Percutaneous Approach	Procedure	ICD-10-PCS
0DB67Z3	Excision of Stomach, Via Natural or Artificial Opening, Vertical	Procedure	ICD-10-PCS
0DB67ZZ	Excision of Stomach, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
0DB68Z3	Excision of Stomach, Via Natural or Artificial Opening Endoscopic, Vertical	Procedure	ICD-10-PCS
0DB80ZZ	Excision of Small Intestine, Open Approach	Procedure	ICD-10-PCS
0DB90ZZ	Excision of Duodenum, Open Approach	Procedure	ICD-10-PCS
0DBB0ZZ	Excision of Ileum, Open Approach	Procedure	ICD-10-PCS
0DQ64ZZ	Repair Stomach, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0DV64CZ	Restriction of Stomach with Extraluminal Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0F190Z3	Bypass Common Bile Duct to Duodenum, Open Approach	Procedure	ICD-10-PCS
0TRB07Z	Replacement of Bladder with Autologous Tissue Substitute, Open Approach	Procedure	ICD-10-PCS
43644	Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and Roux-en-Y gastroenterostomy (roux limb 150 cm or less)	Procedure	CPT-4
43645	Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and small intestine reconstruction to limit absorption	Procedure	CPT-4
43770	Laparoscopy, surgical, gastric restrictive procedure; placement of adjustable gastric restrictive device (eg, gastric band and subcutaneous port components)	Procedure	CPT-4

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
43842	Gastric restrictive procedure, without gastric bypass, for morbid obesity; vertical-banded gastroplasty	Procedure	CPT-4
43843	Gastric restrictive procedure, without gastric bypass, for morbid obesity; other than vertical-banded gastroplasty	Procedure	CPT-4
43845	Gastric restrictive procedure with partial gastrectomy, pylorus-preserving duodenoileostomy and ileoileostomy (50 to 100 cm common channel) to limit absorption (biliopancreatic diversion with duodenal switch)	Procedure	CPT-4
43846	Gastric restrictive procedure, with gastric bypass for morbid obesity; with short limb (150 cm or less) Roux-en-Y gastroenterostomy	Procedure	CPT-4
43847	Gastric restrictive procedure, with gastric bypass for morbid obesity; with small intestine reconstruction to limit absorption	Procedure	CPT-4

Sickle Cell Disease			
28241	Sickle-cell thalassemia without crisis	Diagnosis	ICD-9-CM
28242	Sickle-cell thalassemia with crisis	Diagnosis	ICD-9-CM
28260	Sickle-cell disease, unspecified	Diagnosis	ICD-9-CM
28261	Hb-SS disease without crisis	Diagnosis	ICD-9-CM
28262	Hb-SS disease with crisis	Diagnosis	ICD-9-CM
28263	Sickle-cell/Hb-C disease without crisis	Diagnosis	ICD-9-CM
28264	Sickle-cell/Hb-C disease with crisis	Diagnosis	ICD-9-CM
28268	Other sickle-cell disease without crisis	Diagnosis	ICD-9-CM
28269	Other sickle-cell disease with crisis	Diagnosis	ICD-9-CM
28952	Splenic sequestration	Diagnosis	ICD-9-CM
5173	Acute chest syndrome	Diagnosis	ICD-9-CM
D5700	Hb-SS disease with crisis, unspecified	Diagnosis	ICD-10-CM
D5701	Hb-SS disease with acute chest syndrome	Diagnosis	ICD-10-CM
D5702	Hb-SS disease with splenic sequestration	Diagnosis	ICD-10-CM
D571	Sickle-cell disease without crisis	Diagnosis	ICD-10-CM
D5720	Sickle-cell/Hb-C disease without crisis	Diagnosis	ICD-10-CM
D57211	Sickle-cell/Hb-C disease with acute chest syndrome	Diagnosis	ICD-10-CM
D57212	Sickle-cell/Hb-C disease with splenic sequestration	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
D57219	Sickle-cell/Hb-C disease with crisis, unspecified	Diagnosis	ICD-10-CM
D5740	Sickle-cell thalassemia without crisis	Diagnosis	ICD-10-CM
D57411	Sickle-cell thalassemia, unspecified, with acute chest syndrome	Diagnosis	ICD-10-CM
D57412	Sickle-cell thalassemia, unspecified, with splenic sequestration	Diagnosis	ICD-10-CM
D57419	Sickle-cell thalassemia, unspecified, with crisis	Diagnosis	ICD-10-CM
D5780	Other sickle-cell disorders without crisis	Diagnosis	ICD-10-CM
D57811	Other sickle-cell disorders with acute chest syndrome	Diagnosis	ICD-10-CM
D57812	Other sickle-cell disorders with splenic sequestration	Diagnosis	ICD-10-CM
D57819	Other sickle-cell disorders with crisis, unspecified	Diagnosis	ICD-10-CM

Smoking			
99407	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes	Procedure	CPT-4
4001F	Tobacco use cessation intervention, pharmacologic therapy (COPD, CAD, CAP, PV, Asthma) (DM) (PV)	Procedure	CPT Category II
G9016	Smoking cessation counseling, individual, in the absence of or in addition to any other evaluation and management service, per session (6-10 minutes) [demo project code only]	Procedure	HCPCS
G0436	Smoking and tobacco cessation counseling visit for the asymptomatic patient; intermediate, greater than 3 minutes, up to 10 minutes	Procedure	HCPCS
4004F	Patient screened for tobacco use and received tobacco cessation intervention (counseling, pharmacotherapy, or both), if identified as a tobacco user (PV, CAD)	Procedure	CPT Category II
S4995	Smoking cessation gum	Procedure	HCPCS
S9075	Smoking cessation treatment	Procedure	HCPCS
99406	Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes	Procedure	CPT-4
G9276	Documentation that patient is a current tobacco user	Procedure	HCPCS
G9458	Patient documented as tobacco user and received tobacco cessation intervention (must include at least one of the following: advice given to quit smoking or tobacco use, counseling on the benefits of quitting smoking or tobacco use, assistance with or referral to external smoking or tobacco cessation support programs, or current enrollment in smoking or tobacco use cessation program) if identified as a tobacco user	Procedure	HCPCS

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
1034F	Current tobacco smoker (CAD, CAP, COPD, PV) (DM)	Procedure	CPT Category II
S9453	Smoking cessation classes, nonphysician provider, per session	Procedure	HPCS
G0437	Smoking and tobacco cessation counseling visit for the asymptomatic patient; intensive, greater than 10 minutes	Procedure	HPCS
2920	Drug withdrawal	Diagnosis	ICD-9-CM
29289	Other specified drug-induced mental disorder	Diagnosis	ICD-9-CM
2929	Unspecified drug-induced mental disorder	Diagnosis	ICD-9-CM
3051	Nondependent tobacco use disorder	Diagnosis	ICD-9-CM
64900	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable	Diagnosis	ICD-9-CM
64901	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition	Diagnosis	ICD-9-CM
64902	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication	Diagnosis	ICD-9-CM
64903	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication	Diagnosis	ICD-9-CM
64904	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication	Diagnosis	ICD-9-CM
98984	Toxic effect of tobacco	Diagnosis	ICD-9-CM
E8668	Accidental poisoning by other specified solid or liquid substances	Diagnosis	ICD-9-CM
E9509	Suicide and self-inflicted poisoning by other and unspecified solid and liquid substances	Diagnosis	ICD-9-CM
E9621	Assault by other solid and liquid substances	Diagnosis	ICD-9-CM
E9809	Poisoning by other and unspecified solid and liquid substances, undetermined whether accidentally or purposely inflicted	Diagnosis	ICD-9-CM
F17200	Nicotine dependence, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F17201	Nicotine dependence, unspecified, in remission	Diagnosis	ICD-10-CM
F17203	Nicotine dependence unspecified, with withdrawal	Diagnosis	ICD-10-CM
F17208	Nicotine dependence, unspecified, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17210	Nicotine dependence, cigarettes, uncomplicated	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
F17211	Nicotine dependence, cigarettes, in remission	Diagnosis	ICD-10-CM
F17213	Nicotine dependence, cigarettes, with withdrawal	Diagnosis	ICD-10-CM
F17218	Nicotine dependence, cigarettes, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17220	Nicotine dependence, chewing tobacco, uncomplicated	Diagnosis	ICD-10-CM
F17221	Nicotine dependence, chewing tobacco, in remission	Diagnosis	ICD-10-CM
F17223	Nicotine dependence, chewing tobacco, with withdrawal	Diagnosis	ICD-10-CM
F17228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17290	Nicotine dependence, other tobacco product, uncomplicated	Diagnosis	ICD-10-CM
F17291	Nicotine dependence, other tobacco product, in remission	Diagnosis	ICD-10-CM
F17293	Nicotine dependence, other tobacco product, with withdrawal	Diagnosis	ICD-10-CM
F17298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17299	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
O99330	Smoking (tobacco) complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99331	Smoking (tobacco) complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99332	Smoking (tobacco) complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99333	Smoking (tobacco) complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99334	Smoking (tobacco) complicating childbirth	Diagnosis	ICD-10-CM
O99335	Smoking (tobacco) complicating the puerperium	Diagnosis	ICD-10-CM
T65211A	Toxic effect of chewing tobacco, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65213A	Toxic effect of chewing tobacco, assault, initial encounter	Diagnosis	ICD-10-CM
T65214A	Toxic effect of chewing tobacco, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65221A	Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL

Code	Description	Code Category	Code Type
T65222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65223A	Toxic effect of tobacco cigarettes, assault, initial encounter	Diagnosis	ICD-10-CM
T65224A	Toxic effect of tobacco cigarettes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65291A	Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65293A	Toxic effect of other tobacco and nicotine, assault, initial encounter	Diagnosis	ICD-10-CM
T65294A	Toxic effect of other tobacco and nicotine, undetermined, initial encounter	Diagnosis	ICD-10-CM

Splenic Disease			
2894	Hypersplenism	Diagnosis	ICD-9-CM
28950	Unspecified disease of spleen	Diagnosis	ICD-9-CM
28951	Chronic congestive splenomegaly	Diagnosis	ICD-9-CM
28953	Neutropenic splenomegaly	Diagnosis	ICD-9-CM
28959	Other diseases of spleen	Diagnosis	ICD-9-CM
D73	Diseases of spleen	Diagnosis	ICD-10-CM
D730	Hyposplenism	Diagnosis	ICD-10-CM
D731	Hypersplenism	Diagnosis	ICD-10-CM
D732	Chronic congestive splenomegaly	Diagnosis	ICD-10-CM
D733	Abscess of spleen	Diagnosis	ICD-10-CM
D734	Cyst of spleen	Diagnosis	ICD-10-CM
D735	Infarction of spleen	Diagnosis	ICD-10-CM
D738	Other diseases of spleen	Diagnosis	ICD-10-CM
D7381	Neutropenic splenomegaly	Diagnosis	ICD-10-CM
D7389	Other diseases of spleen	Diagnosis	ICD-10-CM
D739	Disease of spleen, unspecified	Diagnosis	ICD-10-CM

PFIZER CONFIDENTIAL



## 7. Generic and Brand Names of Medical Products Used to Define Baseline Characteristics

Generic Name	Brand Name
Smoking Deterrents	
bupropion HCl	Buproban
bupropion HCl	bupropion HCl (smoking deter)
bupropion HCl	Zyban
nicotine	Habitrol
nicotine	Nicoderm
nicotine	Nicoderm CQ
nicotine	nicotine
nicotine	Nicotrol
nicotine	Nicotrol NS
nicotine	NTS Step 1
nicotine	NTS Step 2
nicotine	NTS Step 3
nicotine	Prostep
nicotine bitartrate	Nicotine Tartrate
nicotine polacrilex	Commit
nicotine polacrilex	Nicorelief
nicotine polacrilex	Nicorette
nicotine polacrilex	Nicorette Refill
nicotine polacrilex	Nicorette Starter Kit
nicotine polacrilex	nicotine (polacrilex)
nicotine polacrilex	nicotine polacrilex (bulk)
nicotine polacrilex	Quit 2
nicotine polacrilex	Quit 4
nicotine polacrilex	Stop Smoking Aid
nicotine polacrilex	Thrive Nicotine
varenicline tartrate	Chantix

PFIZER CONFIDENTIAL

Generic Name	Brand Name
varenicline tartrate	Chantix Continuing Month Box
varenicline tartrate	Chantix Continuing Month Pak
varenicline tartrate	Chantix Starting Month Box
varenicline tartrate	Chantix Starting Month Pak

Teratogenic Medications	
acitretin	acitretin
acitretin	Soriatane
aliskiren hemifumarate	aliskiren
aliskiren hemifumarate	Tekturna
aliskiren hemifumarate/amlodipine besylate	Tekamlo
aliskiren hemifumarate/amlodipine/hydrochlorothiazide	Amturnide
aliskiren hemifumarate/hydrochlorothiazide	Tekturna HCT
amiodarone HCl	amiodarone
amiodarone HCl	Cordarone
amiodarone HCl	Pacerone
amiodarone HCl/dextrose 5 % in water	amiodarone in dextrose 5 %
amiodarone in dextrose, iso-osmotic	Nexterone
amlodipine besylate/olmesartan medoxomil	amlodipine-olmesartan
amlodipine besylate/olmesartan medoxomil	Azor
amlodipine besylate/valsartan	amlodipine-valsartan
amlodipine besylate/valsartan	Exforge
amlodipine besylate/valsartan/hydrochlorothiazide	amlodipine-valsartan-hcthiacid
amlodipine besylate/valsartan/hydrochlorothiazide	Exforge HCT
azathioprine	Azasan
azathioprine	azathioprine
azathioprine	azathioprine (bulk)
azathioprine	Imuran
azathioprine sodium	azathioprine sodium

PFIZER CONFIDENTIAL

Generic Name	Brand Name
bexarotene	bexarotene
bexarotene	Targretin
candesartan cilexetil	Atacand
candesartan cilexetil	candesartan
candesartan cilexetil/hydrochlorothiazide	Atacand HCT
candesartan cilexetil/hydrochlorothiazide	candesartan-hydrochlorothiazid
captopril	captopril
captopril	captopril (bulk)
captopril/hydrochlorothiazide	captopril-hydrochlorothiazide
carbamazepine	carbamazepine
carbamazepine	carbamazepine (bulk)
carbamazepine	Carbatrol
carbamazepine	Epitol
carbamazepine	Equetro
carbamazepine	Tegretol
carbamazepine	Tegretol XR
diclofenac sodium/misoprostol	Arthrotec 50
diclofenac sodium/misoprostol	Arthrotec 75
diclofenac sodium/misoprostol	diclofenac-misoprostol
dronedarone HCl	Multaq
enalapril maleate	enalapril maleate
enalapril maleate	enalapril maleate (bulk)
enalapril maleate	Epaned
enalapril maleate	Vasotec
enalapril maleate/hydrochlorothiazide	enalapril-hydrochlorothiazide
enalapril maleate/hydrochlorothiazide	Vaseretic
eprosartan mesylate	eprosartan
eprosartan mesylate	Teveten

PFIZER CONFIDENTIAL

Generic Name	Brand Name
eprosartan mesylate/hydrochlorothiazide	Teveten HCT
fosinopril sodium	fosinopril
fosinopril sodium/hydrochlorothiazide	fosinopril-hydrochlorothiazide
fosphenytoin sodium	Cerebyx
fosphenytoin sodium	fosphenytoin
irbesartan	Avapro
irbesartan	irbesartan
irbesartan/hydrochlorothiazide	Avalide
irbesartan/hydrochlorothiazide	irbesartan-hydrochlorothiazide
isotretinoin	Absorica
isotretinoin	Accutane
isotretinoin	Amnesteem
isotretinoin	Claravis
isotretinoin	isotretinoin
isotretinoin	isotretinoin (bulk)
isotretinoin	Myorisan
isotretinoin	Zenatane
isotretinoin, micronized	Absorica LD
leflunomide	Arava
leflunomide	leflunomide
lisinopril	lisinopril
lisinopril	lisinopril (bulk)
lisinopril	Prinivil
lisinopril	Qbrelis
lisinopril	Zestril
lisinopril/hydrochlorothiazide	lisinopril-hydrochlorothiazide
lisinopril/hydrochlorothiazide	Zestoretic
lithium aspartate	Lithate

PFIZER CONFIDENTIAL

Generic Name	Brand Name
lithium carbonate	lithium carbonate
lithium carbonate	lithium carbonate (bulk)
lithium carbonate	Lithobid
lithium citrate	lithium citrate
lithium citrate tetrahydrate	lithium citrate tetrahyd(bulk)
losartan potassium	Cozaar
losartan potassium	losartan
losartan potassium	losartan potassium (bulk)
losartan potassium/hydrochlorothiazide	Hyzaar
losartan potassium/hydrochlorothiazide	losartan-hydrochlorothiazide
methotrexate	methotrexate (bulk)
methotrexate	Xatmep
methotrexate sodium	methotrexate sodium
methotrexate sodium	Rheumatrex
methotrexate sodium	Trexall
methotrexate sodium/PF	methotrexate sodium (PF)
methotrexate/PF	Otrexup (PF)
methotrexate/PF	Rasuvo (PF)
methotrexate/PF	RediTrex (PF)
misoprostol	Cytotec
misoprostol	misoprostol
misoprostol	misoprostol (bulk)
moexipril HCl	moexipril
moexipril HCl/hydrochlorothiazide	moexipril-hydrochlorothiazide
mycophenolate mofetil	CellCept
mycophenolate mofetil	mycophenolate mofetil
mycophenolate mofetil HCl	CellCept Intravenous
mycophenolate mofetil HCl	mycophenolate mofetil (HCl)

PFIZER CONFIDENTIAL

Generic Name	Brand Name
mycophenolate sodium	mycophenolate sodium
mycophenolate sodium	Myfortic
nebivolol HCl/valsartan	Byvalson
olmesartan medoxomil	Benicar
olmesartan medoxomil	olmesartan
olmesartan medoxomil/amlodipine besylate/hydrochlorothiazide	olmesartan-amlodipin-hcthiazid
olmesartan medoxomil/amlodipine besylate/hydrochlorothiazide	Tribenzor
olmesartan medoxomil/hydrochlorothiazide	Benicar HCT
olmesartan medoxomil/hydrochlorothiazide	olmesartan-hydrochlorothiazide
paroxetine HCl	paroxetine HCl
paroxetine HCl	Paxil
paroxetine HCl	Paxil CR
paroxetine mesylate	Brisdelle
paroxetine mesylate	paroxetine mesylate(menop.sym)
paroxetine mesylate	Pexeva
perindopril arginine/amlodipine besylate	Prestalia
perindopril erbumine	Aceon
perindopril erbumine	perindopril erbumine
phenobarbital	phenobarbital
phenobarbital	phenobarbital (bulk)
phenobarbital sodium	phenobarbital sodium
phenobarbital sodium	phenobarbital sodium (bulk)
phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb	B-Donna
phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb	Belladonna-Phenobarbital
phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb	Donnatal
phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb	Me-PB-Hyos
phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb	phenobarb-hyoscy-atropine-scop

PFIZER CONFIDENTIAL

Generic Name	Brand Name
phenobarbital/hyoscyamine sulf/atropine sulf/scopolamine Hb	Phenohydro
phentermine HCl/topiramate	Qsymia
phenytoin	Dilantin Infatabs
phenytoin	Dilantin-125
phenytoin	phenytoin
phenytoin	phenytoin (bulk)
phenytoin sodium	phenytoin sodium
phenytoin sodium	phenytoin sodium (bulk)
phenytoin sodium extended	Dilantin
phenytoin sodium extended	Dilantin Extended
phenytoin sodium extended	Dilantin Kapseal
phenytoin sodium extended	Phenytek
phenytoin sodium extended	phenytoin sodium extended
polymyxin B sulfate/trimethoprim	polymyxin B sulf-trimethoprim
polymyxin B sulfate/trimethoprim	Polytrim
primidone	Mysoline
primidone	primidone
primidone	primidone (bulk)
quinapril HCl	Accupril
quinapril HCl	quinapril
quinapril HCl/hydrochlorothiazide	Accuretic
quinapril HCl/hydrochlorothiazide	quinapril-hydrochlorothiazide
ramipril	Altace
ramipril	ramipril
sacubitril/valsartan	Entresto
sulfamethoxazole/trimethoprim	Bactrim
sulfamethoxazole/trimethoprim	Bactrim DS
sulfamethoxazole/trimethoprim	sulfamethoxazole-trimethoprim

PFIZER CONFIDENTIAL

Generic Name	Brand Name
sulfamethoxazole/trimethoprim	Sulfatrim
telmisartan	Micardis
telmisartan	telmisartan
telmisartan/amlodipine besylate	telmisartan-amlodipine
telmisartan/amlodipine besylate	Twynsta
telmisartan/hydrochlorothiazide	Micardis HCT
telmisartan/hydrochlorothiazide	telmisartan-hydrochlorothiazid
thalidomide	Thalomid
topiramate	Qudexy XR
topiramate	Topamax
topiramate	Topiragen
topiramate	topiramate
topiramate	topiramate (bulk)
topiramate	Trokendi XR
trandolapril	Mavik
trandolapril	trandolapril
trandolapril/verapamil HCl	Tarka
trandolapril/verapamil HCl	trandolapril-verapamil
trimethoprim, micronized	trimethoprim, micro (bulk)
valproic acid	Depakene
valproic acid	Stavzor
valproic acid	valproic acid
valproic acid	valproic acid (bulk)
valproic acid (as sodium salt) (valproate sodium)	Depacon
valproic acid (as sodium salt) (valproate sodium)	Depakene
valproic acid (as sodium salt) (valproate sodium)	valproate sodium
valproic acid (as sodium salt) (valproate sodium)	valproate sodium (bulk)
valproic acid (as sodium salt) (valproate sodium)	valproic acid (as sodium salt)

PFIZER CONFIDENTIAL



Generic Name	Brand Name
valsartan	Diovan
valsartan	valsartan
valsartan/hydrochlorothiazide	Diovan HCT
valsartan/hydrochlorothiazide	valsartan-hydrochlorothiazide
warfarin sodium	Coumadin
warfarin sodium	Jantoven
warfarin sodium	warfarin
warfarin sodium	warfarin (bulk)